## Specify PARmate for your next landscape, security or signage installation.

ARCTIC WHITE


VERDE GREEN

ARCHITECTURAL GREY

> MIDNIGHT BLACK

PARmate fixtures are available with or without matching weatherproof box. Available colors include Arctic White, Architectural Grey, Verde Green, and Midnight Black. Special colors are available on request and may carry an additional charge.

	PARmate Fixtures		
		W/O ELECTRICAL BOX	W/ ELECTRICAL BOX
3	Single Lampholder Arctic White Architectural Grey Verde Green Midnight Black	65101 65102 65103 65104	65111 65112 65113 65114
	Double Lampholder Arctic White Architectural Grey Verde Green Midnight Black	65201 65202 65203 65204	65211 65212 65213 65214
	<b>Triple Lampholder</b> Arctic White Architectural Grey Verde Green Midnight Black	65301 65302 65303 65304	65311 65312 65313 65314
	ACCESSORIES		
	PAR 20 Shroud Arctic White Architectural Grey Verde Green Midnight Black	650155 651155 652155 653155	THIII
	Par 38 Shroud Arctic White Architectural Grey Verde Green Midnight Black	650160 651160 652160 653160	
430	Ground Stake	658000	



## Beyond Function

PARmate's integrated shroud and body design provides a sleek, distinctive appearance for single, double or triple lampholders. The low profile shroud opens a new world of flair and fashion and ensures minimum lamp exposure both in PARmate 20 and PARmate 38 applications.

PARmate's one-of-a-kind silicone seal and weatherproof box mean rain, snow and sleet are no longer design limitations, even for uplighting in open, unsheltered areas. That's why PARmate is CSA certified for indoor and outdoor use, and UL certified for wet locations.

With an innovative self-locking thumb clip plus a unique locknut and sleeve, PARmate's lighting angle is easy to adjust permanently with one hand simplicity and no tools.

This unique fixture from Canlet won't "droop" over time either, making constant readjustment of the lighting angle unnecessary, even after years of use. However, the angle can be changed at any time, quickly and easily, because the adjustment joints won't strip or seize up over time.

Easy, precise adjustability maintains the lighting angle without readjustment.

- 1 -LOOSEN LOCKNUT



- 2 -ROTATE FIXTURE HORIZONTALLY -360° RANGE OF MOTION



- 3 -PUSH THUMB CLIP



- 4 -ROTATE FIXTURE VERTICALLY -90° RANGE OF MOTION







- Unique locknut and sleeve secure lampholder in place.
- Patented self-locking thumb clip enables easy adjustment without the need for tools.
- Durable, corrosion-proof Lexan® construction.
- Integral silicone seal keeps out water, even when pointing up.
- Patented snap on shrouds reduce glare and stray light.
- Optional matching Lexan® weatherproof box with five 1/2" threaded hubs.



Ask about our **NEW MOTION SENSOR** that can be added to your PARmate fixtures.

