


# RESIDENTIAL

GARAGE DOORS




**MIDLAND**<sup>™</sup>  
GARAGE DOOR MFG CO

[midlandgaragedoor.com](http://midlandgaragedoor.com)

# A SUPERIOR DOOR INSIDE & OUT

**WE BUILD GARAGE DOORS THAT OUR DEALERS LOVE TO INSTALL AND THEIR CUSTOMERS ARE PROUD TO OWN**

For over 40 years, Midland has been manufacturing the longest-lasting, smoothest-running residential and commercial overhead doors in the industry. From the construction of our doors, to the quality of materials, Midland manufactures a product that is simply better.



## THERMAL PERFORMANCE VERIFICATION PROGRAM

The DASMA (Door & Access Systems Manufacturers Association) Thermal Performance Verification Program certifies and verifies the thermal performance ratings of sectional doors using third-party testing and inspection.

### WHAT IS U-FACTOR?


- U-factor is a measure of the rate of “non-solar heat flow” through a material.
- A lower U-Factor indicates better insulation, because less heat is being transferred through the garage door. If the garage is attached to the house, a lower U-Factor helps maintain a more stable indoor temperature and can contribute to energy savings.
- U-factor ratings are tested whereas R-value is calculated.
- U-factor tests the whole installed garage door assembly while R-value is calculated for only a portion of insulated section.
- U-Factor is commonly used in energy efficiency standards and is considered a more comprehensive and accurate metric than R-Value.

# NOT ALL GARAGE DOORS ARE CREATED EQUAL


## WHERE IS THE PROOF?

The infrared images below show a side-by-side comparison of a Midland ThermoGuard™ door, next to a competitor’s polyurethane door. This was observed with the doors installed next to the other in the same location. The outside temperature was 0°F and the inside temperature was 55°F. The dark areas show where energy loss occurs.

**MIDLAND**  
GARAGE DOOR MFG CO  
THERMOGUARD™ DOOR



COMPETITOR'S POLYURETHANE DOOR



## WHY DO MIDLAND THERMOGUARD™ DOORS PERFORM BETTER?

- 1 TRUE THERMAL BREAK**  
Midland door sections utilize a true thermal break that minimizes energy loss between sections
- 2 MINIMAL AIR INFILTRATION**  
A flexible commercial-grade seal between the door sections minimizes air infiltration
- 3 SUPERIOR FIT**  
Midland door sections have tighter and more consistent section gaps
- 4 MOISTURE RESISTANT**  
Closed cell end dams help to keep moisture away from insulation
- 5 STRUCTURAL RIGIDITY**  
Concealed full-height vertical center stiles and tailor-made custom end stiles provide structural rigidity
- 6 QUALITY STEEL**  
Hot dipped galvanized steel, that is conditioned and embossed with a pebble texture for maximum durability





# The Art Of Craftsmanship

The landscape of the garage door industry has changed over the years. Today, homeowners expect more than just a quality door, they want something that enhances the appearance of their home. With that in mind, Midland offers a variety of panel designs, complimented by numerous colors and window combinations.

## PANEL DESIGN OPTIONS



RAISED STEEL PANEL  
PAGE 5



SHORT PANEL CARRIAGE  
PAGE 7



LONG PANEL CARRIAGE  
PAGE 9



RECESSED PANEL  
PAGE 11



RANCH PANEL  
PAGE 13



FLUSH PANEL  
PAGE 15




CLASSIC PANEL  
PAGE 17




SERIES 26 RIBBED  
PAGE 19



STEEL OVERLAY  
PAGE 21



SMOOTH OVERLAY  
PAGE 23



V-GROOVE OVERLAY  
PAGE 23




FULLVIEW  
PAGE 25



FULLVIEW STYLIST  
PAGE 27

SEE THESE DOORS ON YOUR HOME





# Raised Steel Panel

## TIMELESS STYLE

This iconic design is the standard in the industry. Its sculpted panels fit nearly any home design, ensuring a lasting and timeless look.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS

| SPECIFICATIONS             | ThermoGuard™        | ThermoSteel™        | TS-138              | Series 24                | ValuCraft Plus           |
|----------------------------|---------------------|---------------------|---------------------|--------------------------|--------------------------|
| <b>U-Factor</b><br>R-Value | <b>0.14</b><br>18.0 | <b>0.22</b><br>9.25 | <b>0.26</b><br>7.50 | <b>0.38*</b><br>7.0*     | <b>0.38*</b><br>7.0*     |
| Foam/Insulate              | Polyurethane        | Polystyrene         | Polystyrene         | T-Bond/<br>Plain Steel   | T-Bond/<br>Plain Steel   |
| Thickness                  | 2 inches            | 2 inches            | 1¾ inches           | 2 inches                 | 2 inches                 |
| Exterior Steel             | 27 gauge            | 25 gauge            | 27 gauge            | 24 gauge                 | 25 gauge                 |
| Interior Steel             | 27 gauge            | 26 gauge            | 27 gauge            | N/A                      | N/A                      |
| Warranty* Excludes Springs | Lifetime            | Lifetime            | 25 years            | Lifetime<br>*With T-Bond | 25 years<br>*With T-Bond |
| <b>COLORS</b>              |                     |                     |                     |                          |                          |
| White                      | •                   | •                   | •                   | •                        | •                        |
| Almond                     | •                   | •                   | •                   | •                        | •                        |
| Sandtone                   | •                   | •                   | •                   | •                        | •                        |
| Tera-Bronze                | •                   | •                   | •                   | •                        | •                        |
| Green                      | •                   | •                   | •                   | •                        | •                        |
| Gray                       | •                   | •                   | •                   | •                        | •                        |
| Coffee                     | •                   | •                   | •                   | •                        | •                        |
| Black                      | •                   | •                   | •                   | •                        | •                        |
| Light Oak                  | •                   | •                   | •                   | •                        | •                        |
| Dark Oak                   | •                   | •                   | •                   | •                        | •                        |
| Weathered Oak              | •                   | •                   | •                   | •                        | •                        |
| Rosewood                   | •                   | •                   | •                   | •                        | •                        |
| Color Select**             | •                   | •                   | •                   | •                        | •                        |

\*For full warranty details contact your Midland dealer

\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



### COLORS




 \*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

### GLASS



\*Tempered only. All other glass is available in both tempered and untempered.

### WINDOWS





# Short Panel Carriage

## HANDCRAFTED BEAUTY & ELEGANCE

Add historic charm and distinguished elegance to your home. This classic "rail and stile" design blends beautifully with a variety of home styles.

*\*Images may not depict current model options*



# CHOOSE YOUR OPTIONS

| SPECIFICATIONS                    | ThermoGuard™ | ThermoSteel™ | TS-138      | Series 24              |
|-----------------------------------|--------------|--------------|-------------|------------------------|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b>  | <b>0.22</b>  | <b>0.26</b> | <b>0.38*</b>           |
| Foam/Insulate                     | Polyurethane | Polystyrene  | Polystyrene | T-Bond/<br>Plain Steel |
| Thickness                         | 2 inches     | 2 inches     | 1¾ inches   | 2 inches               |
| Exterior Steel                    | 27 gauge     | 25 gauge     | 27 gauge    | 24 gauge               |
| Interior Steel                    | 27 gauge     | 26 gauge     | 27 gauge    | N/A                    |
| Warranty* <i>Excludes Springs</i> | Lifetime     | Lifetime     | 25 years    | Lifetime               |
| <b>COLORS</b>                     |              |              |             | *With T-Bond           |
| White                             | •            | •            | •           | •                      |
| Almond                            | •            | •            | •           | •                      |
| Sandtone                          | •            | •            | •           | •                      |
| Tera-Bronze                       | •            | •            | •           | •                      |
| Green                             | •            | •            | •           | •                      |
| Gray                              | •            | •            | •           | •                      |
| Coffee                            | •            | •            | •           | •                      |
| Black                             | •            | •            | •           | •                      |
| Light Oak                         | •            | •            | •           | •                      |
| Dark Oak                          | •            | •            | •           | •                      |
| Weathered Oak                     | •            | •            | •           | •                      |
| Rosewood                          | •            | •            | •           | •                      |
| Color Select™                     | •            | •            | •           | •                      |

\*For full warranty details contact your Midland dealer

\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



## HARDWARE

Standard Straps      Standard Handles




\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

## GLASS



\*Tempered only. All other glass is available in both tempered and untempered.

## WINDOWS





# Long Panel Carriage

## CONTEMPORARY CHARM & STYLE

A fresh dimension to a classic. This design offers a cleaner and more contemporary look while maintaining the classic charm of the Short Panel Carriage design.

*\*Images may not depict current model options*



# CHOOSE YOUR OPTIONS

| SPECIFICATIONS                    | ThermoGuard™ | ThermoSteel™ | TS-138      | Series 24              |
|-----------------------------------|--------------|--------------|-------------|------------------------|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b>  | <b>0.22</b>  | <b>0.26</b> | <b>0.38*</b>           |
| Foam/Insulate                     | Polyurethane | Polystyrene  | Polystyrene | T-Bond/<br>Plain Steel |
| Thickness                         | 2 inches     | 2 inches     | 1¾ inches   | 2 inches               |
| Exterior Steel                    | 27 gauge     | 25 gauge     | 27 gauge    | 24 gauge               |
| Interior Steel                    | 27 gauge     | 26 gauge     | 27 gauge    | N/A                    |
| Warranty* <i>Excludes Springs</i> | Lifetime     | Lifetime     | 25 years    | Lifetime               |
| <b>COLORS</b>                     |              |              |             | *With T-Bond           |
| White                             | •            | •            | •           | •                      |
| Almond                            | •            | •            | •           | •                      |
| Sandtone                          | •            | •            | •           | •                      |
| Tera-Bronze                       | •            | •            | •           | •                      |
| Green                             | •            | •            | •           | •                      |
| Gray                              | •            | •            | •           | •                      |
| Coffee                            | •            | •            | •           | •                      |
| Black                             | •            | •            | •           | •                      |
| Light Oak                         | •            | •            | •           | •                      |
| Dark Oak                          | •            | •            | •           | •                      |
| Weathered Oak                     | •            | •            | •           | •                      |
| Rosewood                          | •            | •            | •           | •                      |
| Color Select**                    | •            | •            | •           | •                      |

\*For full warranty details contact your Midland dealer

\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



## HARDWARE

Standard Straps      Standard Handles




## COLORS



Color Select™

\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

## WINDOWS



## GLASS



\*Tempered only. All other glass is available in both tempered and untempered.



# Recessed Long Panel

## BOLD & TRADITIONAL REFINEMENT

Enjoy the time-honored look of the wood frame and panel design with the modern-day efficiency and operation of steel doors.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS

| SPECIFICATIONS                    | ThermoGuard™ | ThermoSteel™ | TS-138      | Series 24              |
|-----------------------------------|--------------|--------------|-------------|------------------------|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b>  | <b>0.22</b>  | <b>0.26</b> | <b>0.38*</b>           |
| Foam/Insulate                     | Polyurethane | Polystyrene  | Polystyrene | T-Bond/<br>Plain Steel |
| Thickness                         | 2 inches     | 2 inches     | 1¾ inches   | 2 inches               |
| Exterior Steel                    | 27 gauge     | 25 gauge     | 27 gauge    | 24 gauge               |
| Interior Steel                    | 27 gauge     | 26 gauge     | 27 gauge    | N/A                    |
| Warranty* <i>Excludes Springs</i> | Lifetime     | Lifetime     | 25 years    | Lifetime               |
| <b>COLORS</b>                     |              |              |             | *With T-Bond           |
| White                             | •            | •            | •           | •                      |
| Almond                            | •            | •            | •           | •                      |
| Sandtone                          | •            | •            | •           | •                      |
| Tera-Bronze                       | •            | •            | •           | •                      |
| Green                             | •            | •            | •           | •                      |
| Gray                              | •            | •            | •           | •                      |
| Coffee                            | •            | •            | •           | •                      |
| Black                             | •            | •            | •           | •                      |
| Light Oak                         | •            | •            | •           | •                      |
| Dark Oak                          | •            | •            | •           | •                      |
| Weathered Oak                     | •            | •            | •           | •                      |
| Rosewood                          | •            | •            | •           | •                      |
| Color Select™                     | •            | •            | •           | •                      |

\*For full warranty details contact your Midland dealer

\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



### HARDWARE

Standard Straps      Standard Handles



### COLORS




\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

### GLASS



\*Tempered only. All other glass is available in both tempered and untempered.

### WINDOWS





# Ranch Panel

## SIMPLE LINES FOR A BIG STATEMENT

With clean lines and a classic appearance, this design features distinctive long panels that will compliment your home.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS


| SPECIFICATIONS                    | ThermoGuard™ | ThermoSteel™ | TS-138      | Series 24              |
|-----------------------------------|--------------|--------------|-------------|------------------------|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b>  | <b>0.22</b>  | <b>0.26</b> | <b>0.38*</b>           |
| Foam/Insulate                     | Polyurethane | Polystyrene  | Polystyrene | T-Bond/<br>Plain Steel |
| Thickness                         | 2 inches     | 2 inches     | 1¾ inches   | 2 inches               |
| Exterior Steel                    | 27 gauge     | 25 gauge     | 27 gauge    | 24 gauge               |
| Interior Steel                    | 27 gauge     | 26 gauge     | 27 gauge    | N/A                    |
| Warranty* <i>Excludes Springs</i> | Lifetime     | Lifetime     | 25 years    | Lifetime               |
| <b>COLORS</b>                     |              |              |             | *With T-Bond           |
| White                             | •            | •            | •           | •                      |
| Almond                            | •            | •            | •           | •                      |
| Sandtone                          | •            | •            | •           | •                      |
| Tera-Bronze                       | •            | •            | •           | •                      |
| Green                             | •            | •            | •           | •                      |
| Gray                              | •            | •            | •           | •                      |
| Coffee                            | •            | •            | •           | •                      |
| Black                             | •            | •            | •           | •                      |
| Light Oak                         | •            | •            | •           | •                      |
| Dark Oak                          | •            | •            | •           | •                      |
| Weathered Oak                     | •            | •            | •           | •                      |
| Rosewood                          | •            | •            | •           | •                      |
| Color Select**                    | •            | •            | •           | •                      |

*\*For full warranty details contact your Midland dealer*

*\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.*



### HARDWARE




### COLORS



*\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples*

Color Select™

### WINDOWS



### GLASS



*\*Tempered only. All other glass is available in both tempered and untempered.*





# Flush Panel

## MINIMALIST MODERN PANEL DESIGN

This minimalist design provides homeowners a clean, modern look that is an exceptional addition for that style. With several window layout options, you are certain to find the look you want.


*\*Images may not depict current model options*



# CHOOSE YOUR OPTIONS

| SPECIFICATIONS                    | ThermoGuard™        | ThermoSteel™        | TS-138              |
|-----------------------------------|---------------------|---------------------|---------------------|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b><br>18.0 | <b>0.22</b><br>9.25 | <b>0.26</b><br>7.50 |
| Foam/Insulate                     | Polyurethane        | Polystyrene         | Polystyrene         |
| Thickness                         | 2 inches            | 2 inches            | 1 3/8 inches        |
| Exterior Steel                    | 27 gauge            | 25 gauge            | 27 gauge            |
| Interior Steel                    | 27 gauge            | 26 gauge            | 27 gauge            |
| Warranty* <i>Excludes Springs</i> | Lifetime            | Lifetime            | 25 years            |
| <b>COLORS</b>                     |                     |                     |                     |
| White                             | •                   | •                   | •                   |
| Almond                            | •                   | •                   | •                   |
| Sandtone                          | •                   | •                   | •                   |
| Tera-Bronze                       | •                   | •                   | •                   |
| Green                             | •                   | •                   | •                   |
| Gray                              | •                   | •                   | •                   |
| Coffee                            | •                   | •                   | •                   |
| Black                             | •                   | •                   | •                   |
| Cedar Planks                      | •                   | •                   | •                   |
| Oak Planks                        | •                   | •                   | •                   |
| Mahogany Planks                   | •                   | •                   | •                   |
| Carbon Oak Planks                 | •                   | •                   | •                   |
| Rosewood                          | •                   | •                   | •                   |
| Color Select™                     | •                   | •                   | •                   |

\*For full warranty details contact your Midland dealer  
 \*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



## GLASS




\*Tempered only. All other glass is available in both tempered and untempered.

## COLORS



\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

## WINDOWS



• Not available in Planks  
 • Not available in TS-138, ThermoSteel  
 • ThermoGuard only, Black, White & Plank frames only. Plain, Satin & Double Dark glass only

\*Contact your dealer for custom window options



# Classic Panel

## MINIMALIST RAISED PANEL DESIGN

This traditional design provides homeowners with a sophisticated design that will bring added charm and curb-appeal.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS


| SPECIFICATIONS                    | ThermoGuard™     | ThermoSteel™     | TS-138           | Series 24              |
|-----------------------------------|------------------|------------------|------------------|------------------------|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b> 18.0 | <b>0.22</b> 9.25 | <b>0.26</b> 7.50 | <b>0.38*</b> 7.0*      |
| Foam/Insulate                     | Polyurethane     | Polystyrene      | Polystyrene      | T-Bond/<br>Plain Steel |
| Thickness                         | 2 inches         | 2 inches         | 1¾ inches        | 2 inches               |
| Exterior Steel                    | 27 gauge         | 25 gauge         | 27 gauge         | 24 gauge               |
| Interior Steel                    | 27 gauge         | 26 gauge         | 27 gauge         | N/A                    |
| Warranty* <i>Excludes Springs</i> | Lifetime         | Lifetime         | 25 years         | Lifetime               |
| <b>COLORS</b>                     |                  |                  |                  | *With T-Bond           |
| White                             | •                | •                | •                | •                      |
| Almond                            | •                | •                | •                | •                      |
| Sandtone                          | •                | •                | •                | •                      |
| Tera-Bronze                       | •                | •                | •                | •                      |
| Green                             | •                | •                | •                | •                      |
| Gray                              | •                | •                | •                | •                      |
| Coffee                            | •                | •                | •                | •                      |
| Black                             | •                | •                | •                | •                      |
| Light Oak                         | •                | •                | •                | •                      |
| Dark Oak                          | •                | •                | •                | •                      |
| Weathered Oak                     | •                | •                | •                | •                      |
| Rosewood                          | •                | •                | •                | •                      |
| Color Select™                     | •                | •                | •                | •                      |

*\*For full warranty details contact your Midland dealer*


*\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.*



### WINDOWS



### HARDWARE



### COLORS



*\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples*

### GLASS



*\*Tempered only. All other glass is available in both tempered and untempered.*



# Series 26 Ribbed


## DURABLE PEBBLE GRAIN STEEL FINISH

An affordable, reliable option for homes, apartment buildings or storage units. Rolled from 26-gauge pebble-grain steel, this door provides superior strength, durability, and low maintenance.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS

| SPECIFICATIONS             | Series 26  |
|----------------------------|--|
| <b>U-Factor</b><br>R-Value | <b>0.38*</b> <br>7.0* |
| Foam/Insulate              | T-Bond/<br>Plain Steel   |
| Thickness                  | 2 inches   |
| Exterior Steel             | 24 gauge   |
| Interior Steel             | N/A  |
| Warranty* Excludes Springs | Lifetime   |
|                            | *With T-Bond   |


| COLORS         |   |
|----------------|---|
| White          | • |
| Coffee         | • |
| Color Select** | • |

*\*For full warranty details contact your Midland dealer*

*\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.*




### COLORS



*\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples*

### WINDOWS



### GLASS



*\*Tempered only. All other glass is available in both tempered and untempered.*

### LOCK OPTIONS



*Mini Warehouse Lock pictured above.*

#### INSIDE LOCK

- Side bolt door latch, attached on inside
- Not visible from the outside
- Harder for an intruder to tamper with

#### RESIDENTIAL KEYED LOCK

- T-handle keyed lock, attached on outside
- Cylinder-shaped key that is difficult to reproduce
- Impossible to operate the handle without key

#### MINI WAREHOUSE LOCK

- Side bolt door latch
- Attached on outside of garage door
- Latch fits with padlock



# Steel Overlay

## POLISHED OVERLAY DESIGN


This door leaves some of our Flush Panel steel door visible while accenting it with an overlay design. Choose from 20 overlay options or customize your own design to match your home.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS

### SPECIFICATIONS

|                                   |   |
|-----------------------------------|---|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b> <br>18.0 |
| Foam/Insulate                     | Polyurethane  |
| Thickness                         | 2 inches  |
| Exterior Steel                    | 27 gauge  |
| Interior Steel                    | 27 gauge  |
| Warranty* <i>Excludes Springs</i> | Lifetime<br>Smart Trim:<br>Limited Warranty   |

### COLORS


|                |   |
|----------------|---|
| White          | • |
| Almond         | • |
| Sandtone       | • |
| Tera-Bronze    | • |
| Green          | • |
| Gray           | • |
| Coffee         | • |
| Black          | • |
| Light Oak      | • |
| Dark Oak       | • |
| Weathered Oak  | • |
| Color Select** | • |

\*For full warranty details contact your Midland dealer


\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



### WINDOWS



### HARDWARE




### COLORS



\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

### OVERLAY DESIGNS



Custom designs available

### GLASS



\*Tempered only. All other glass is available in both tempered and untempered.



# Smooth & V-Groove

## CLASSIC LOOK OF REAL WOOD


Garage doors with superb energy efficiency and the charm of traditional carriage-house-style designs. Each design uses state-of-the-art weather-resistant wood composite Smart Trim® boards to create a distinguished and durable garage door.

*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS

### SPECIFICATIONS

|                                   |   |
|-----------------------------------|---|
| <b>U-Factor</b><br>R-Value        | <b>0.14</b> <br>18.0 |
| Foam/Insulate                     | Polyurethane  |
| Thickness                         | 2 inches  |
| Exterior Steel                    | 27 gauge  |
| Interior Steel                    | 27 gauge  |
| Warranty* <i>Excludes Springs</i> | Lifetime<br>Smart Trim:<br>Limited Warranty   |

### COLORS

|               |   |
|---------------|---|
| White         | • |
| Almond        | • |
| Sandtone      | • |
| Tera-Bronze   | • |
| Green         | • |
| Gray          | • |
| Coffee        | • |
| Black         | • |
| Color Select™ | • |

\*For full warranty details contact your Midland dealer

\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



### HARDWARE




### COLORS\*




\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

### OVERLAY DESIGNS



Custom designs available

### WINDOWS



### GLASS



\*Tempered only. All other glass is available in both tempered and untempered.



# FullView

## SLEEK LINES OF STYLISH GLASS

Stand out with the clean lines of a modern glass and aluminum garage door. Whether you are upgrading your home's curb-appeal or letting in natural light, you will appreciate this contemporary door and it's distinctive, upscale look.


*\*Images may not depict current model options*



## CHOOSE YOUR OPTIONS

### SPECIFICATIONS

FullView Glass Panel

|                            |   |
|----------------------------|---|
| <b>U-Factor</b>            | <b>0.85</b>  |
| Frame                      | 6063-T Aluminum   |
| Thickness                  | 2 inches  |
| Glass                      | ½ inch insulated<br>¼ inch non-insulated<br>⅛ inch non-insulated                                |
| Panel                      | —   |
| Rails                      | Insulated<br>non-insulated  |
| Air Infiltration Seal      | •   |
| Warranty* Excludes Springs | 5 years   |


*\*For full warranty details contact your Midland dealer*

### FRAME COLORS



*\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples*

*\*\*ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.*



### GLASS



*\*Tempered only. All other glass is available in both tempered and untempered.*



# FullView Stylist

## ULTRA MODERN UPSCALE GLASS

Make a dramatic statement with our ultra-modern glass and aluminum garage door. This modern look is taken to another level with our FullView "Stylist" Models. Offered in "Lite" and "XL", these doors utilize horizontal glass with minimal stiles.

*\*Images may not depict current model options*




## CHOOSE YOUR OPTIONS

| SPECIFICATIONS             | Stylist  |
|----------------------------|--|
| <b>U-Factor</b>            | Not Tested   |
| Frame                      | 6063-T Aluminum  |
| Thickness                  | 2 inches   |
| Glass                      | ½ inch insulated<br>¼ inch non-insulated<br>⅜ inch non-insulated |
| Panel                      | —  |
| Rails                      | Insulated<br>non-insulated                                       |
| Air Infiltration Seal      | •  |
| Warranty* Excludes Springs | 5 years  |

\*For full warranty details contact your Midland dealer


### FRAME COLORS




\*Printed colors may not be accurate. Contact your local Midland dealer for exact color samples

### STYLIST LITE

Doors up to 7' 2" wide = 1 panel  
Doors 7' 3" to 12' 2" wide = 2 panels




Doors 12' 3" to 18' 2" wide = 3 panels




### STYLIST XL

Doors up to 10' 2" wide = 1 panel  
Doors 10' 3" to 18' 2" wide = 2 panels



Stylist Cross Section\*  
\*Pictured with optional insulation

1/2 inch tempered insulated glass  
3/4 inch tempered insulated glass



Polystyrene insulation\*  
Cross linked polyethylene\*  
\*Optional

Air infiltration seal provides an energy efficient seal to help maintain building temperature

### GLASS



Plain



Satin Stylist

**Colors**

|                      | Raised Steel Panel | Short Panel Carriage | Long Panel Carriage | Recessed Panel | Ranch Panel | Flush Panel | Classic Panel | Series 26 Ribbed | FullView | FullView Stylist | Steel Overlay | Smooth & V-Groove Overlay |
|----------------------|--------------------|----------------------|---------------------|----------------|-------------|-------------|---------------|------------------|----------|------------------|---------------|---------------------------|
| White                | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Almond               | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Sandtone             | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Tera-Bronze          | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Green                | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Coffee               | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Gray                 | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Black                | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Light Oak            | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Dark Oak             | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Weathered Oak        | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Rosewood             | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |
| Planks (All Colors)  |                    |                      |                     |                |             | •           |               |                  |          |                  |               |                           |
| Clear Anodized       |                    |                      |                     |                |             |             |               |                  | •        | •                |               |                           |
| Deep Bronze Anodized |                    |                      |                     |                |             |             |               |                  | •        | •                |               |                           |
| Black Anodized       |                    |                      |                     |                |             |             |               |                  | •        | •                |               |                           |
| Color Select         | •                  | •                    | •                   | •              | •           | •           | •             | •                | •        | •                | •             | •                         |

**Windows**

|                              |   |   |   |   |   |   |   |  |  |  |   |   |
|------------------------------|---|---|---|---|---|---|---|--|--|--|---|---|
| Cascade                      | • |   |   |   |   | • |   |  |  |  |   |   |
| Cathedral                    | • |   |   |   |   | • |   |  |  |  |   |   |
| Plain                        | • | • | • | • | • | • | • |  |  |  | • | • |
| Prairie                      | • | • | • | • | • | • | • |  |  |  |   |   |
| Sherwood                     | • |   |   |   |   | • |   |  |  |  |   |   |
| Somerton                     |   | • | • | • | • | • | • |  |  |  | • | • |
| Stockton                     | • | • | • | • | • | • | • |  |  |  | • | • |
| Stockbridge                  |   | • | • | • | • | • | • |  |  |  |   |   |
| Waterton                     | • |   |   |   |   | • |   |  |  |  |   |   |
| Wyndbridge                   |   | • | • | • | • | • | • |  |  |  | • | • |
| Cambridge                    |   | • | • | • | • | • | • |  |  |  | • | • |
| Fullerton                    |   | • | • | • | • | • | • |  |  |  | • | • |
| Landscape, 24"x7", 24" x 12" |   |   |   |   |   | • |   |  |  |  |   |   |

**Glass**

|               |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|
| Plain         | • | • | • | • | • | • | • | • | • | • | • | • |
| Obscure       | • | • | • | • | • | • | • | • | • | • | • | • |
| Satin         | • | • | • | • | • | • | • | • | • | • | • | • |
| Gray          | • | • | • | • | • | • | • | • | • | • | • | • |
| Bronze        | • | • | • | • | • | • | • | • | • | • | • | • |
| Low E         | • | • | • | • | • | • | • | • | • | • | • | • |
| Double Dark   | • | • | • | • | • | • | • | • | • | • | • | • |
| Satin Stylist |   |   |   |   |   |   |   |   | • |   |   |   |

**Insulation**


|                |   |   |   |   |   |   |   |   |  |  |   |   |
|----------------|---|---|---|---|---|---|---|---|--|--|---|---|
| ThermoGuard™   | • | • | • | • | • | • | • |   |  |  | • | • |
| ThermoSteel™   | • | • | • | • | • | • | • |   |  |  |   |   |
| TS-138         | • | • | • | • | • | • | • |   |  |  |   |   |
| ValuCraft Plus | • |   |   |   |   |   |   |   |  |  |   |   |
| Series 24      | • | • | • | • | • | • | • |   |  |  |   |   |
| Series 26      |   |   |   |   |   |   |   | • |  |  |   |   |

**Hardware**

|            |  |   |   |   |   |  |   |  |  |  |   |   |
|------------|--|---|---|---|---|--|---|--|--|--|---|---|
| Standard   |  | • | • | • | • |  | • |  |  |  | • | • |
| Adirondack |  |   |   |   |   |  |   |  |  |  | • | • |




# TRANSFORM THE LOOK OF YOUR HOME



Choose from an assortment of styles and features to perfectly compliment the exterior of your home. Go to [midlandgaragedoor.com](http://midlandgaragedoor.com) today to get started designing your quality door.

DESIGN NOW



[midlandgaragedoor.com](http://midlandgaragedoor.com)



# MIDLAND™

GARAGE DOOR MFG CO

NORTH DAKOTA  
800.437.4056

MINNESOTA  
800.521.0047

NEBRASKA  
800.533.8358



*\*Images may not depict current model options*

© 2024 MIDLAND GARAGE DOOR MFG. CO. INC. ALL RIGHTS RESERVED.

MIDLAND GARAGE DOORS SOLD BY: