



Acclimated Entry Systems



FIBERGLASS

ELITE + PERSPECTIVE + SUMMIT



STOCK PRODUCT CATALOG

BAYERBUILT.COM



PFTM-426-CLED6



PRFI-605-CLED3, PRFI-655-CLE, Clear Transom



PBFA-926-CLE



PBKY-605-CLE



ECRM, ECAA-151-CLE, Clear Transom



PSFA-926-115L3, PSFA-152-115L3, Clear Transom





Our Story...

Bayer Built Woodworks, Inc. was founded in 1983 by the Bayer family. By listening and reacting to the needs of our customers, Bayer Built Woodworks has successfully grown into one of the premier 2-step distributors in the markets that we serve.

Our initial offering of interior pre-hung doors and mouldings, delivered next day, has expanded over the years to include exterior doors, stair parts, aluminum deck railing & columns. Our pre-finish and specialty capabilities have proven to be value-added services that our customers have eagerly adopted into their product offerings.

Today our dedicated team of 400+ supports over 800 dealers across 8 states within the upper Mid-West. We are proud to provide quality millwork with unbelievable service!

Mission Statement

The purpose of Bayer Built Woodworks, Inc. is to satisfy the needs of our customers - by providing quality products and unparalleled service. We will achieve profitability through consistent volume growth in a work environment that promotes innovation and values each team member's contribution and growth.



Front cover image
Door: PBFI-326-CLE
Sidelite: PBFA-852-CLE



Bayer Built - a dream come true

by Dorothy Lemmer

Bayer Built, the creation of two young brothers from Elrosa, in less than two years, is already well on its way to becoming a very successful business. It is located in a brown metal building on Highway 71 between Belgrade and Elrosa. Right now the chief product of the firm is pre-hung doors. The idea was originated by Mike Bayer with encouragement of Jerry Hoven, his father-in-law, whose like industry in Bemidji was doing very well. Mike, who had started trucking for his father right after graduating from high school in 1972 and who had bought the business in 1976, was looking for something beyond that business. His younger brother, Brian, was going to the end of his Modern Wood Technology classes at North Hennepin technical school and needed a job. Brian now is salesman and generally in charge of the shop; Mike does the distribution. Brian's love has been wood-working since high school when he spent as much time as possible in the industrial arts shop, crafting tables and bookshelves and cabinets for which he had a sort of local fame.

his wood-working craft when he built the cabinets for his brother's house near Lake George. He was at Willmar Vo-Tech for his brother, that he was at North Hennepin Tech and decided to wait for admittance 300 ahead of him on the almost made him change his mind, but he is very glad it stuck it out. The course included not only furniture cabinet making, but also making moldings and millwork and cabinets for house built by the carpenter classes. The idea and impetus for their present industry while Brian was in his senior year of the course. While the two brothers were preparing the setting up of the shop, Mike's building where he had been storing his freight and cattle he hauled to market. Brian had time at the school to build jigs and forms to be used in machining the doors and jambs for sale to lumber yards. Through the efforts of Jerry Hoven, the brothers found

Acclimated Entry Systems

The Acclimated Entry System 4-17
GET IT **FINISHED**™ 18-19

ELITE SERIES FIBERGLASS 20-33

Premium grade configurable fiberglass featuring robust door construction & premium aesthetic detailing

PERSPECTIVE SERIES FIBERGLASS 34-61

Factory flush glazed fiberglass featuring superior performance & maximum viewing area

SUMMIT SERIES FIBERGLASS 62-115

Configurable fiberglass featuring stout construction, superior detail with an abundance of glass & panel configurations

REFERENCE GUIDE

Nomenclature Guide 116-117
Handing & Rough Openings 118-119
Glass Guide 120

SELECT SERIES STEEL

For exterior steel doors, see our complete offering in the Select Series Steel Literature.




Acclimated Entry Systems »



PFF1_DS100E

It's more than just a door, it's a system!

Acclimated Entry Systems are exclusive to Bayer Built Woodworks; our system is a combination of premium components designed and built to meet the extreme conditions of our unpredictable climate. Select a beautiful fiberglass or steel door and surround it with our "climate enhanced" components. The standard features within our Acclimated Entry Systems allow you to choose a configuration customized to your home's style; one that will enhance the appearance and value of your home.



Every Acclimated Entry System comes standard with state-of-the-art components from Endura that follow the **Certified Powered By Endura** door system program. These components are backed with certified testing and a performance warranty, delivering the highest-performing door systems available in the market.

These components protect your home against leaks, drafts and other intruders better than any other system. The combination of patented sealing and locking systems offers superior performance and deliver nonstop protection at your entryway.

Look for the tag!

This tag means your Endura door components from Bayer Built are Tested, Certified and Warranted.



Certified Powered By Endura Warranty

Lifetime, non-transferable warranty from the date the Certified Powered By Endura Door System was purchased. There are exclusions the warranty will not cover which include changing components and/or improper installation.

For further information go to: www.enduraproducts.com/certified-powered-by-endura

ENTRY SYSTEM COMPONENTS >>



1 FrameSaver® Door Frames

A Frame That Performs

Door components from Endura® have been precisely engineered and strenuously tested to protect your home from air and water infiltration. No rot, mold or water damage of any kind. No insect damage ever. Guaranteed.

Lifetime Warranty.

FrameSaver door frames from Endura are simply the best door frames on the market. They are so dependable they come with a lifetime warranty.



Patented Composite Bottom

It won't absorb water, won't rot, won't mold & resists insects - even finishes and paints like wood.



2 Weather Seals


Better Materials, Better Design, Better Performance.

(A) Weatherstrip Increased contact with the door edge for up to 10% greater performance, Low Wick™ foam limits water absorption by 50% for greater durability.

(B) The Simple Solution™ This compression corner with Low Wick™ seals weather stripping at the crucial corner preventing water from percolating up and over the threshold.


Dual bulb door bottom

Dual extrusions and top-quality design, derived from extensive testing, provide a superior barrier against air and water.



U.S. Patents D571,932; D599,490; 6,219,971

Acclimated Entry Systems



3 Z-Series Sills

Synthetic Materials Eliminate the Worries of Wood

(C) All-composite substrate

All-composite substrates won't crack, warp or rot. Ever.

(D) Narrow synthetic high dam cap This cap resists fading and wear. It won't warp or rot. A built-in seal keeps out air and water, even in the most severe conditions.

(E) Sealed adjustment screws Patented sealing plugs hide unsightly screws and keep water and dirt away from the adjustment mechanism, maintaining adjustability of the sill cap over time.

U.S. Patents 5,426,894; 5,588,266, 5,611,173, D354,572, 6,789,358; 7,350,336



ZAC Sills Black Cap/Mill Sill


Never needs adjustment, automatically adjusting for a lasting seal against leaks.



4 Hinge Colors

Ball bearing hinges come standard

Our door units come with ball bearing hinges as a standard feature. Available in a variety of finishes, you'll be sure to find a color to compliment the other hardware finishes in your home.



- | | | |
|------------------|---------------------|---------------------------------------|
| 1 Antique Nickel | 5 Satin Chrome | 9 Black |
| 2 Antique Bronze | 6 Oil Rubbed Bronze | 10 Bright Chrome |
| 3 Antique Brass | 7 Bright Brass | 11 Stainless Steel (Outswing ONLY) |
| 4 Satin Nickel | 8 Satin Brass | |



Scan here for the complete sill offering...

The digital Resource Guide can be found by clicking the literature link within the footer of our website.



ENTRY SYSTEM HARDWARE

Multi-Point Locks

Provide extra security and performance for entry doors by adding two additional locking points in addition to your deadbolt.

These extra points provide protection on multiple levels: deflecting impact during attempted break-ins, and forming a more perfect seal against the elements by pulling the door into alignment.

Endura's PanoLock® Plus

Multi-Point Locking System is a one-of-a-kind multi-point lock that works with off-the-shelf hardware, supports a forgiving installation, and offers lasting performance, all at an affordable price point. Whether knob, lever, or thumbpress, PanoLock Plus is compatible with most off-the-shelf hardware, including most electronic deadbolts.

Endura's Trilennium®

Multi-Point Locking System delivers 3x the strength, 3x the security, 3x the performance with one multi-point locking system. Plus, with Trilennium, unmatched protection doesn't have to mean compromised style. Trilennium offers a growing portfolio of attractive handle-set designs to suit any taste and budget.

Multi-point hardware is highly suggested when:

- Selecting oversized doors (3-0 & 7-0) or larger
- Selecting Fiberglass doors
- Security is top priority

+PRO TIP

PanoLock Plus • Utilizes off the Shelf Handlesets

Security. Performance. Standard.

PANOLOCK+ is the first and only multi-point lock that works with a wide variety of off-the-shelf hardware, including electronic deadbolts. Providing affordable security and performance for your entry door.

A simple turn of the deadbolt locks the top and bottom tapered bolts (1 & 3)

The handle-set operates the latch (2), which provides three points of contact

Adjustable roller strikes lower the operating force allowing the tapered bolts to gently snug the door panel against the weatherstrip

Works with a wide variety of off-the-shelf hardware. Both standard and electronic smart locks. Brands like Schlage, Kwikset and more...



Acclimated Entry Systems

Trilenium Multi Point Locking System • In-Stock brass Hardware, Emtek & Rocky Mountain Compatible

3X the strength.
the security.
the protection.

TRILENNIUM
MULTI-POINT LOCKING SYSTEMS

Strength. Security. Performance. Peace of Mind.

Trilenium delivers this all within one multi-point locking system, resulting in maximum peace of mind and homeowner satisfaction.

Trilenium's superior strength works when others fail, achieving the industry's highest ratings for structural and forced entry testing. A solid, one-piece I-Beam runs the full length of the lock. This not only increases the strength and precision of the lock, but also strengthens the door edge, preventing warp over the life of the door panel.



Operating as one, all three bolts (1, 2 & 3) engage when the door is closed, which **fight deflection** even when the door is unlocked.



One movement of the key or thumbturn activates all three bolts, drawing the door into **perfect alignment** with three true deadbolts.



Just one turn of the lever disengages all three bolts for **easy operation**.

We stock a variety of **Trilenium Hardware** (shown below) in a variety of finishes. You also have the ability to choose a compatible option from **Emtek®** or **Rocky Mountain Hardware**.




Rectangle Set
(Stock)



Curved Set
(Stock)



Eclipse Entry Set
(Stock)



Additional Handleset Options Available (not shown)

*Color availability varies by handleset

Emtek & Rocky Mountain Hardware are considered industry leaders in the hardware space. Each company has a variety of options that are compatible with the Trilenium system.



TRILENNIUM
HARDWARE

EMTEK
HARDWARE


(Both options shown utilize the Trilenium latch mechanism)

Scan the QR code
For more information



ENTRY SYSTEM HARDWARE

Pull Bar Hardware with GU Ferco Multi-Point Latch



Pull Bar Hardware

Add style to your front entry with pull bar Hardware! Available in two sizes, two colors, in a round or square profile.



Square



Round



In-Stock Sizes:

47-1/4" (6'8" Doors) • 70-7/8" (8' Doors)

Multi-Point Latch System


The GU Ferco Security Multi-Point latch system is designed to work with Pull Bar Hardware. This multi-point latching system provides three points of contact along the latch side of the door. This system utilizes a single deadbolt, located just below the middle latch. The latches and deadbolt are operated via key on the exterior and a thumb turn latch on the interior.



Round Rosette



Square Rosette



Thumb Latch
Standard Option

Available in two colors: Matte Black & Stainless Steel



Acclimated Entry Systems

Tedee Pro Smart Lock



The GU Ferco Multi-Point Latch System is compatible with the **Tedee Pro Smart lock**, a new and exciting option that provides the power to lock & unlock your door via your phone. This small unit displaces the GU thumb latch on the interior side of your exterior door. The Tedee Pro Smart Lock can also be configured with smart home platforms such as Apple Home, Google Home and Amazon Alexa.



Tedee Pro
Available in Silver with White Cap or all Black




Tedee Smart Bridge The smart bridge is a device that forms the connection between with the Tedee Pro smart lock and the internet. It connects to the lock via bluetooth and your local network via Wi-Fi. Simply plug it into an outlet and add it to your mobile app. Not required for operation, but a must have for the utmost flexibility with connectivity.



Keypad
Provides access to unlock the door on the exterior side of the home without the need for a key. Both the bridge and keypad are available in White or Black.

◀ Scan the QR code for more information on the Tedee Pro Smart Lock


Acclimated Entry System Door & Sidelite Layouts




Single Door




Single Door Sidelite Left



Single Door Sidelite Right




Single Door with 2 sidelites




Single Door with 3-0 Sidelite




Double Door * with Astragal




Single Door




Single Door Sidelite Left



Single Door Sidelite Right



Single Door with 2 sidelites



Single Door with 3-0 Sidelite

◀ **Transom Options**
Available in 12" & 14" Heights

* If you want the look of a double door, but demand the performance of a single door, we strongly suggest a single door with a 3-0 sidelite.

ACCLIMATED PATIO SYSTEM



PBFA-826-CLE (Inside view)

The Acclimated Patio System combines all the benefits of our standard entry units with a Z-Series adjustable composite sill that contains an integrated screen track, providing a smooth operation for our aluminum sliding screen door.


Acclimated Entry Systems




Screen Door Features

- Fiberglass screen (1)
- Wide aluminum screen frame (2)
- Convenient roller adjustment
- Heavy-duty pile to block out insects, dirt, and debris
- Low profile screen track is built discreetly into the sill (3)
- Rollers positioned close to corners to virtually eliminate rocking



Stock Colors*



Available, non-stock*



* Printed colors are intended for reference purposes only, the colors shown are not accurate for color matching.





Create The Ultimate Patio System
with Perspective Series Exterior Doors
See pages 34-61 for options.

ACCLIMATED PATIO SYSTEM



S.O. PBFA-926 (15 lite)

Acclimated Entry Systems



- Pre-clad 4-9/16" or 6-9/16" jamb with new integrated screen track and standard crownline nosing
- Tru-core pine jamb material
- 2-1/2"x 4-3/8" LVL-reinforced mull post with extruded aluminum cover for long-lasting durability and strength
- Heavy-duty extruded screen with fiberglass mesh
- Rigid folding aluminum nail fin



Create The Ultimate Patio System
with Perspective Series Exterior Doors
See pages 34-61 for options.

ALUMINUM CLADDING



Aluminum Door Cladding

Maintenance-free frame protection for your entry system. Painting of exterior door frames and door frame trim is eliminated with the use of FrontLine® aluminum clad entry door systems. Providing superior curb appeal, aluminum clad entry door frames are the perfect complement for your entry doors. This attractive powder-coated, extruded aluminum is perfect for the homeowner looking for little to no maintenance.

Aluminum Entry Door Clad Colors*

| | | | | |
|--------------|-----------|--------|----------------|---------------|
| White | Terratone | Almond | Sandtone | Bronze |
| Bahama Brown | Green | Black | Gun Metal (RS) | Iron Ore (RS) |



Acclimated Entry Systems



Inswing
Crownline Brickmould

Inswing
Classic Brickmould


Inswing
Slimline Brickmould

Outswing



Vinyl nail fin cannot be applied to this unit. Not compatible with storm doors.

Crownline Brickmould accessories



This product does not have any exposed fasteners, does not require any painting, will not dent or wave like roll formed material and is more durable than vinyl.

Aluminum Garage Cladding



Match your garage door frames to your entry door frames for one beautiful unified look! FrontLine® aluminum garage door frames are virtually indestructible, and are available in two options.


All-Aluminum System

Does not contain any wood, therefore it will not rot, wick water or warp providing little to no maintenance.

Classic Clad System

Designed to be applied to existing framing lumber on new or retrofit openings. A great upgrade for any home!

Garage Clad Colors*



(NS) AVAILABLE, NON-STOCK

*Printed colors are intended for reference purposes only, the colors shown are not accurate for color matching.

PRE-FINISH CAPABILITIES



The simplicity of using pre-finished millwork alleviates the hassle of having to finish your doors and millwork on-site. Choosing Bayer Built Woodworks to pre-finish our quality products is the best way to guarantee you will be satisfied with the end result. Bayer Built uses only the highest quality stains and finishes in our staining and painting processes.

Our color offering is designed to blend with and complement stock colors of other industry products such as siding and windows.

Why Pre-Finish?

All of the products finished at Bayer Built are thoroughly inspected and prepped in order to prepare the surface to best accept stain, glaze or paint and remove any oils, scuffs, and/or any other imperfections resulting from the handling and manufacturing process.

Stain Capabilities

Our meticulous attention to detail, careful prep, top grade coatings and product specific finishing processes assure you the highest quality stain and glaze finishing available.

Paint Capabilities

All of our painted products first receive a coat of primer specially formulated for compatibility and adhesion with our paints and the surfaces on which they are applied. We use the highest quality paints available and offer over 40 pre-mixed colors designed to blend with and complement stock colors of other building industry products such as siding and windows.



Contact your local dealer to view
our current color selection tools!




Color Trends...

The North Shore Collection

Inspired by the beauty of our own landscape along the North Shore of Minnesota's Lake Superior, we've developed a special set of colors in both stain and paint. Ranging from light to dark with warm and cool undertones available, these finishes blend beautifully with the most popular gray stained cabinets trending now in the kitchen and bath industry.







ELITE

SERIES



Performance Focused with Superior Aesthetic Detailing



EKRM-404-788




ECRG ECRC ECRM ECPM
Cherry



EYRN EYPN
Rustic Cherry



EMRG EMRC
Mahogany



ECRC-404-DOR

The Elite Series is a collection of premium fiberglass doors designed with detailed panels that mirror traditional stile and rail door construction to create crisp shadow lines and heightened curb appeal. Authentic wood grain patterns of Fir, Oak, Mahogany, Knotty Alder, Cherry, and Rustic Cherry in Traditional, Craftsman, Modern and Rustic designs offer the warmth and beauty of real wood, with the superior performance and maintenance-free features of fiberglass.

Elite Series doors feature engineered lumber hinge and lock stile construction to maximize dimensional stability and resist warping. The polyurethane foam core provides the best thermal protection available and bottom rails feature rot-resistant composite construction.



Specifications

| | Smooth fiberglass | Textured fiberglass |
|-----------------------|---------------------------------------|---------------------------------------|
| Panel | Luxury detailed fiberglass profile | Luxury detailed fiberglass profile |
| Surface | Smooth | Authentic woodgrain fiberglass |
| Edge (stile) Material | Stainable/paintable wood or composite | Stainable/paintable wood or composite |
| Finish | Paint | Stain or paint |
| Slab & Frame Warranty | 25 year | 25 year |
| Glass Warranty | 10 years Decorative 5 years Clear | 10 years Decorative 5 years Clear |
| Bottom Material | Composite | Composite |
| Additional Details | Rust proof Dent proof | Rust proof Dent proof |
| Door Performance | ★★★★★ | ★★★★★ |



EKRG EKRC EKRM EKPM ESTE
 — Oak — — Smooth —

For warranty information:
www.bayerbuilt.com/resources/warranties

3'0" Only
 2'8" or 2'6"
 Not available



ESTE-217-115, ESFA-151-115



● Smooth

ESTE-217-CLE ESFA-151-CLE

ESTE-217-140 ESFA-151-140

ESTE-217-115 ESFA-151-115

ESTE-217-113 ESFA-151-113

ESFA-151-113



● Smooth




ESTE-217-113

PRIVACY RATING
1 2 3 4 5 6 **7** 8 **9**



CLE - Clear Low-E **1**



140 - Textured Pearl **9**



115 - Textured Chord **9**



113 - Textured Double Water **7**



DS100E



For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)





Berkeley - Antique Patina Caming



| | PANEL PROFILE | | | | | | | PANEL PROFILE* | |
|----------------------|---------------|--------------|--------------|---------------|---------------|--------------|--------------|----------------|-----|
| | | | | | | | | | |
| Cherry | ECRG-106-676 | ECRK-129-676 | ECRC-404-676 | ECRM-404-676 | ECPM-404-676 | ECRM-450-676 | ECAA-151-676 | --- | --- |
| Oak | EKRG-106-676 | EKRK-129-676 | EKRC-404-676 | EKRM-404-676 | EKPM-404-676 | EKRM-450-676 | EKAA-151-676 | --- | --- |
| Mahogany | EMRG-106-676 | EMRK-129-676 | EMRC-404-676 | --- | --- | EMRM-450-676 | EMAA-151-676 | --- | --- |
| Rustic Cherry | --- | --- | --- | EYRN-404-676* | EYPN-404-676* | --- | --- | EYRM-450-676* | --- |



● Cherry



● Oak




● Mahogany



● Rustic Cherry



EMRG-122-788



Calandra - Black Chrome Caming


* Black Chrome Caming may vary in appearance due to lighting, time of day and/or viewing angles.

| PANEL PROFILE | | | | | | PANEL PROFILE* | |
|---------------|---------------|---------------|--------------|--------------|--------------|----------------|---------------|
| | | | | | | | |
| ECRC-404-788 | ECRM-404-788 | ECPM-404-788 | ECRM-450-788 | ECRG-122-788 | ECAA-151-788 | --- | --- |
| EKRC-404-788 | EKRM-404-788 | EKPM-404-788 | EKRM-450-788 | EKRG-122-788 | EKAA-151-788 | --- | --- |
| EMRC-404-788 | --- | --- | EMRM-450-788 | EMRG-122-788 | EMAA-151-788 | --- | --- |
| --- | EYRN-404-788* | EYPN-404-788* | --- | --- | --- | --- | EYRM-450-788* |

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)




3'0" Only
2'8" or 2'6"
Not available



Clear



EYRN, DS100E



● Cherry

● Oak

● Mahogany

● Rustic Cherry

| | | | | | | | |
|--------------|--------------|--------------|---------------|---------------|--------------|--------------|---------------|
| ECRG-106-CLE | ECRK-129-CLE | ECRC-404-CLE | ECRM-404-CLE | ECPM-404-CLE | ECRM-450-CLE | ECAA-151-CLE | --- |
| EKRG-106-CLE | EKRK-129-CLE | EKRC-404-CLE | EKRM-404-CLE | EKPM-404-CLE | EKRM-450-CLE | EKAA-151-CLE | --- |
| EMRG-106-CLE | EMRK-129-CLE | EMRC-404-CLE | --- | --- | EMRM-450-CLE | EMAA-151-CLE | --- |
| --- | --- | --- | EYRN-404-CLE* | EYPN-404-CLE* | --- | --- | EYRM-450-CLE* |



● Cherry



● Oak




● Mahogany



● Rustic Cherry



ECRC-404-DOR, ECRM-450-DOR




Dorian - Black Aluminum Caming

| | | | | | | | PANEL PROFILE | | PANEL PROFILE* | |
|--------------|--------------|--------------|---------------|---------------|--------------|--------------|---------------|-----|----------------|-----|
| | | | | | | | | | | |
| ECRG-106-DOR | ECRK-129-DOR | ECRC-404-DOR | ECRM-404-DOR | ECPM-404-DOR | ECRM-450-DOR | ECRG-122-DOR | ECAA-151-DOR | --- | --- | --- |
| EKRG-106-DOR | EKRK-129-DOR | EKRC-404-DOR | EKRM-404-DOR | EKPM-404-DOR | EKRM-450-DOR | EKRG-122-DOR | EKAA-151-DOR | --- | --- | --- |
| EMRG-106-DOR | EMRK-129-DOR | EMRC-404-DOR | --- | --- | EMRM-450-DOR | EMRG-122-DOR | EMAA-151-DOR | --- | --- | --- |
| --- | --- | --- | EYRN-404-DOR* | EYPN-404-DOR* | --- | --- | --- | --- | EYRM-450-DOR* | --- |

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)





Prestige - Black Chrome Caming

* Black Chrome Caming may vary in appearance due to lighting, time of day and/or viewing angles.



| | | | | | | | PANEL PROFILE | PANEL PROFILE* |
|------------------------|--------------|--------------|--------------|---------------|---------------|--------------|---------------|----------------|
| | | | | | | | | |
| ● Cherry | ECRG-106-664 | ECRK-129-664 | ECRC-404-664 | ECRM-404-664 | ECPM-404-664 | ECRM-450-664 | ECAA-151-664 | --- |
| ● Oak | EKRG-106-664 | EKRK-129-664 | EKRC-404-664 | EKRM-404-664 | EKPM-404-664 | EKRM-450-664 | EKAA-151-664 | --- |
| ● Mahogany | EMRG-106-664 | EMRK-129-664 | EMRC-404-664 | --- | --- | EMRM-450-664 | EMAA-151-664 | --- |
| ● Rustic Cherry | --- | --- | --- | EYRN-404-664* | EYPN-404-664* | --- | --- | EYRM-450-664* |

* EYRM Coordinating Sidelite for EYRN & EYPN



● Cherry



● Oak



● Mahogany



● Rustic Cherry



ECRG-122-WTS



Waterside - Black Chrome Caming



| | | | | | | | PANEL PROFILE | | PANEL PROFILE* | |
|--------------|--------------|--------------|---------------|---------------|--------------|--------------|---------------|-----|----------------|-----|
| | | | | | | | | | | |
| ECRG-106-WTS | ECRK-129-WTS | ECRC-404-WTS | ECRM-404-WTS | ECPM-404-WTS | ECRM-450-WTS | ECRG-122-WTS | ECAA-151-WTS | --- | --- | --- |
| EKRG-106-WTS | EKRK-129-WTS | EKRC-404-WTS | EKRM-404-WTS | EKPM-404-WTS | EKRM-450-WTS | EKRG-122-WTS | EKAA-151-WTS | --- | --- | --- |
| EMRG-106-WTS | EMRK-129-WTS | EMRC-404-WTS | --- | --- | EMRM-450-WTS | EMRG-122-WTS | EMAA-151-WTS | --- | --- | --- |
| --- | --- | --- | EYRN-404-WTS* | EYPN-404-WTS* | --- | --- | --- | --- | EYRM-450-WTS* | --- |

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)

3'0" Only
2'8" or 2'6"
Not available



EHRB, EHAA-152-CLE



● **Knotty Alder** EARB EAPB EAAA-151-788 EARB-106-CLE EAPB-106-CLE EAAA-151-CLE EARB-106-DOR EAPB-106-DOR EAAA-151-DOR



● Rustic Mahogany



● Knotty Alder



● Rustic Mahogany EHRB EHPB EHAA-152-CLE DS100E

Rustic

These doors feature deep wood graining and distinct plank detailing to create classic charm, while bringing a contemporary appeal to any home.



Design 9 1-3068EHPB 1-CLAVRND112B
 Design 10 1-3068EHPB 1-CLAVDIA112B
 Design 17 1-3068EHPB 2-CLAVDIA112B
 Design 18 1-3068EHPB 2-CLAVRND112B
 Design 20 1-3068EHPB 2-CLAVDIA112B 3-HSB
 Design 23 1-3068EHPB 2-CLAVRND112B 3-HSB




EHPB, CLAVDIA112B

Rustic Accessories

Add a distinctive design element to any rustic fiberglass door using clavos & straps. Choose one of our pre-styled designs (shown above) or create one of your own!



Round Clavo
CLAVRND112B
1 1/2" Diameter



Diamond Clavo
CLAVDIA112B
1 1/2" x 1 1/2"



Hinge Strap
HSB
18 1/4" x 2 1/4"

- Clavos are sold in a pack of 10
- Straps are sold individually
- Clavos & Straps come installed on pre-finished doors only



EARB-106-WTS EAPB-106-WTS EAAA-151-WTS EARB-106-676 EAPB-106-676 EAAA-151-676 EARB-106-664 EAPB-106-664 EAAA-151-664

For warranty information:
www.bayerbuilt.com/
resources/warranties



Available Fire Rated
20min.



Available in 8 feet
Doors and Sidelites



3'0" Only
2'8" or 2'6"
Not available





PERSPECTIVE

SERIES

Maximum View & Design Aesthetics






PFTM-426-115D6



PFFA-926-115H4



- **Fir**
- **Mahogany**
- **Rustic Mahogany**
- **Brushed Smooth**
- **Smooth**

| | | | | | | | | | | | |
|------|------|------|------|-------------|------|------|------|------|------|------|------|
| PFFL | PFFK | PFFE | PFFQ | --- | PFFL | PFFK | --- | --- | PFFI | --- | --- |
| --- | --- | --- | --- | PMGX-BGB1E5 | --- | --- | --- | --- | --- | --- | --- |
| PBFL | PBFK | PBFE | PBFQ | --- | PBFL | PBFK | PBFE | PBFQ | --- | PHPK | PHPL |
| --- | --- | --- | --- | --- | PSFL | PSFK | --- | --- | PSFI | --- | --- |



Dentil Available





PFTM-426-CLED4




PFFA-926-CLEL3, PFFA-152-CLEL3



PBFA-926-CLED4

Perspective Flush-Glazed doors instantly brighten any space with a wider viewing area and a cleaner appearance to enhance your outdoor views. These doors feature a rot resistant bottom rail, engineered lumber stiles and composite edge construction for increased dimensional stability & performance. All of this is combined with a polyurethane foam core offering superior thermal protection.




Specifications

| | Brushed Smooth fiberglass | Textured fiberglass |
|-----------------------|------------------------------------|--|
| Panel | High-definition fiberglass profile | High-definition fiberglass profile |
| Surface | Brushed Smooth or Smooth | Fir, Rift Cut, Mahogany or Rustic Mahogany Texture |
| Edge (stile) Material | Composite Stiles | Composite Stiles |
| Finish | Paint | Stain or paint |
| Slab & Frame Warranty | 25 year | 25 year |
| Bottom Material | Composite | Composite |
| Additional Details | Rust proof Dent proof | Rust proof Dent proof |
| Door Performance | ★★★★☆ | ★★★★☆ |



1-1/8
SDL Bar



3-1/2
SDL Bar



4-1/2
SDL Bar

The SDL bar size is pre-determined to compliment door style & rail.

For warranty information:
www.bayerbuilt.com/
resources/warranties



Available Fire Rated
20min.



3'0" Only
2'8" or 2'6"
Not available




3'6" Only
3'0", 2'8" & 2'6"
Not available



Available
in 8 feet
Doors & Sidelites



PRFI-605-676, PRFI-655-676, Clear Transom



● Rift Cut

PRFI-605-CLE

PRFI-605-CLED2

PRFI-605-CLED3

PRFI-655-CLE

PRFI-605-CLED6

PRFI-655-CLED2

PRFI-605-676

PRFI-655-676

DS100E




● Rift Cut



PRFI-605-CLE



PRFI-605-676, PRFI-655-676, Clear Transom




Clear Low-E

1




Berkley - Antique Patina Caming

7





PBFI-605-CLE



● **Brushed Smooth** PBFI-605-CLE PBFI-605-CLED2 PBFI-605-CLED3 PBFI-655-CLE PBFI-605-CLED6 PBFI-655-CLED2 PBFI-605-676 PBFI-655-676 DS100E



● Brushed Smooth (I)




● Brushed Smooth (Y)



PBBY-605-CLED3


PRIVACY RATING
1 2 3 4 5 6 7 8 9



Clear Low-E 1



Berkley - Antique Patina Caming 7



● Brushed Smooth PBBY-605-CLE PBBY-605-CLED2 PBBY-605-CLED3 PBBY-605-CLED6

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)





PBFA-926-CLEL3

CLEAR



- **Brushed Smooth 3-0**
- **Brushed Smooth 2-8**
- **Pure White**

PBFA-926-CLE
PBFA-122-CLE
PBFAP-926-CLE


PBFA-152-CLE
PBFA-152-CLE
PBFAP-152-CLE

PBFA-926-CLEL3
PBFA-122-CLEL3

PBFA-152-CLEL3
PBFA-152-CLEL3

PBFA-926-CLEH4
PBFA-122-CLEH4

PBFA-152-CLEH4
PBFA-152-CLEH4




● Brushed Smooth

PRIVACY RATING

1 2 3 4 5 6 7 8 9

CLEAR
LOW-E GLASS



PBFA-926-CLED4
PBFA-122-CLED4



PBFA-152-CLED2
PBFA-152-CLED2



PBFA-926-CLEDC
PBFA-122-CLEDC



PBFA-152-CLEDC
PBFA-152-CLEDC

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



CLEAR

PFFA-926-CLEH4, PFFA-152-CLEH4



● Fir 3-0
● Fir 2-8

PFFA-926-CLE
PFFA-122-CLE


PFFA-152-CLE
PFFA-152-CLE

PFFA-926-CLEL3
PFFA-122-CLEL3

PFFA-152-CLEL3
PFFA-152-CLEL3

PFFA-926-CLEH4
PFFA-122-CLEH4

PFFA-152-CLEH4
PFFA-152-CLEH4



Fir



PFFA-926-CLEL3



PFFA-926-CLEL3, PFFA-152-CLEL3

PRIVACY RATING

1 2 3 4 5 6 7 8 9

CLEAR
LOW-E GLASS



PFFA-926-CLE



PFFA-926-CLED4
PFFA-122-CLED4

PFFA-152-CLED2
PFFA-152-CLED2

PFFA-926-CLED3
PFFA-122-CLED3

PFFA-152-CLED3
PFFA-152-CLED3

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



Low-E Glass



CLEAR

PBFM-426-CLED4, PBFM-450-CLED2




- **Brushed Smooth 3-0** PBFM-426-CLE PBFM-450-CLE PBFM-426-CLED4 PBFM-450-CLED2 PBFM-426-CLED6 PBFM-450-CLED3
- Brushed Smooth 2-8** PBFM-404-CLE PBFM-450-CLE PBFM-404-CLED4 PBFM-450-CLED2 PBFM-404-CLED6 PBFM-450-CLED3



● Brushed Smooth




PBFM-426-CLED6, PBFM-450-CLED3



PBFM-426-CLE



PBFM-426-CLE



PBFM-426-CLEH4 PBFM-450-CLEH4 PBFK-126-CLE
 PBFM-404-CLEH4 PBFM-450-CLEH4 PBFK-106-CLE

Looking for More? As trends come and go we are striving to offer the latest and greatest styles.

+PRO TIP

Scan the QR code to see what other designs we can create for you! ▶






PFTM-426-CLED6

CLEAR




PFTM-426-CLE
PFTM-404-CLE



PFTM-450-CLE
PFTM-450-CLE



PFTM-426-CLED4
PFTM-404-CLED4



PFTM-450-CLED2
PFTM-450-CLED2




PFTM-426-CLED6
PFTM-404-CLED6



PFTM-450-CLED3
PFTM-450-CLED3

● Fir 3-0
Fir 2-8




● Fir

1 2 3 4 5 6 7 8 9

PRIVACY RATING

CLEAR
LOW-E GLASS



PFTM-426-CLEH4 PFTM-450-CLEH4 PFTK-126-CLE PFFI-267-CLE PFFI-267-CLED2 PFFI-267-CLED3 PFFI-267-CLED6 PFFA-152-CLE
 PFTM-404-CLEH4 PFTM-450-CLEH4 PFTK-106-CLE PFFI-217-CLE PFFI-217-CLED2 PFFI-217-CLED3 PFFI-217-CLED6 PFFA-152-CLE





For warranty information:
[www.bayerbuilt.com/
 resources/warranties](http://www.bayerbuilt.com/resources/warranties)






PSFA-926-115L3

CHORD



- | | | | | | | | | |
|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
| ● Fir | PFFA-926-115 | PFFA-152-115 | PFFA-926-115L3 | PFFA-152-115L3 | PFFA-926-115H4 | PFFA-152-115H4 | PFFA-926-115D4 | PFFA-152-115D2 |
| ● Smooth | PSFA-926-115 | PSFA-152-115 | PSFA-926-115L3 | PSFA-152-115L3 | PSFA-926-115H4 | PSFA-152-115H4 | PSFA-926-115D4 | PSFA-152-115D2 |





● Fir



● Smooth



PFFA-926-115



PFFA-926-115



PFFA-926-115, PFFA-152-115



- PFFA-926-115DC
- PFFA-152-115DC
- PFTM-426-115
- PFTM-450-115
- PFTM-426-115H4
- PFTM-450-115H4
- PFTM-426-115D4
- PFTM-450-115D2
- PFTM-426-115D6
- PFTM-450-115D3
- PSFA-926-115DC
- PSFA-152-115DC
- PSTM-426-115
- PSTM-450-115
- PSTM-426-115H4
- PSTM-450-115H4
- PSTM-426-115D4
- PSTM-450-115D2
- PSTM-426-115D6
- PSTM-450-115D3

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)






PFFA-926-140

PEARL



- | | | | | | | | | |
|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|--------------|--------------|
| ● Fir | PFFA-926-140 | PFFA-152-140 | PFFA-926-140L3 | PFFA-152-140L3 | PFFA-926-140H4 | PFFA-152-140H4 | PFTM-426-140 | PFTM-450-140 |
| ● Smooth | PSFA-926-140 | PSFA-152-140 | PSFA-926-140L3 | PSFA-152-140L3 | PSFA-926-140H4 | PSFA-152-140H4 | PSTM-426-140 | PSTM-450-140 |




● Fir



● Smooth




PFTM-426-140



PFTM-426-140



PFFA-926-140



PFTM-426-140H4 PFTM-450-140H4
PSTM-426-140H4 PSTM-426-140H4



Thinking about painting your door a dark color? Consider selecting a textured fiberglass door to aid in hiding the inevitable scuff or scratch that happens given life's fast pace of coming and going! ▶


+PRO TIP





PBFA-826-CLEL5, Clear Transom, Triennium Multi-Point Lock

3-0 X 8 FOOT



● **Brushed Smooth**

PBFA-826-CLE

PBFA-852-CLE

PBFA-826-CLED4

PBFA-852-CLED2

PBFA-826-CLEDC

PBFA-852-CLEDC



● **Brushed Smooth**



PBFA-826-CLEL5



PBFA-826-CLE



PBFA-826-CLE, PBFA-852-CLE



PBFA-826-CLEL5



PBFA-852-CLEL5



Stability & Security...
 Trilennium Multi-Point Locks are the best way to increase the performance of your entry system, 3 deadbolts keeps the entry system sealed and secure...

+PRO TIP

Scan the QR code to learn more about the benefits of Trilennium! ▶




For warranty information:
www.bayerbuilt.com/resources/warranties





3-0 X 8 FOOT


PFFA-826-CLEL5, DS100E, Trilennium Multi-Point Lock



- Fir
- PFFA-826-CLE
- PFFA-852-CLE
- PFFA-826-CLED4
- PFFA-852-CLED2
- PFFA-826-CLEDC
- PFFA-852-CLEDC
- PFFA-826-CLEL5
- PFFA-852-CLEL5



Fir



PFFA-826-CLEL5, PFFA-852-CLEL5



PFTM-926-CLED4



Double Door Look
 3-0 door with a 3-0 sidelite **+PRO TIP**
 gives you the look and feel of a double door and the performance of a single door.


For warranty information:
www.bayerbuilt.com/resources/warranties





3-0 X 8 FOOT

PBFM-926-CLE, Trillienium Multi-Point Lock



- **Brushed Smooth** PBFM-926-CLE
- PBFM-151-CLE
- PBFM-926-CLED4
- PBFM-151-CLED2
- PBFM-926-CLED6
- PBFM-151-CLED3



● Brushed Smooth



PBFI-326-CLE



PBFI-326-CLED6



PBFI-326-CLE



PBFI-326-CLE



PBFI-326-CLED2



PBFI-326-CLED3



PBFI-326-CLED6



PBFA-852-CLE



Low-E Glass



14" Only
12" Not available



3'0" Only
2'8" Not available



Dentil Available



9545 - Brushed Smooth Dentil



PFFI-326-CLED6, PFFA-852-CLE, PanoLock Plus Multi-Point Lock

3-0 X 8 FOOT



PFFI-326-CLE




PFFI-326-CLED2



PFFI-326-CLED3



PFFI-326-CLED6



PFFA-852-CLE



DS100E

● Fir

● Smooth



Fir




Smooth




PFFI-330-CLE, DS100E, Clear Transom

3-6 X 8 FOOT



PFFI-330-CLED3, DS100E



- PFFI-330-CLE
- PFFI-330-CLED2
- PFFI-330-CLED3
- PFFI-330-CLED6
- PFFA-852-CLE
- PSFI-330-CLE
- PSFI-330-CLED2
- PSFI-330-CLED3
- PSFI-330-CLED6
- PSFA-852-CLE

For warranty information:
www.bayerbuilt.com/resources/warranties



Dentil Available



9545 - Smooth Dentil



9545 - Fir Dentil





SUMMIT

SERIES

Premium Grade Configurable Fiberglass



SBRK



- Rift Cut
- Fir
- Brushed Smooth
- P Pure White

| | | | | | | | | | | | |
|---|---|--|------|------|--|---|---|------|------|------|------|
| SRAA | SRRG | SRFI F | SRRM | --- | SRRK | --- | --- | --- | SRRG | SRFI | --- |
| --- | --- | SFFI F | --- | --- | --- | --- | --- | --- | --- | SFFI | --- |
| SBAA F | SBRG F | SBFI F | SBRM | SBRP | SBRK F | SBRB F | SBPB F | SBAA | SBRG | SBFI | SBRK |
| --- | SBRGP | SBFIP F | --- | --- | SBRKP F | --- | --- | --- | --- | --- | --- |



Dentil Available





Our Summit Series doors feature smooth clean lines, extensive panel definition and a host of advantages over the standard steel entry door. The Summit Series feature a rot resistant bottom rail, engineered lumber within both the hinge and lock stiles for dimensional stability, composite edge stiles* and a polyurethane foam core for increased thermal protection.



Specifications

| | Brushed Smooth fiberglass | Textured fiberglass |
|---------------------------------|------------------------------------|------------------------------------|
| Panel | High-definition fiberglass profile | High-definition fiberglass profile |
| Surface | Brushed Smooth or Smooth | Fir or Rift Cut Texture |
| Edge (stile) Material | Composite stiles* | Composite stiles* |
| 20-Minute Edge (stile) Material | Paintable wood | Stainable/paintable wood |
| Finish | Paint | Stain or paint |
| Slab & Frame Warranty | 25 year | 25 year |
| Glass Warranty | 20 year prorated | 20 year prorated |
| Bottom Material | Composite | Composite |
| Additional Details | Rust proof Dent proof | Rust proof Dent proof |
| Glass Styles | 22 | 22 |
| Door Performance | ★★★★☆ | ★★★★☆ |



Available Fire Rated
20min.



Available in 8 feet
Doors and Sidelites



3'0" Only
2'8" or 2'6"
Not available



Available in 3'6" x 6'8"
Brushed Smooth Only

SUMMIT

SERIES

Premium Grade Configurable Fiberglass

- ✓ Fiberglass grain definition & detail features superior aesthetics
- ✓ Engineered LVL lock & hinge stile construction
- ✓ Composite stile edges and composite top & bottom rail
- ✓ Polyurethane foam core for superior thermal performance

Fiberglass Grain Definition

This newly designed Rift Cut fiberglass skin texture was created using state of the art technology. The skin design features a unique & versatile surface that is ideal for stain or paint. When staining the color will define whether the door looks like walnut, oak, mahogany, or various other wood species.

Engineered LVL lock & hinge stile construction


When it comes to the core construction of your door, engineered wood is stronger, free of knots and is far more rigid than traditional wood stiles. This creates added rigidity and resistance to shrinking, bowing and twisting, resulting in a far more stable product.

Composite stile edge paired with a composite top & bottom rail

Rot-Free composite material surrounds the door and provides the best protection against the rigorous midwest environment. Harsh winters and humid summers are at bay when wood is not exposed to our seasonal changes. The composite substrate is stable and it can be finished to blend with the smooth & textured skin of your door.

Polyurethane Foam Core

The key to combating the heat and cold is superior insulation, this door features superior thermal performance.





RIFT CUT
TEXTURE

BRUSHED
SMOOTH

4" Engineered Stile Comprised
of LVL & Composite Edge Construction

Composite
Edge

Engineered
LVL Hinge Stile

Composite
Bottom Rail



SBFA-151-CLE, DS100E

CLEAR



| | | | | | | | |
|-----------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Rift Cut | SRFA-151-CLE | SRFA-151-CLE | --- | --- | SRRG-228-010 | --- | --- |
| Brushed Smooth | SBFA-151-CLE | SBFA-151-CLE | SBAA-680-010 | SBRD-680-010 | SBRD-228-010 | SBRD-135-010 | SBRD-137-010 |
| Pure White | --- | --- | --- | --- | --- | --- | --- |



● Rift Cut




● Fir



● Brushed Smooth



SFFI-217-CLE, SFFI-617-CLE, S.O. Clear Transom



010 - Clear

CLE - Low-E



● Rift Cut

● Fir

● Brushed Smooth

● Pure White

SRFI-217-CLE

SFFI-217-CLE

SBFI-217-CLE

SBFIP-217-CLE

SRFI-617-CLE

SFFI-617-CLE

SBFI-617-CLE

SBFIP-617-CLE

SRFA-151-CLE

SFFA-151-CLE

SBFA-151-CLE



SRAA-106-010

SBAA-106-010



SRAA-106-CLE

SBAA-106-CLE



SRRK-106-010

SBRK-106-010

SBRKP-106-010



SRRK-106-CLE

SBRK-106-CLE

SBRKP-106-CLE



SBPB-106-010



SBPB-106-CLE



DS100E

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SBRM-404-CLE

CLEAR



- Rift Cut
- Brushed Smooth
- Pure White

| | | | | | | |
|---------------|---------------|---------------|---------------|--------------|--------------|--------------|
| SRRG-106-010 | SRRG-106-CLE | SRRK-129-010 | SRRK-129-CLE | SRRM-404-CLE | --- | SRRM-450-CLE |
| SBRG-106-010 | SBRG-106-CLE | SBRK-129-010 | SBRK-129-CLE | SBRM-404-CLE | SBRP-404-CLE | SBRM-450-CLE |
| SBRGP-106-010 | SBRGP-106-CLE | SBRKP-129-010 | SBRKP-129-CLE | --- | --- | --- |



Pure White (Stock Pre-Finish)

This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable



● Rift Cut



● Brushed Smooth



SBAA-122-CLE



SBRK-106-CLE




SRAA-122-CLE
SBAA-122-CLE



SRAA-152-010
SBAA-152-010



SRAA-152-CLE
SBAA-152-CLE



DS100E



● Clear Transom

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



CLEAR 8 FOOT

SRRG-404-CLE, DS100E



| | | | | | | |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| ● Rift Cut | SRFI-217-CLE | SRFI-617-CLE | SRRG-404-CLE | --- | SRRK-450-CLE | SRRG-810-CLE |
| ● Fir | SFFI-217-CLE | SFFI-617-CLE | --- | --- | --- | --- |
| ● Brushed Smooth | SBFI-217-CLE | SBFI-617-CLE | SBRG-404-CLE | SBRK-404-CLE | SBRK-450-CLE | SBAA-810-CLE |



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



● Rift Cut



● Fir




● Brushed Smooth



VENT

SBRG-106-VEN



VEN - Vent Screen (close-up)
Charcoal Mesh

When ordering this door Pre-Finished, the vent lite surround will remain white.




● Brushed Smooth

SBAA-106-VEN SBRG-106-VEN SBRK-106-VEN SBPB-106-VEN

• Not recommended in applications where energy related performance is important.

For warranty information:
www.bayerbuilt.com/resources/warranties





SRAA-122-010BT

BLIND LITES



| | | | | | | | | |
|-------------------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|---------------|
| ● Rift Cut | SRAA-106-0BW | SRAA-106-0BT | SRRK-106-0BW | SRRK-106-0BT | --- | SRRG-106-0BW | SRRG-106-0BT | --- |
| ● Brushed Smooth | SBAA-106-0BW | --- | SBRK-106-0BW | --- | SBPB-106-0BW | SBRG-106-0BW | --- | SBAA-106-LGBW |
| ● Pure White | --- | --- | SBRKP-106-0BW | --- | --- | SBRGP-106-0BW | --- | --- |



Pure White (Stock Pre-Finish)

This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable



● Rift Cut



● Brushed Smooth




SBRK-106-010BW



Blind Lites ● Tan Blind Lites ○ White Blind Lites

| | | | | | | | | |
|----------------|---------------|----------------|----------------|--------------|--------------|---------------|--------------|--------------|
| | | | | | | | | |
| --- | --- | --- | SRRK-129-010BW | SRAA-122-0BW | SRAA-122-0BT | --- | SRAA-151-0BW | SRAA-151-0BT |
| SBRK-106-LGBW | SBPB-106-LGBW | SBRG-106-LGBW | SBRK-129-010BW | SBAA-122-0BW | --- | SBAA-122-LGBW | SBAA-151-0BW | --- |
| SBRKP-106-LGBW | --- | SBRGP-106-LGBW | SBRKP-106-LGBW | --- | --- | --- | --- | --- |

For warranty information:
www.bayerbuilt.com/resources/warranties





SBAA-122-0BS, Clear Transom

BLIND LITES



| | | | | | | |
|-------------------------|--------------|---------------|--------------|---------------|--------------|--------------|
| ● Rift Cut | SRAA-106-0BS | SRRK-106-0BS | --- | SRRG-106-0BS | SRAA-122-0BS | SRAA-151-0BT |
| ● Brushed Smooth | SBAA-106-0BS | SBRK-106-0BS | SBPB-106-0BS | SBRG-106-0BS | SBAA-122-0BS | SBAA-151-0BS |
| ● Pure White | --- | SBRKP-106-0BS | --- | SBRGP-106-0BS | --- | --- |




Pure White (Stock Pre-Finish)

This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable



● Rift Cut



● Brushed Smooth



SBAA-122-0BS



BS - Slate Gray Blind Lites



E Clear Transom



Low-E Glass



Available in
3'6" x 6'8"
Brushed Smooth Only

+PROTIPS


CLEAR TRANSOMS

Clear transoms add light into an entryway and style to your entry system. They compliment any glass style



SFFI-217-CLED6

EXTERNAL GRIDS



- **Rift Cut**
 - **Brushed Smooth**
 - **Pure White**
- | | | | | | | |
|-----|----------------|----------------|----------------|----------------|----------------|----------------|
| --- | SBRD-135-010E5 | SBRD-822-010E4 | SBAA-106-010E9 | SBPB-106-010E9 | SBRK-106-010E9 | SBRG-106-010E9 |
| --- | --- | --- | --- | --- | --- | --- |



● Rift Cut



● Fir



● Brushed Smooth




SBFI-217-CLED6, Clear Transom



010 - Clear

CLE - Low-E



115 - Textured Chord



- **Rift Cut** SRFI-217-CLED2 SRFI-217-CLED3 SRFI-217-CLED6 SRFI-617-CLED2 SRFI-217-115D2 SRFI-217-115D3 SRFI-217-115D6 SRFI-617-115D2
- **Fir** SFFI-217-CLED2 SFFI-217-CLED3 SFFI-217-CLED6 SFFI-617-CLED2 SFFI-217-115D2 SFFI-217-115D3 SFFI-217-115D6 SFFI-617-115D2
- **Brushed Smooth** SBFI-217-CLED2 SBFI-217-CLED3 SBFI-217-CLED6 SBFI-617-CLED2 SBFI-217-115D2 SBFI-217-115D3 SBFI-217-115D6 SBFI-617-115D2

For warranty information:
www.bayerbuilt.com/resources/warranties



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SBAA-122-008B, SBAA-152-004B

INTERNAL BLACK



| | | | | | | | |
|-----------------------|---------------|----------------|---------------|----------------|----------------|---------------|---------------|
| Rift Cut | SRAA-106-004B | SRRK-106-004B | --- | SRRG-106-004B | SRRK-129-002B | SRRM-404-006B | --- |
| Brushed Smooth | SBAA-106-004B | SBRK-106-004B | SBPB-106-004B | SBRG-106-004B | SBRK-129-002B | SBRM-404-006B | SBRP-404-006B |
| Pure White | --- | SBRKP-106-004B | --- | SBRGP-106-004B | SBRKP-129-002B | --- | --- |



Pure White (Stock Pre-Finish)

This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable




● Rift Cut



● Brushed Smooth



SRRG-106-004B, Clear Transom



IB - Internal Black




SRRM-450-003B SRAA-122-008B SRAA-152-004B
 SBRM-450-003B SBAA-122-008B SBAA-152-004B

8 FT



● Rift Cut SRRG-404-006B --- SRRK-450-003B
 ● Brushed Smooth SBRG-404-006B SBRK-404-006B SBRK-450-003B

For warranty information:
www.bayerbuilt.com/resources/warranties





SBRG-106-09PW

INTERNAL WHITE



| | | | | | | | |
|------------------|---------------|----------------|----------------|----------------|---------------|---------------|---------------|
| ● Rift Cut | SRAA-106-09PW | SRRG-106-09PW | SRRK-106-09PW | SRRK-129-06PW | --- | SRAA-122-09PW | SRAA-152-06PW |
| ● Brushed Smooth | SBAA-106-09PW | SBRG-106-09PW | SBRK-106-09PW | SBRK-129-06PW | SBPB-106-09PW | SBAA-122-09PW | SBAA-152-06PW |
| ● Pure White | --- | SBRGP-106-09PW | SBRKP-106-09PW | SBRKP-129-06PW | --- | --- | --- |



| | | | | | | | |
|------------------|---------------|---------------|----------------|---------------|----------------|----------------|---------------|
| ● Rift Cut | --- | SRAA-106-009W | SRRK-106-009W | --- | SRRG-106-009W | SRRK-129-003W | --- |
| ● Brushed Smooth | SBRD-135-005W | SBAA-106-009W | SBRK-106-009W | SBPB-106-009W | SBRG-106-009W | SBRK-129-003W | SBRM-404-012W |
| ● Pure White | --- | --- | SBRKP-106-009W | --- | SBRGP-106-009W | SBRKP-129-003W | --- |



E 5 lite Low-E transom | Internal White



E 4 lite Low-E transom | Internal White



● Rift Cut




● Brushed Smooth




SRAA-122-09PW



SBAA-122-09PW, SBAA-152-06PW



IW - Internal White




--- SRAA-122-015W SRAA-152-005W
 SBRP-404-012W SBAA-122-015W SBAA-152-005W
 --- --- ---



● Rift Cut
 ● Brushed Smooth SBRG-404-012W SBRK-404-012W

For warranty information:
[www.bayerbuilt.com/
 resources/warranties](http://www.bayerbuilt.com/resources/warranties)





SBRM-404-676, SBRM-450-676

BERKLEY



| | | | | | | | |
|------------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|
| ● Rift Cut | SRAA-106-676 | SRRK-106-676 | --- | SRRG-106-676 | SRRK-129-676 | SRRM-404-676 | --- |
| ● Brushed Smooth | SBAA-106-676 | SBRK-106-676 | SBPB-106-676 | SBRG-106-676 | SBRK-129-676 | SBRM-404-676 | SBRP-404-676 |
| ● Pure White | --- | SBRKP-106-676 | --- | SBRGP-106-676 | SBRKP-129-676 | --- | --- |



● Rift Cut



● Brushed Smooth



SRRG-106-676



676 - Antique Patina Caming
Granite Beveled Granite

Clear Beveled



SRRM-450-676
SBRM-450-676



SRAA-152-676
SBAA-152-676



DS100E

8 FT



SRRG-404-676
SBRG-404-676




SBRK-404-676



SRRK-450-676
SBRK-450-676

● Rift Cut
● Brushed Smooth


For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)





SRRM-404-788

CALANDRA



● **Rift Cut**

SRRM-404-788

SRRM-450-788

SRAA-122-788

SRAA-152-788

● **Brushed Smooth**

SBRM-404-788

SBRP-404-788

SBRM-450-788

SBAA-122-788

SBAA-152-788




● Rift Cut



● Brushed Smooth



SBAA-122-788, SRAA-152-788



788 - Black Chrome Caming

→ Mistlite

→ Clear Beveled

Black Chrome Caming may vary in appearance due to lighting, time of day and/or viewing angles.

8FT



SRRG-404-788



SBRG-404-788



SRRK-450-788




SBRK-450-788


- Rift Cut
- Brushed Smooth

WANT MORE GLASS OPTIONS?

+PRO TIP

Here are some additional decorative glass options to choose from via special order





CHELSEA

S.O. SBAA-122-341, S.O. SBAA-152-341



DS100E

● Rift Cut

SRRM-404-341

SRRM-450-341

SRAA-122-341

SRAA-152-341

● Brushed Smooth

SBRM-404-341

SBRP-404-341

SBRM-450-341

SBAA-122-341

SBAA-152-341



● Rift Cut



● Brushed Smooth



SBRM-404-341. SBRM-450-341, Clear Transom



341 - Antique Black Caming

- Clear Beveled
- Clear Baroque

8FT



- Rift Cut
- Brushed Smooth

- | | | |
|--------------|--------------|--------------|
| SRRG-404-341 | --- | SRRK-450-341 |
| SBRG-404-341 | SBRK-404-341 | SBRK-450-341 |




Thinking about painting your door a dark color? Consider selecting a textured fiberglass door to aid in hiding the inevitable scuff or scratch that happens given life's fast pace of coming and going!

+PRO TIP



For warranty information:
www.bayerbuilt.com/resources/warranties





SRRG-404-115

CHORD



| | | | | | | | | |
|-------------------------|--------------|--------------|--------------|--------------|---------------|--------------|---------------|---------------|
| ● Rift Cut | SRRG-228-115 | SRFA-151-115 | SRFA-151-115 | SRAA-106-115 | SRRK-106-115 | --- | SRRG-106-115 | SRRK-129-115 |
| ● Brushed Smooth | SBRD-228-115 | SBFA-151-115 | SBFA-151-115 | SBAA-106-115 | SBRK-106-115 | SBPB-106-115 | SBRG-106-115 | SBRK-129-115 |
| ● Pure White | --- | --- | --- | --- | SBRKP-106-115 | --- | SBRGP-106-115 | SBRKP-129-115 |



● Rift Cut




● Fir



● Brushed Smooth



SFFI-217-115



115 - Textured Chord



- Rift Cut SRFI-217-115 SRFI-617-115 SRFA-151-115
- Fir SFFI-217-115 SFFI-617-115 SFFA-151-115
- Brushed Smooth SBFI-217-115 SBFI-617-115 SBFA-151-115
- Pure White SBFIP-217-115 SBFIP-617-115 ---



- SRRM-404-115 --- SRRM-450-115 SRAA-122-115 SRAA-152-115
- SBRM-404-115 SBRP-404-115 SBRM-450-115 SBAA-122-115 SBAA-152-115



- SRRG-404-115 --- SRRK-450-115
- SBRG-404-115 SBRK-404-115 SBRK-450-115

For warranty information:
www.bayerbuilt.com/resources/warranties



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SRAA-122-DOR

DORIAN



| | | | | | | | |
|-------------------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|
| ● Rift Cut | SRAA-106-DOR | SRRK-106-DOR | --- | SRRG-106-DOR | SRRK-129-DOR | SRRM-404-DOR | --- |
| ● Brushed Smooth | SBAA-106-DOR | SBRK-106-DOR | SBPB-106-DOR | SBRG-106-DOR | SBRK-129-DOR | SBRM-404-DOR | SBRP-404-DOR |
| ● Pure White | --- | SBRKP-106-DOR | --- | SBRGP-106-DOR | SBRKP-129-DOR | --- | --- |

P Pure White (Stock Pre-Finish)
 This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable



● Rift Cut




● Brushed Smooth



SBRM-404-DOR, SBRM-450-DOR



SRAA-122-DOR



DOR - Black Aluminum Caming

Micro-Granite


Scribble

Gray Soft Wave



SRRM-450-DOR

SBRM-450-DOR



SRAA-122-DOR

SBAA-122-DOR



SRAA-151-DOR

SBAA-151-DOR



DS100E

8 FT



SRRG-404-DOR

SBRG-404-DOR



SBRK-404-DOR




SRRK-450-DOR

SBRK-450-DOR

● Rift Cut

● Brushed Smooth

For warranty information:
www.bayerbuilt.com/resources/warranties





SBRK-106-113, SBRK-129-113

DOUBLE WATER



- **Rift Cut** SRFA-151-113 SRFA-151-113 SRAA-106-113 SRRK-106-113 --- SRRG-106-113 SRRK-129-113
- **Brushed Smooth** SBFA-151-113 SBFA-151-113 SBAA-106-113 SBRK-106-113 SBPB-106-113 SBRG-106-113 SBRK-129-113
- **Pure White** --- --- --- SBRKP-106-113 --- SBRGP-106-113 SBRKP-129-113



● Rift Cut




● Fir



● Brushed Smooth



SBRG-106-113



113 - Textured Double Water



- | | | | |
|------------------|---------------|---------------|--------------|
| ● Rift Cut | SRFI-217-113 | SRFI-617-113 | SRFA-151-113 |
| ● Fir | SFFI-217-113 | SFFI-617-113 | SFFA-151-113 |
| ● Brushed Smooth | SBFI-217-113 | SBFI-617-113 | SBFA-151-113 |
| ● Pure White | SBFIP-217-113 | SBFIP-617-113 | --- |




Any Door. Any Color.

Choose from a wide variety of Pre-Finish stain and paint colors to complete the look of your home. Our color offering is designed to blend with and complement stock colors of other industry products. Scan the QR code to see more



MORE DETAILS



+PROTIPS

DIRECT SET SIDELITES

Add light into an entryway and style to your entry system. Direct set sidelites compliment any glass style

For warranty information:
www.bayerbuilt.com/resources/warranties



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SRRM-404-328, SRRM-450-328

ELEMENT



| | | | | | | | |
|-------------------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|
| ● Rift Cut | --- | SRAA-107-328 | SRAA-106-328 | --- | SRRK-106-328 | --- | --- |
| ● Brushed Smooth | SBRD-137-328 | SBAA-107-328 | SBAA-106-328 | SBRB-107-328 | SBRK-106-328 | SBPB-107-328 | SBPB-106-328 |
| ● Pure White | --- | --- | --- | --- | SBRKP-106-328 | --- | --- |



SRRM-404-312, SRRM-450-312, Clear Transom

FRONTIER



● **Rift Cut**

● **Brushed Smooth**

● **Pure White**

SRRG-228-312

SBRD-228-312

SRAA-106-312

SBAA-106-312

SRRK-106-312

SBRK-106-312

SBRKP-106-312

SBPB-106-312

SRRG-106-312

SBRG-106-312

SBRGP-106-312

SRRK-129-312

SBRK-129-312

SBRKP-129-312

SRRM-404-312

SBRM-404-312



3'0" Only
2'8" or 2'6"
Not available



Available in
3'6" x 6'8"
Brushed Smooth Only



14" Only
12" Not
Available



8ft **Available in**
8 feet
Doors & Sidelites



● Rift Cut



● Fir



● Brushed Smooth



SFFI-217-312



312 - Antique Black Caming

Pear

Gray Water

Seedy

● Rift Cut

SRFI-217-312

● Fir

SFFI-217-312

● Brushed Smooth

SBFI-217-312

● Pure White

SBFIP-217-312



SBRP-404-312



SRRM-450-312
SBRM-450-312



SRAA-152-312
SBAA-152-312

8 FT



● Rift Cut

SRRG-404-312

● Brushed Smooth

SBRG-404-312



SBRK-404-312



SRRK-450-312
SBRK-450-312

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SBRG-106-517

GEORGIAN



| | | | | | | | |
|-------------------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|
| ● Rift Cut | SRAA-106-517 | SRRK-106-517 | --- | SRRG-106-517 | SRRK-129-517 | SRRM-304-517 | SRRM-404-517 |
| ● Brushed Smooth | SBAA-106-517 | SBRK-106-517 | SBPB-106-517 | SBRG-106-517 | SBRK-129-517 | SBRM-304-517 | SBRM-404-517 |
| ● Pure White | --- | SBRKP-106-517 | --- | SBRGP-106-517 | SBRKP-129-517 | --- | --- |



● Rift Cut



● Brushed Smooth



SBRG-106-517



517 - Platinum Caming

- Clear Beveled
- Glue Chip



SBRP-304-517



SBRP-404-517



SRRM-450-517
SBRM-450-517



SRAA-152-517
SBAA-152-517

8 FT



● Rift Cut
● Brushed Smooth
SRRG-404-517
SBRG-404-517




SBRK-404-517



SRRK-450-517
SBRK-450-517

For warranty information:
www.bayerbuilt.com/resources/warranties





SRRM-404-686

KORDELLA



| | | | | | | | |
|-----------------------|--------------|---------------|--------------|---------------|--------------|--------------|--------------|
| Rift Cut | SRAA-106-686 | SRRK-106-686 | --- | SRRG-106-686 | SRRM-404-686 | --- | SRRM-450-686 |
| Brushed Smooth | SBAA-106-686 | SBRK-106-686 | SBPB-106-686 | SBRG-106-686 | SBRM-404-686 | SBRP-404-686 | SBRM-450-686 |
| Pure White | --- | SBRKP-106-686 | --- | SBRGP-106-686 | --- | --- | --- |




● Rift Cut



● Brushed Smooth



SBAA-122-686, SBAA-152-686



686 - Antique Black Caming

- Clear Beveled
- White Etch
- Seed
- Dark Gray
- Pear



SRAA-122-686
SBAA-122-686



SRAA-152-686
SBAA-152-686

8^{FT}

● Rift Cut
● Brushed Smooth



SRRG-404-686
SBRG-404-686




SBRK-404-686



SRRK-450-686
SBRK-450-686

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)





SBRG-106-331

MARCO



SRRG-228-331



SRAA-106-331



SRRK-106-331



SBPB-106-331



SRRG-106-331



SRRK-129-331



SRRM-404-331

- Rift Cut
- Brushed Smooth
- Pure White

SBRD-228-331

SBAA-106-331

SBRK-106-331

SBRKP-106-331

SBRG-106-331

SBRK-129-331

SBRM-404-331

SBRGP-106-331

SBRKP-129-331



3'0" Only
2'8" or 2'6"
Not available



Available in
3'6" x 6'8"
Brushed Smooth Only



14" Only
12" Not
Available



8ft Available in
8 feet
Doors & Sidelites



● Rift Cut



● Fir



● Brushed Smooth



331 - Antique Black Caming
 Gray Water Granite
 Clear Water Seedy



- Rift Cut SRFI-217-331 SRFI-617-331
- Fir SFFI-217-331 SFFI-617-331
- Brushed Smooth SBFI-217-331 SBFI-617-331
- Pure White SBFIP-217-331 SBFIP-617-331



- SRRM-450-331 SRAA-152-331
- SBRP-404-331 SBRM-450-331 SBAA-152-331
- --- ---

8 FT



- Rift Cut SRRG-404-331 --- SRRK-450-331
- Brushed Smooth SBRG-404-331 SBRK-404-331 SBRK-450-331

For warranty information:
www.bayerbuilt.com/resources/warranties



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil




9545 - Brushed Smooth Dentil



SRAA-122-366, Clear Transom

NAPLES



| | | | | | | | |
|------------------|--------------|--------------|---------------|--------------|---------------|---------------|--------------|
| ● Rift Cut | SRRG-228-366 | SRAA-106-366 | SRRK-106-366 | --- | SRRG-106-366 | SRRK-129-366 | SRRM-404-366 |
| ● Brushed Smooth | SBRD-228-366 | SBAA-106-366 | SBRK-106-366 | SBPB-106-366 | SBRG-106-366 | SBRK-129-366 | SBRM-404-366 |
| ● Pure White | --- | --- | SBRKP-106-366 | --- | SBRGP-106-366 | SBRKP-129-366 | --- |



● Rift Cut



● Fir



● Brushed Smooth




SFFI-217-366



366 - Antique Black Caming
 Clear Beveled
 Granite
 Narrow Reed



- Rift Cut SRFI-217-366 SRFI-617-366
- Fir SFFI-217-366 SFFI-617-366
- Brushed Smooth SBFI-217-366 SBFI-617-366
- Pure White SBFIP-217-366 SBFIP-617-366



- SRRM-450-366 SRAA-122-366 SRAA-152-366
- SBRP-404-366 SBRM-450-366 SBAA-122-366 SBAA-152-366

8FT



- Rift Cut SRRG-404-366 --- SRRK-450-366
- Brushed Smooth SBRG-404-366 SBRK-404-366 SBRK-450-366

For warranty information:
[www.bayerbuilt.com/
 resources/warranties](http://www.bayerbuilt.com/resources/warranties)



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SBFA-151-140, Silver GU Ferco Door Pull (Round)

PEARL



| | | | | | | | |
|-----------------------|--------------|--------------|--------------|---------------|--------------|---------------|---------------|
| Rift Cut | SRFA-151-140 | SRFA-151-140 | SRAA-106-140 | SRRK-106-140 | --- | SRRG-106-140 | SRRK-129-140 |
| Brushed Smooth | SBFA-151-140 | SBFA-151-140 | SBAA-106-140 | SBRK-106-140 | SBPB-106-140 | SBRG-106-140 | SBRK-129-140 |
| Pure White | --- | --- | --- | SBRKP-106-140 | --- | SBRGP-106-140 | SBRKP-129-140 |



3'0" Only
2'8" or 2'6"
Not available



Available in
3'6" x 6'8"
Brushed Smooth Only



Available in
8 feet
Doors & Sidelites



● Rift Cut




● Fir



● Brushed Smooth



SFFI-217-140




140 - Textured Pearl



- | | | | |
|------------------|---------------|---------------|--------------|
| ● Rift Cut | SRFI-217-140 | SRFI-617-140 | SRFA-151-140 |
| ● Fir | SFFI-217-140 | SFFI-617-140 | SFFA-151-140 |
| ● Brushed Smooth | SBFI-217-140 | SBFI-617-140 | SBFA-151-140 |
| ● Pure White | SBFIP-217-140 | SBFIP-617-140 | --- |

WANT MORE GLASS OPTIONS? +PRO TIP

Here are some additional textured glass options available via special order



For warranty information:
www.bayerbuilt.com/resources/warranties



Dentil Available



9545 - Rift Cut Dentil



9545 - Fir Dentil



9545 - Brushed Smooth Dentil



SRRG-106-664, Clear Transom

PRESTIGE



| | | | | | | | |
|-----------------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|
| Rift Cut | SRAA-106-664 | SRRK-106-664 | --- | SRRG-106-664 | SRRK-129-664 | SRRM-404-664 | --- |
| Brushed Smooth | SBAA-106-664 | SBRK-106-664 | SBPB-106-664 | SBRG-106-664 | SBRK-129-664 | SBRM-404-664 | SBRP-404-664 |
| Pure White | --- | SBRKP-106-664 | --- | SBRGP-106-664 | SBRKP-129-664 | --- | --- |



Pure White (Stock Pre-Finish)

This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable




● Rift Cut



● Brushed Smooth



SBPB-106-664, Clear Transom



664 - Black Chrome Caming

Clear Beveled
Hammer

Chinchilla
Sparkolite



SRRM-450-664 SRAA-152-664
SBRM-450-664 SBAA-152-664



8 FT



SRRG-404-664





SRRK-450-664

● Rift Cut

● Brushed Smooth

SBRG-404-664

SBRK-404-664

SBRK-450-664

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



14" Only
12" Not
Available



3" Only
2'8" or 2'6"
Not available



Available in
3'6" x 6'8"
Brushed Smooth Only



SBRP-404-RLE, SBRM-450-RLE, Clear Transom

RAIN



| | | | | | | | |
|-----------------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|
| Rift Cut | SRAA-106-RLE | SRRK-106-RLE | --- | SRRG-106-RLE | SRRK-129-RLE | SRRM-404-RLE | --- |
| Brushed Smooth | SBAA-106-RLE | SBRK-106-RLE | SBPB-106-RLE | SBRG-106-RLE | SBRK-129-RLE | SBRM-404-RLE | SBRP-404-RLE |
| Pure White | --- | SBRKP-106-RLE | --- | SBRGP-106-RLE | SBRKP-129-RLE | --- | --- |



Pure White (Stock Pre-Finish)

This color was commonly being requested for a color match by our customers. We have added Pure White to our stock pre-finish offering to alleviate lead times. 3-0 doors and 12" & 14" sidelites where applicable



● Rift Cut



● Brushed Smooth



SRAA-122-RLE, DS100E, S.O. Transom



RLE - Textured Rain




SRRM-450-RLE SRAA-122-RLE SRAA-152-RLE
 SBRM-450-RLE SBAA-122-RLE SBAA-152-RLE

8 FT



● Rift Cut SRRG-404-RLE --- SRRK-450-RLE
 ● Brushed Smooth SBRG-404-RLE SBRK-404-RLE SBRK-450-RLE

For warranty information:
[www.bayerbuilt.com/
 resources/warranties](http://www.bayerbuilt.com/resources/warranties)





SBAA-122-WTS

WATERSIDE



| | | | | | | | | |
|-------------------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|--------------|
| ● Rift Cut | SRAA-106-WTS | SRRK-106-WTS | --- | SRRG-106-WTS | SRRK-129-WTS | SRRM-404-WTS | --- | SRRM-450-WTS |
| ● Brushed Smooth | SBAA-106-WTS | SBRK-106-WTS | SBPB-106-WTS | SBRG-106-WTS | SBRK-129-WTS | SBRM-404-WTS | SBRP-404-WTS | SBRM-450-WTS |
| ● Pure White | --- | SBRKP-106-WTS | --- | SBRGP-106-WTS | SBRKP-129-WTS | --- | --- | --- |



● Rift Cut



● Brushed Smooth



SRRG-106-WTS, SRRK-129-WTS



SBRM-404-WTS, SBRM-450-WTS



WTS - Black Chrome Caming

- Clear Soft Wave
- Streamed




SRAA-122-WTS SRAA-151-WTS
SBAA-122-WTS SBAA-151-WTS

8 FT



● Rift Cut SRRG-404-WTS --- SRRK-450-WTS
● Brushed Smooth SBRG-404-WTS SBRK-404-WTS SBRK-450-WTS

For warranty information:
[www.bayerbuilt.com/
resources/warranties](http://www.bayerbuilt.com/resources/warranties)



Nomenclature

The below diagram indicates how to determine the correct letter/number combination for the door you are interested in pricing. Follow steps 1-5 to compile the sku for your door.



SRRG-106-328 Door Detail *example*

SRRG-106-328

1. The first letter references the door **Series**:

Elite Series Fiberglass = **E** Perspective Series Fiberglass = **P** Summit Series Fiberglass = **S**


2. The second letter references the door **Surface**:

Knotty Alder = **A** Brushed Smooth = **B** Cherry = **C** Fir = **F** Rustic Mahogany = **H** Oak = **K**
 Mahogany = **M** Rift Cut = **R** Smooth = **S** Rustic Cherry = **Y**


3. The third letter references the door **Embossment** style:

Flush = **A** Beadboard = **B** Flat Tapered = **F** Flush & Grooves = **G** Plank = **P**
 Raised Traditional = **R** Raised Tapered = **T**

4. The fourth letter references the door **Layout** style:



| | A | B | C | D | E | G | I | K | L | M | N | P | Q | X | Y |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| KNOTTY ALDER | | • | | | | | | | | | | | | | |
| BRUSHED SMOOTH | • | • | | • | • | • | • | • | • | • | | • | • | | • |
| CHERRY | | | • | | | • | | | | • | | | | | |
| FIR | • | | | | | | • | • | • | • | | | • | | |
| RUSTIC MAHOGANY | | • | | | | | | | | | | | | | |
| OAK | | | • | | | • | | | | • | | | | | |
| MAHOGANY | | | • | | | • | | | | | | | | • | |
| RIFT CUT | • | | | | | • | • | • | | • | | | | | |
| SMOOTH | • | | | | • | | • | • | • | • | | | | | |
| RUSTIC CHERRY | | | | | | | | | | | • | | | | |



| | A | K | M | I | Y |
|-----------------|---|---|---|---|---|
| KNOTTY ALDER | • | | | | |
| BRUSHED SMOOTH | • | • | • | • | • |
| CHERRY | • | • | • | | |
| FIR | • | | • | • | |
| RUSTIC MAHOGANY | • | | | | |
| OAK | • | • | • | | |
| MAHOGANY | • | • | • | | |
| RIFT CUT | • | • | • | • | |
| SMOOTH | • | | • | | |
| RUSTIC CHERRY | | | • | | |

5. The fifth letter references the **Stock Pre-Finish** (if applicable)

Pure White = P

SRRG-106-328

Glass Shape

6. The second set of numbers/letters reference the glass **Shape**



SRRG-106-328

Glass Design

7. The last three numbers reference the **Glass Design**

| | | | | | | | |
|----------------|------------|--------------|-----|----------|-----|-----------|-----|
| Clear | 010 | Berkley | 676 | Frontier | 312 | Prestige | 664 |
| Clear Low-E | CLE/LE | Calandra | 788 | Georgian | 517 | Rain | RLE |
| Element | 328 | Chord | 115 | Kordella | 686 | Waterside | WTS |
| | | Chelsea | 341 | Marco | 331 | Vented | VEN |
| | | Dorian | DOR | Naples | 366 | | |
| | | Double Water | 113 | Pearl | 140 | | |

Grids & Blinds

8. In some instances, the additional last two letters/numbers reference the **Grids & Blinds**

| | | | |
|---------------------------------|------|-----------------------------|----|
| White Blind/Internal White Grid | LGBW | Internal Prairie Grid White | PW |
| Tan Blind | BT | 1-1/8 2 Lite SDL | D2 |
| White Blind | BW | 1-1/8 3 Lite SDL | D3 |
| Slate Gray Blind | BS | 1-1/8 4 Lite SDL | D4 |
| External 3 Lite Grid | E3 | 1-1/8 6 Lite SDL | D6 |
| External 4 Lite Grid | E4 | 1-1/8 Craftsman Lite SDL | DC |
| External 5 Lite Grid | E5 | 4-1/2 3 Lite SDL | L3 |
| External 6 Lite Grid | E6 | 3-1/2 4 Lite SDL | H4 |
| External 9 Lite Grid | E9 | 4-1/2 5 Lite SDL | L5 |
| Internal Grid Black | B | | |
| Internal Grid White | W | | |





SRRG-106-010BW


Handing & Rough Openings

exterior **Outswing** door handing


single door



double door



INTERIOR



Left-Hand Outswing
with stationary on Knob Side



Left-Hand Outswing
with stationary on Hinge Side

Right-Hand Outswing
with stationary on Knob Side


Right-Hand Outswing
with stationary on Hinge Side

exterior **Inswing** door handing

single door



double door



INTERIOR



Left-Hand Inswing
with stationary on Hinge Side

Left-Hand Inswing
with stationary on Knob Side

Right-Hand Inswing
with stationary on Hinge Side

Right-Hand Inswing
with stationary on Knob Side

RO = Rough Opening

UD = Unit Dimension (outside of jamb to outside of jamb measurement). UD may vary 1/16" +/-

BM = Outside of Brickmould to outside of brickmould measurement. The Clad Inswing dimension is calculated using the Crownline brickmould profile. For Classic brickmould, add 2-9/16" to the Clad Inswing UD. BM may vary 1/16" +/-

Spread Mulls

To calculate RO when using a spread mull, add the width of the spread mull(s) to the appropriate rough opening.

Slimline Clad Inswing

BM dimension is identical to standard Inswing UD.

Single Door

| Width | | Composite & Primed In swing | Composite & Primed Out swing | Classic Clad In swing | Crownline Clad In swing | Clad Out swing |
|-------|----|-----------------------------|------------------------------|-----------------------|-------------------------|----------------|
| 2-0 | RO | 26 1/2 | 26 1/2 | 26 1/2 | 26 1/2 | 26 5/8 |
| | UD | 25 1/2 | 25 1/2 | 25 1/2 | 25 1/2 | 25 5/8 |
| | BM | 28 1/16 | 28 1/2 | 28 1/16 | 26 5/8 | 26 3/4 |
| 2-4 | RO | 30 1/2 | 30 1/2 | 30 1/2 | 30 1/2 | 30 5/8 |
| | UD | 29 1/2 | 29 1/2 | 29 1/2 | 29 1/2 | 29 5/8 |
| | BM | 32 1/16 | 32 1/2 | 32 1/16 | 30 5/8 | 30 3/4 |
| 2-6 | RO | 32 1/2 | 32 1/2 | 32 1/2 | 32 1/2 | 32 5/8 |
| | UD | 31 1/2 | 31 1/2 | 31 1/2 | 31 1/2 | 31 5/8 |
| | BM | 34 1/16 | 34 1/2 | 34 1/16 | 32 5/8 | 32 3/4 |
| 2-8 | RO | 34 1/2 | 34 1/2 | 34 1/2 | 34 1/2 | 34 5/8 |
| | UD | 33 1/2 | 33 1/2 | 33 1/2 | 33 1/2 | 33 5/8 |
| | BM | 36 1/16 | 36 1/2 | 36 1/16 | 34 5/8 | 34 3/4 |
| 2-10 | RO | 36 1/2 | 36 1/2 | 36 1/2 | 36 1/2 | 36 5/8 |
| | UD | 35 1/2 | 35 1/2 | 35 1/2 | 35 1/2 | 35 5/8 |
| | BM | 38 1/16 | 38 1/2 | 38 1/16 | 36 5/8 | 36 3/4 |
| 3-0 | RO | 38 1/2 | 38 1/2 | 38 1/2 | 38 1/2 | 38 5/8 |
| | UD | 37 1/2 | 37 1/16 | 37 1/2 | 37 1/2 | 37 5/8 |
| | BM | 40 1/16 | 40 1/2 | 40 1/16 | 38 5/8 | 38 3/4 |

Single Door with Single 12" Sidelite

| | | | | | | |
|-----|----|---------|----|---------|--------|--------|
| 2-8 | RO | 48 | 48 | 48 | 48 | 49 1/4 |
| | UD | 47 | 47 | 47 | 47 | 48 1/4 |
| | BM | 49 9/16 | 50 | 49 9/16 | 48 1/8 | 49 3/8 |
| 3-0 | RO | 52 | 52 | 52 | 52 | 53 1/4 |
| | UD | 51 | 51 | 51 | 51 | 52 1/4 |
| | BM | 53 9/16 | 54 | 53 9/16 | 52 1/8 | 53 3/8 |

Single Door with Double 12" Sidelite

| | | | | | | |
|-----|----|---------|--------|---------|--------|--------|
| 2-8 | RO | 61 1/2 | 61 1/2 | 61 1/2 | 61 1/2 | 64 |
| | UD | 60 1/2 | 60 1/2 | 60 1/2 | 60 1/2 | 63 |
| | BM | 63 1/16 | 63 1/2 | 63 1/16 | 61 5/8 | 64 1/8 |
| 3-0 | RO | 65 1/2 | 65 1/2 | 65 1/2 | 65 1/2 | 68 |
| | UD | 64 1/2 | 64 1/2 | 64 1/2 | 64 1/2 | 67 |
| | BM | 67 1/16 | 67 1/2 | 67 1/16 | 65 5/8 | 68 1/8 |

Composite & Primed Jamb (height)

| HEIGHT | | Standard Sills | ADA In swing | ADA Out swing | Bumper Out swing |
|--------|----|----------------|--------------|---------------|------------------|
| 6-8 | RO | 82 1/4 | 81 1/4 | 81 1/4 | 81 7/16 |
| | UD | 81 3/4 | 80 3/4 | 80 3/4 | 80 15/16 |
| | BM | 83 | 82 5/16 | 82 1/4 | 82 7/16 |
| 7-0 | RO | 86 1/4 | 85 1/4 | 85 1/4 | 85 7/16 |
| | UD | 85 3/4 | 84 3/4 | 84 3/4 | 84 15/16 |
| | BM | 87 | 86 5/16 | 86 1/4 | 86 7/16 |
| 8-0 | RO | 98 1/4 | 97 1/4 | 97 1/4 | 97 7/16 |
| | UD | 97 3/4 | 96 3/4 | 96 3/4 | 96 15/16 |
| | BM | 99 | 98 5/16 | 98 1/4 | 98 7/16 |

12" Transom R.O. Height: 95-3/4 14" Transom R.O. Height 97-3/4

Single Door with Stationary Unit

| Width | | Composite & Primed In swing | Composite & Primed Out swing | Classic Clad In swing | Crownline Clad In swing | Clad Out swing |
|----------------------|----|-----------------------------|------------------------------|-----------------------|-------------------------|----------------|
| 2-6 w/2-6 (5-0 unit) | RO | 63 7/8 | 63 7/8 | 63 7/8 | 63 7/8 | 65 1/8 |
| | UD | 62 7/8 | 62 7/8 | 62 7/8 | 62 7/8 | 64 1/8 |
| | BM | 65 7/16 | 65 7/8 | 65 7/16 | 64 | 65 1/4 |
| 2-8 w/2-8 (5-4 unit) | RO | 67 7/8 | 67 7/8 | 67 7/8 | 67 7/8 | 69 1/8 |
| | UD | 66 7/8 | 66 7/8 | 66 7/8 | 66 7/8 | 68 1/8 |
| | BM | 69 7/16 | 69 7/8 | 69 7/16 | 68 | 69 1/4 |
| 3-0 w/3-0 (6-0 unit) | RO | 75 7/8 | 75 7/8 | 75 7/8 | 75 7/8 | 77 1/8 |
| | UD | 74 7/8 | 74 7/8 | 74 7/8 | 74 7/8 | 76 1/8 |
| | BM | 77 7/16 | 77 7/8 | 77 7/16 | 76 | 77 1/4 |

Functioning Double Door

| | | | | | | |
|-----|----|---------|----|---------|--------|--------|
| 5-0 | RO | 63 | 63 | 63 | 63 | 63 1/8 |
| | UD | 62 | 62 | 62 | 62 | 62 1/8 |
| | BM | 64 9/16 | 65 | 64 9/16 | 63 1/8 | 63 1/4 |
| 5-4 | RO | 67 | 67 | 67 | 67 | 67 1/8 |
| | UD | 66 | 66 | 66 | 66 | 66 1/8 |
| | BM | 68 9/16 | 69 | 68 9/16 | 67 1/8 | 67 1/4 |
| 6-0 | RO | 75 | 75 | 75 | 75 | 75 1/8 |
| | UD | 74 | 74 | 74 | 74 | 74 1/8 |
| | BM | 76 9/16 | 77 | 76 9/16 | 75 1/8 | 75 1/4 |

Single Door with Single 14" Sidelite

| | | | | | | |
|-----|----|---------|----|---------|--------|--------|
| 2-8 | RO | 50 | 50 | 50 | 50 | 51 1/4 |
| | UD | 49 | 49 | 49 | 49 | 50 1/4 |
| | BM | 51 9/16 | 52 | 51 9/16 | 50 1/8 | 51 3/8 |
| 3-0 | RO | 54 | 54 | 54 | 54 | 55 1/4 |
| | UD | 53 | 53 | 53 | 53 | 54 1/4 |
| | BM | 55 9/16 | 56 | 55 9/16 | 54 1/8 | 55 3/8 |

Single Door with Double 14" Sidelite


| | | | | | | |
|-----|----|---------|--------|---------|--------|--------|
| 2-8 | RO | 65 1/2 | 65 1/2 | 65 1/2 | 65 1/2 | 68 |
| | UD | 64 1/2 | 64 1/2 | 64 1/2 | 64 1/2 | 67 |
| | BM | 67 1/16 | 67 1/2 | 67 1/16 | 65 5/8 | 68 1/8 |
| 3-0 | RO | 69 1/2 | 69 1/2 | 69 1/2 | 69 1/2 | 72 |
| | UD | 68 1/2 | 68 1/2 | 68 1/2 | 68 1/2 | 71 |
| | BM | 71 1/16 | 71 1/2 | 71 1/16 | 69 5/8 | 72 1/8 |

Clad Jamb (height)

| HEIGHT | | Standard Classic Clad Sills | Standard Crownline Clad Sills | ADA Classic Clad In swing | ADA Crownline Clad In swing | ADA Out swing | Bumper Out swing |
|--------|----|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------|------------------|
| 6-8 | RO | 82 1/4 | 82 1/4 | 81 1/4 | 81 1/4 | 81 5/16 | 81 1/2 |
| | UD | 81 3/4 | 81 3/4 | 80 3/4 | 80 3/4 | 80 13/16 | 81 |
| | BM | 83 | 82 5/16 | 82 | 81 5/16 | 81 3/8 | 81 9/16 |
| 7-0 | RO | 86 1/4 | 86 1/4 | 85 1/4 | 85 1/4 | 85 5/16 | 85 1/2 |
| | UD | 85 3/4 | 85 3/4 | 84 3/4 | 84 3/4 | 84 13/16 | 85 |
| | BM | 87 | 86 5/16 | 86 | 85 5/16 | 85 3/8 | 85 9/16 |
| 8-0 | RO | 98 1/4 | 98 1/4 | 97 1/4 | 97 1/4 | 97 5/16 | 97 1/2 |
| | UD | 97 3/4 | 97 3/4 | 96 3/4 | 96 3/4 | 96 13/16 | 97 |
| | BM | 99 | 98 5/16 | 98 | 97 5/16 | 97 3/8 | 97 9/16 |

12" Transom R.O. Height: 95-3/4 14" Transom R.O. Height 97-3/4

PG. 68-73



010/CLE - CLEAR
VEN - VENT

PG. 74-75



0 BW/LGBW BT -
BLIND LITES

PG. 76-77




BS - BLIND LITES

PG. 78-79



E - EXTERNAL GRID

PG. 80-81



B - INTERNAL BLACK

PG. 82-83



W/PW - INTERNAL
WHITE

PG. 84-85



676 - BERKLEY

PG. 86-87



788 - CALANDRA

PG. 88-89



341 - CHELSEA

PG. 90-91




115 - CHORD

PG. 92-93



DOR - DORIAN

PG. 94-95




113 - DOUBLE WATER

PG. 96-97



328 - ELEMENT

PG. 98-99



312 - FRONTIER

PG. 100-101



517 - GEORGIAN

PG. 102-103




686 - KORDELLA

PG. 104-105



331 - MARCO

PG. 106-107




366 - NAPLES

PG. 108-109




140 - PEARL

PG. 110-111



664 - PRESTIGE

PG. 112-113



RLE - RAIN


PG. 114-115



WTS - WATERSIDE



PBFA-826-CLEL5, PBFA-852-CLEL5



SBRK



PMGX-BGB1E5, DS100E



PSTM-426-115D6



SBRK, DS100E



SBAA-122-010BW



    bayerbuilt.com

stair parts

mouldings

deck railing

interior doors

25_105

