

The Vollara Air & Surface Pro+ reduced 99.96% of airborne SARS-CoV-2, the virus responsible for COVID-19, within 1 minute.¹

This unaffiliated lab test was done on the lowest setting using only the ActivePure® Technology.

THE TECHNOLOGY

The Vollara Air & Surface Pro+ combines multiple complementary technologies, including HEPA, activated carbon, O³, and ActivePure® Technology. Patented ActivePure Technology is an advanced air and surface purification technology. It has been proven to reduce up to 99.9% of many common airborne and surface contaminants (list of tested pathogens can be found in "The Proof" section below).

ActivePure Technology does not replace the need to follow public health guidelines and should be used as complementary technology.

THE PROOF

In extensive unaffiliated lab testing, ActivePure® Technology has been proven to significantly reduce the following contaminants and pathogens:1

- SARS-CoV-2
- Staphylococcus Aureus
- Aspergillus niger endospores
- H1N1 Influenza
- · H5N8 Influenza
- MRSA
- · Bacillus globigii
- · MS2 Bacteriophage
- Staphylococcus epidermidis
- PhiX-174

- Erwinia Herbicola
- Listeria monocytogenes
- Murine Norovirus
- · E. coli
- · Candida auris
- · Botrytis cinerea
- Sclerotinia sclerotiorum
- Legionella pneumophila
- Aspergillus versicolor
- · Clostridium difficile
- Salmonella enterica

THE BENEFITS

The Vollara Air & Surface Pro+ provides air purification and surface decontamination. It is a proactive and effective solution for your home or business.

- · Portable, lightweight device
- No installation plug-and-play solution
- Easy to use and low maintenance
- Proven effective against many common viruses, bacteria, molds, and fungi¹
- Reduces smoke, allergens, odors, and VOC gases
- Multiple carbon brushes aid in the capture of contaminants







Inducted into the 2017 Space Technology
Hall of Fame by the Space Foundation



¹View test results at vollara.activepure.com/scientific-proof



SPECIFICATIONS

Product Information	9940063 Model: A1041B NOTE: This product does not meet California requirements and cannot be shipped to California or Canada.
	ActivePure® Technology - (1) 6" Cell
	HEPA Filter Screen
Technology Included	Activated Carbon Filter
	Carbon Brushes
	Purification Plate
	Input Voltage: 100 ~ 240 VAC; 50/60 Hz
Electrical	External Power Supply: DC 24 Volts; 1.5 Amps Max.
	Power Consumption: 43 Watts Max.
Mechanical	Nominal Airflow Rate: 40-60 CFM; Adjustable Fan Speed
Safety	Conforms to UL 867
	7.6 lbs (3.5 kg)
Weight & Dimensions	11.75" H x 9.5" W x 10" D (29.8 cm x 24.1 cm x 25.4 cm)
Operating Temperature	34°F – 100°F (1°C – 38°C)
Sound Level	45 dB(A) (on low); 55 dB(A) (on high)
Coverage ¹	Up to 2,000 sq. ft. (185 m^2) depending on occupant density and other factors. High density commercial not to exceed 500 sq. ft. (46 m^2).
Warranty	Limited 3 year warranty



•	Contact Name:
<u></u>	Email:
	Phone Number:

^{1.} Recommended ceiling height to not exceed 10 feet Solutions should be customized based upon a variety of factors including HVAC system capabilities and settings, air flows taking into account walls, air pressure, and doors, ambient air temperatures and humidities, variable density, known VOC concentrations, other layers of protection.