

# MODERN STEEL™

garage doors




America's Favorite Garage Doors®



*Model 9209 Modern Grooved Panel, Shown in Mocha Brown with Plain Short Windows Down Left Side (from inside garage looking out)*

# MODERN STEEL™ garage doors

Modern Steel™ garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint, Ultra-Grain® and Lustra™ finishes to create the perfect look for your home.



*Model 9208 Modern Flush Panel; Shown in Ultra-Grain® Plank Kona Finish with Contemporary Slim Frosted Windows and Black Frames Down Left Side (from inside garage looking out)*

AVAILABLE WITH

**intellipcore®**  
insulation technology



## WARMER

Energy efficiency provides year-round comfort



## QUIETER


Dense insulation reduces noise by up to 16 decibels



## STRONGER

Enhanced strength resists everyday wear and tear

## MODEL AVAILABILITY



## DOOR DESIGNS

Door design examples shown at 9' wide x 8' high  
Available window options listed below model number  
(See back cover for examples of window options)

TEXTURE

| 3-LAYER            |                        |                             |                                 | 2-LAYER                | 1-LAYER       |
|--------------------|------------------------|-----------------------------|---------------------------------|------------------------|---------------|
| 2"<br>Polyurethane | 1-3/8"<br>Polyurethane | 2"<br>Bonded<br>Polystyrene | 1-3/8"<br>Bonded<br>Polystyrene | 1-5/16"<br>Polystyrene | Non-Insulated |
| 18.4 R-value       | 12.9 R-value           | 9.0 R-value                 | 6.5 R-value                     | 6.3 R-value            |               |

### MODERN FLUSH

Door constructed using 24", 21" and 18" section heights

|       |                 |           |                                 |                                 |                                 |                                 |  |  |
|-------|-----------------|-----------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|--|--|
|       |                 |           | 9202<br>Contemporary<br>Windows | 9132<br>Contemporary<br>Windows | 4302<br>Contemporary<br>Windows | 4132<br>Contemporary<br>Windows |  |  |
| Solid | Window Sections | Woodgrain |                                 |                                 |                                 |                                 |  |  |

### MODERN FLUSH

Door constructed using 21" and 18" section heights

|       |                 |           |                                                   |                                                   |                                                   |                               |                                                   |                                                         |
|-------|-----------------|-----------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------------------------------------|
|       |                 |           | 9201<br>Contemporary<br>and Decorative<br>Windows | 9131<br>Contemporary<br>and Decorative<br>Windows | 4301<br>Contemporary<br>and Decorative<br>Windows | 4051<br>Decorative<br>Windows | T42F<br>(24 Gauge Steel)<br>Decorative<br>Windows | T40F<br>4F<br>(24 Gauge Steel)<br>Decorative<br>Windows |
| Solid | Window Sections | Woodgrain |                                                   |                                                   |                                                   |                               |                                                   |                                                         |

### MODERN FLUSH

Door constructed using 24", 21" and 18" section heights

|       |                      |                     |                                             |                                 |                                             |                                 |  |  |
|-------|----------------------|---------------------|---------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|--|--|
|       |                      |                     | 9208<br>Contemporary<br>and Slim<br>Windows | 9138<br>Contemporary<br>Windows | 4308<br>Contemporary<br>and Slim<br>Windows | 4138<br>Contemporary<br>Windows |  |  |
| Solid | Contemporary Windows | Stucco <sup>+</sup> |                                             |                                 |                                             |                                 |  |  |

### MODERN GROOVED

Door constructed using 24", 21" and 18" section heights

|       |                 |                     |                                 |  |                                 |  |  |  |
|-------|-----------------|---------------------|---------------------------------|--|---------------------------------|--|--|--|
|       |                 |                     | 9205<br>Contemporary<br>Windows |  | 4305<br>Contemporary<br>Windows |  |  |  |
| Solid | Window Sections | Stucco <sup>*</sup> |                                 |  |                                 |  |  |  |

### MODERN GROOVED

Door constructed using 24" and 21" section heights

|       |                      |                     |                                             |                                 |                                             |  |  |  |
|-------|----------------------|---------------------|---------------------------------------------|---------------------------------|---------------------------------------------|--|--|--|
|       |                      |                     | 9209<br>Contemporary<br>and Slim<br>Windows | 9139<br>Contemporary<br>Windows | 4309<br>Contemporary<br>and Slim<br>Windows |  |  |  |
| Solid | Contemporary Windows | Stucco <sup>+</sup> |                                             |                                 |                                             |  |  |  |

| COLOR<br>AVAILABILITY     | Standard<br>White | Almond | Desert<br>Tan | Sandstone | Bronze | Chocolate | Mocha<br>Brown | Hunter<br>Green | Gray | Charcoal | Black | Lustra <sup>™</sup><br>Black | Lustra <sup>™</sup><br>Charcoal | Lustra <sup>™</sup><br>Silver | Ultra-Grain <sup>®</sup><br>Cypress<br>Medium | Ultra-Grain <sup>®</sup><br>Cypress<br>Cherry | Ultra-Grain <sup>®</sup><br>Cypress<br>Walnut | Ultra-Grain <sup>®</sup><br>Cypress<br>Slate | Ultra-Grain <sup>®</sup><br>Plank<br>Kona | Ultra-Grain <sup>®</sup><br>Plank<br>Coastal Gray |
|---------------------------|-------------------|--------|---------------|-----------|--------|-----------|----------------|-----------------|------|----------|-------|------------------------------|---------------------------------|-------------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------|----------------------------------------------|-------------------------------------------|---------------------------------------------------|
| 9202, 9205                | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 9208                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 9209                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 9201                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 9132, 9138,<br>9139       | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 9131                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 4302, 4305,<br>4308, 4309 | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 4301                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 4132                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 4051                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 4138                      | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| T42F, T40F                | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |
| 4F                        | ■                 | ■      | ■             | ■         | ■      | ■         | ■              | ■               | ■    | ■        | ■     | ■                            | ■                               | ■                             | ■                                             | ■                                             | ■                                             | ■                                            | ■                                         | ■                                                 |

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4.

<sup>\*</sup> Exterior steel surface on Ultra-Grain<sup>®</sup> Cypress finish doors has a woodgrain texture on Modern Steel<sup>™</sup> garage doors.

<sup>†</sup> Exterior steel surface on a Lustra<sup>™</sup> finish door has a smooth texture on Modern Steel<sup>™</sup> garage doors.



## STANDARD COLORS



- Exterior steel on standard color doors will have either a stucco or woodgrain texture depending upon model chosen (see chart on page 3 for details).
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

*\*Additional charges apply.*

*Due to the printing process, colors may vary. See your Clopay Dealer for color samples.  
Not all colors available on all models. See previous page for complete color availability.*

## ULTRA-GRAIN® FINISH



- Painted steel surface simulates a stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal for an authentic, natural look.
- Available in Cypress Medium, Cherry, Walnut or Slate finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on all Modern Steel™ Ultra-Grain® finish doors have a woodgrain texture to create a more natural appearance.
- Window frames, grilles and inserts are a solid color to coordinate with Ultra-Grain® finishes.

*Due to the printing process, colors may vary.*


*Not all colors available on all models. See previous page for complete color availability.  
Additional charges apply.*

## CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

## LUSTRA™ FINISH



Lustra™ finished garage doors feature a Black or Charcoal matte look, while Silver has a brushed metallic look. Door exterior has a smooth textured steel surface.

- These modern doors feature thick 24 gauge surface steel.
- Lustra™ doors were designed to be paired with narrow modern windows for a truly modern look.
- Lustra™ finished doors cannot be painted.

*Due to the printing process, colors may vary.*

*Not all colors available on all models. See previous page for complete color availability.  
Additional charges apply.*

## ULTRA-GRAIN® PLANK



- Available in Kona or Coastal Gray finishes that complement mid-century, farmhouse, coastal cottage and transitional home styles.
- Exterior steel surface has a wood-look plank design that runs horizontal, with clear and simple lines.
- Optional windows available in color matched frames or as a standout in Silver and Black accent colors.

*Due to the printing process, colors may vary.*

*Not all colors available on all models. See previous page for complete color availability.  
Additional charges apply.*




*Model 9138 Modern-Flush Panel; Shown in Black with Plain Long Windows in all Panel Locations*

## ADDITIONAL FEATURES

- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Color-matched exterior step plate/lift handles are durable and allow for safe opening and closing of your door.
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft<sup>2</sup> or less (IECC, Section C402.5.2).
- See your Clopay Dealer for WINDCODE® door availability.

For additional information about how to care for and maintain your door, visit: [www.clopaydoor.com/residential/support](http://www.clopaydoor.com/residential/support)

## HEAVY-DUTY HARDWARE



2" thick polystyrene doors and all Intellicore® insulation doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

## WARRANTIES

| PAINT SYSTEM                       | WINDOW                             | HARDWARE                          |
|------------------------------------|------------------------------------|-----------------------------------|
| LIMITED<br><b>LIFE</b><br>WARRANTY | LIMITED<br><b>10YR</b><br>WARRANTY | LIMITED<br><b>3YR</b><br>WARRANTY |

## RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

## GREATER ENERGY EFFICIENCY



Thermal break\* separates the interior from the exterior skin to improve energy efficiency and comfort.

\*Thermal break is not present on 4051, 2-layer and 1-layer models.

## ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations






*Model 4309 Modern Grooved Panel; Shown in Bronze with Contemporary Slim Frosted Windows and Black Frames Down Right Side (from inside garage looking out); High-Definition Steel Entry Door Model ST9831; Shown with Frost Glass and Black Frames*


# CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. **Note: Window configurations are described from inside the garage looking out.**

Example: Windows down right side (from inside garage looking out)



View from Inside Garage



View from Outside Garage

# POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors utilize 24" and 21" section heights, allowing for the window options shown.

Contemporary window configurations are available in many design options and include short, long or slim windows in each section, down one side or in all sections. For doors with multiple window sections, the window locations must be the same in every section.

**The images below are illustrated from outside the garage.**

**Important Note: The ordering codes listed below are from the inside of the garage looking out, as explained on the previous page. See your Clopay dealer for more details.**

The illustrations shown below show window (glazed) and/or no window (solid) locations.

**SOL**=Solid (no window) location **GL**=Glazed (window) location


*Sections are numbered from the floor up to the top of the door.*

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:



Clear



Obscure



Narrow Reed




Frosted

*Other glass types and custom glass are available.*


*Slim window designs available only with insulated clear tempered and insulated frosted tempered glazing options.*

*See your Clopay Dealer for details.*


## SHORT WINDOW CONFIGURATIONS (Viewed from outside)




SOL-SOL-SOL-GL  
Sections: 1, 2, 3, 4




SOL-SOL-SOL-SOL-SOL-SOL-GL-GL  
Sections: 1, 2, 3, 4




SOL-GL  
Sections: 1, 2, 3, 4




SOL-SOL-SOL-GL  
Sections: 1, 2, 3, 4




SOL-GL  
Sections: 1, 2, 3, 4




SOL-SOL-SOL-GL  
Sections: 1, 2, 3, 4




GL-SOL-SOL-SOL  
Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL-SOL  
Sections: 1, 2, 3, 4




GL-SOL  
Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL  
Sections: 1, 2, 3, 4




GL-SOL  
Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL  
Sections: 1, 2, 3, 4



GL-SOL-SOL-GL  
Sections: 3, 4



GL-GL-SOL-SOL-SOL-SOL-GL-GL  
Sections: 3, 4



GL-GL  
Sections: 3, 4




GL-GL-GL-GL  
Sections: 3, 4



GL-GL  
Sections: 3, 4



GL-GL-GL-GL  
Sections: 3, 4



GL-GL-GL-GL  
Sections: 1, 2, 3, 4



GL-GL-GL-GL-GL-GL-GL-GL  
Sections: 1, 2, 3, 4



GL-GL  
Sections: 1, 2, 3, 4



GL-GL-GL-GL  
Sections: 1, 2, 3, 4



GL-GL  
Sections: 1, 2, 3, 4



GL-GL-GL-GL  
Sections: 1, 2, 3, 4

## LONG WINDOW CONFIGURATIONS (Viewed from outside)

## SLIM WINDOW CONFIGURATIONS (Viewed from outside)

## WINDOW OPTIONS


Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

### CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS

These windows are from Clopay's Contemporary/Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are 19-1/2" x 16" and long windows are 42" x 16".


#### Available on These Models

9202 9139\*  
9201 4302  
9208\* 4301  
9205 4308\*  
9209\* 4305  
9132 4309\*  
9131 4132  
9138\* 4138\*



\*Models available only with plain, rectangular grille and square grille windows.  
† Ultra-Grain® Plank and Lustra™ finishes available only with plain windows.

Windows are available single pane or insulated in clear, frosted, obscure and narrow reed designs.



### CONTEMPORARY SLIM WINDOWS


Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" x 8" with aluminum frames available in powder coated silver or black.

#### Available on These Models

9208 4308  
9209 4309



Windows are available insulated in both clear and frosted tempered glass.




### DECORATIVE INSERT SERIES WINDOWS


UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are offered in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" x 12" and long windows are 40-1/2" x 12".

#### Available on These Models

9201 T42F  
9131 T40F  
4301 4F  
4051



Windows are available single pane or insulated in clear, frosted, obscure and rain designs. Clear acrylic also available.



† Shown with clear glass.

‡ Sunset windows not available on Ultra-Grain® finish doors.

Additional charges for optional glass apply.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit [www.clopaydoor.com/acrylic](http://www.clopaydoor.com/acrylic) for complete details.



Visit [clopaydoor.com](http://clopaydoor.com) or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



©2024 Clopay Corporation. All rights reserved.

RSR-ModernSteelSS-15\_REV0224



DESIGN YOUR DOOR  
OPEN CAMERA  
AND POINT!