



PRE OPERATIVE EVLT INSTRUCTIONS

Your procedure is scheduled for _____ @ _____. Please arrive about 15 minutes prior to your scheduled start time.

Please follow these instructions prior to coming in for your procedure.

1. **You will not be permitted to shower for 24 hours after your procedure**, so we suggest doing so beforehand.
2. **Please shave the ENTIRE LEG that will be worked on. Be sure to shave 1-2 inches into the groin/pubic hair on that side as well. If the lower/smaller saphenous vein procedure is to be done, you do not need to shave into the groin area.**
3. Please **DO NOT** apply any moisturizer, lotion, or cream to the leg the day of the procedure. **You may do so later on.**
4. **Wear comfortable and loose clothing.**
5. **Be sure to bring your compression stocking with you.** They will be applied after the procedure is complete.
6. **Please advise us** of any new medications you are taking. Please make us aware of any personal or family history of blood clots, deep vein thrombosis (DVT), pulmonary embolisms (PE), or any genetic blood or clotting conditions you may not have disclosed to us previously (**Leiden Factor V, MTHFR gene**). **Please remind us of any allergies or sensitivities you may have** (i.e.; latex, surgical tape, etc.)
7. **If you plan to take the 1mg of ATIVAN offered to relax you 30 minutes before the procedure, you MUST arrange for transport to and from the office. You must request this medication 2 business days before the scheduled procedure. Generally, most patients do not take ATIVAN prior to their procedure.**
8. You may eat a light meal prior to the procedure, and take medications as normal. **YOU WILL NOT BE HAVING GENERAL ANESTHESIA. Please refrain from caffeinated beverages 4 hours before your procedure. You may have caffeine after your procedure.**

Cancellations must be made at 24 hours in advance of appointment, or there will be a cancellation charge.

If you have any questions, please do not hesitate to contact our office.



PRE-OPERATIVE SCLEROTHERAPY INSTRUCTIONS

1. You will not be permitted to shower for 48 hours after your injection, so we suggest doing so beforehand.
2. Please shave the leg or area to be treated.
3. Please do not apply any lotion, cream, or moisturizer to your leg on the day of your procedure.
4. Wear loose and comfortable clothing.
5. Be sure to bring your compression stocking/hose with you. They will be applied after the procedure is complete.
6. Please advise us of any new medications you are taking. Please make us aware of any personal or family history of blood clots, deep vein thrombosis (DVT), pulmonary embolisms (PE), or any genetic blood or clotting conditions you may not have disclosed to us previously (Leiden Factor V, MTHFR gene). Please remind us of any allergies or sensitivities you may have (i.e.; latex, surgical tape, sulfonamides, or sulfa sensitives, etc.)
7. You may eat a light meal prior to your procedure.
8. You may take any medications as you normally would, unless otherwise directed by your doctor.

Cancellations must be made at 24 hours in advance of appointment, or there will be a cancellation charge.

**If you have any questions, please do not hesitate
to contact our office.**

PRE-OPERATIVO PARA EVLT

Su procedimiento es para _____ @ _____. Por favor de llegar 15 minutos antes de la hora indicada.

1. No se le permitirá bañar por 24 horas después del procedimiento, si desea puede hacer lo antes de la cita.
2. Por favor de rasurarse completamente la pierna que el doctor estará trabajando el día de su cita. Rasurarse 1-2 pulgadas en la ingle. Si su cita es para la vena pequeña (smaller saphenous) no es necesario rasurarse en la ingle.
3. Por favor de no aplicar ninguna loción o crema hidratante a la pierna el día de su cita.
4. Usar ropa cómoda y suelta.
5. Asegúrese de traer sus medias de compresión con usted. Vamos a utilizar las medias después de haber completado el procedimiento.
6. Por favor, háganos saber de cualquier nuevo medicamento que esté tomando. Por favor de hacernos conscientes a cualquier antecedentes personales/ familiares de coágulos de sangre, trombosis de la vena profunda (DVT), embolias pulmonares (PE), o de coagulación condiciones genéticas que no haya dado a conocer a nosotros anteriormente. Por favor de recordarnos de cualquier alergia/sensibilidad que tenga.
7. Si planea tomarse 1 mg de **ATIVAN**, que ofrecemos para relajarse 30 minutos antes del procedimiento, usted **DEBE** hacer arreglos para el transporte hacia y desde la oficina. Tiene que solicitar esta medicación 2 días antes de la fecha de su procedimiento. En general, la mayoría de los pacientes no toman esta medicación antes de su procedimiento.
8. Usted puede comer una comida ligera antes de su procedimiento. Puede tomar cualquier medicamento como lo haría normalmente, a menos que su doctor le diga de otra manera. Por favor de no tomar bebidas con cafeína cuatro (4) horas antes del procedimiento. Puede hacerlo después del procedimiento.

USTED NO VA A TENER ANESTESIA GENERAL. CANCELACIONES DEBEN HACERSE POR LO MENOS 24 HORAS POR ADELANTADO O HABRÁ CARGO.

Si usted tiene alguna pregunta por favor llámenos a la oficina 815-744-0005.

PRE-OPERATIVO PARA ESCLEROTERAPIA

1. No se le permitirá bañar por **24** horas después del procedimiento, si desea puede hacer lo antes de la cita.
2. Por favor de rasurarse la pierna que el doctor estara trabajando el día de su cita.
3. Por favor de no aplicar ninguna loción o crema hidratante a la pierna el día de su cita.
4. Usar ropa cómoda y suelta.
5. Asegúrese de traer sus medias de compresión con usted. Vamos a utilizar las medias después de haber completado el procedimiento.
6. Por favor, háganos saber de cualquier nuevo medicamento que esté tomando. Por favor de hacernos conscientes a cualquier antecedentes personales/ familiares de coágulos de sangre, trombosis de la vena profunda (DVT), embolias pulmonares (PE), o de coagulación condiciones genéticas que no haya dado a conocer a nosotros anteriormente. Por favor de recordarnos de cualquier alergia/sensibilidad que tenga.
7. Usted puede comer una comida ligera antes de su procedimiento.
8. Usted puede tomar cualquier medicamento como lo haría normalmente, a menos que su doctor le diga de otra manera.

Cancelaciones deban hacerse por lo menos 24 horas por adelantado o habrá cargo.

Si usted tiene alguna pregunta por favor llámenos a la oficina 815-744-0005.