

4" Internal/External Snap Fitting



Price:

• \$5.00

4" Split Coupler



Price:

- \$4.00

4" TEE



Price:

- SW \$8.00
- DW \$25.00

4" WYE



Price:

- SW \$9.00
- DW \$28.00

6" 20ft Maxflo DW Pipe



Price:

• \$60.00

6" 22.5 DW Elbow



Price:

- \$25.00

6" 45 DW Elbow



Price:

- \$23.00

6" 90 DW Elbow



Price:

- \$30.00

6" 100ft Roll Corrugated Solid



Price:

• \$180.00

6" End Cap



Price:

- \$4.00

6" Internal/External Snap Fitting



Price:

- \$6.00

6" Split Coupler



Price:

- \$5.00

6" TEE



Price:

- SW \$15.00
- DW \$35.00

6" WYE



Price:

- SW \$15.00
- DW \$35.00

8" 20ft Maxflo DW Pipe



Price:

- \$85.00

8" 22.5 Maxflo DW Elbow



Price:

- \$35.00

8" 45 Maxflo DW Elbow



Price:

- \$35.00

8" DW Maxflo Tee



Price:

- \$45.00

8" End Cap



Price:

- \$9.00

8" Split Coupler



Price:

- \$7.00

42" 20ft Maxflo DW Pipe



Price:

• \$1,145.00

48" 20ft Maxflo DW Pipe



Price:

• \$1,415.00

60" 20ft Maxflo DW Pipe



Price:

• \$2,450.00

4" 20ft Maxflo DW Pipe (Perf)



Price:

- \$32.00

4" 20ft Maxflo DW Pipe (Solid)



Price:

• \$29.00

4" 22.5 DW Elbow



Price:

- \$18.00

4" 45 DW Elbow



Price:

- \$15.00

4" 90 DW Elbow



Price:

- \$20.00

4" 100ft Roll Corrugated Solid



Price:

• \$80.00

4" 100ft Roll Perforated Slots



Price:

• \$80.00

4" 100ft Roll Perforated w/sock Slots



Price:

• \$100.00

4" Downspout Adapter 2x3 (Small)



Price:

- \$5.00

4" Downspout Adapter 3x4 (Large)



Price:

- \$6.00

4" End Cap



Price:

• \$3.00

10" 20ft Maxflo DW Pipe



Price:

• \$115.00

10" 22.5 Maxflo DW Elbow



Price:

- \$55.00

10" 45 Maxflo DW Elbow



Price:

- \$60.00

10" Maxflo DW Wye



Price:

- \$95.00

10" Split Coupler



Price:

- \$10.00

12" 20ft Maxflo DW Pipe



Price:

• \$150.00

12" 22.5 DW Elbow



Price:

- \$50.00

12" 45 DW Elbow



Price:

- \$80.00

12" 90 DW Elbow



Price:

- \$110.00

12" Split Coupler



Price:

- \$12.00

15" 20ft Maxflo DW Pipe



Price:

- \$200.00

15" 22.5 DW Elbow



Price:

- \$88.00

15" 45 DW Elbow



Price:

- \$90.00

15" Split Coupler



Price:

- \$25.00

18" 20ft Maxflo DW Pipe



Price:

- \$285.00

18" 22.5 DW Elbow



Price:

- \$125.00

18" 45 DW Elbow



Price:

- \$165.00

18" Split Coupler



Price:

- \$40.00

24" 20ft Maxflo DW Pipe



Price:

• \$460.00

30" 20ft Maxflo DW Pipe



Price:

• \$680.00

36" 20ft Maxflo DW Pipe



Price:

• \$850.00

JLG 450AJ Articulating Boom Lift



Description:

Weight: 12,650 lbs

Working Height: 51 feet

Maximum Reach Horizontal: 25 feet

2-person

Platform Capacity: 550 pounds

Diesel Engine

4WD

Attachment Options:

None

Rates:

\$395/half day

\$495/full day

\$1,660/week

KUBOTA SVL-65



Description:

Operating Weight: 8,465 pounds

Bucket Breakout Force: 4,614 pounds

68.3 horsepower

Reach: 34.9 inches

Hinge Pin Height: 118.5 inches

Enclosed cab

A/C and heat

Standard flow/joystick controls

Quick coupling bucket lock

Attachment Options:

Brush Cutter

Grapple

Forks

Auger (8"-24")

Rates:

\$205/half day

\$325/full day

\$1,135/week

Sure-Trac 10-Foot Tilt Trailer



Description:

6,000-pound axle
2 5/16-inch ball
Deck Length: 10 feet
Deck Width: 62 inches
11-degree deck angle
Easy tilt

Attachment Options:

None

Rates:

\$35 (w/rental) / \$65

Sure-Trac 12+4-Foot Tilt Trailer



Description:

6,000-pound axle
2 5/16-inch ball
Deck Length: 10 feet
Deck Width: 62 inches
11-degree deck angle
Easy tilt

Attachment Options:

None

Rates:

\$40 (w/rental) / \$75

Utility Trailer



Description:

2-inch ball
6 ft x 10 ft

Attachment Options:

None

Rates:

\$25 (w/rental) / \$50

7'x14' Kaufman Dump Trailer



Description:

15,000 gross vehicle weight rating

2 5/16-inch ball

7ft x 14ft

Mesh Cover

Two different sizes - 6x12 load capacity 4 ton, 7x14 load capacity 6 ton

Attachment Options:

None

Rates:

\$160/full day

20-Foot Kaufman Equipment Trailer



Description:

14,000 gross vehicle weight rating

Ramp or tilt option

2 5/16-inch ball

Deck Length: 20 feet

Deck Width: 82 inches

Deck Height: 26 inches

Flip up ramps

Attachment Options:

None

Rates:

\$75 (w/rental) / \$100

22-Foot Kaufman Equipment Trailer



Description:

17,000 gross vehicle weight rating

Ramp or tilt option

2 5/16-inch ball

Deck Length: 22 feet

Deck Width: 82 inches

Deck Height: 26 inches

Tilt

Attachment Options:

None

Rates:

\$75 (w/rental) / \$100

Bil-Jax 4527A Towable Lift



Description:

Weight: 4,000 lbs

Working Height: 51 feet

Maximum Reach Horizontal: 27 feet

2-person

Platform Capacity: 500 pounds

Maximum 12.5 degree grade

Attachment Options:

None

Rates:

\$205/half day

\$325/full day

\$1,135/week

CAT CB2.5 Tandem Vibratory Roller



Description:

42 inches in width

105-inch operating height

Max Lift Capacity (SK900): 932 pounds

Auxiliary hydraulic hookups

Attachment Options:

None

Rates:

\$205/half day

\$325/full day

\$1,135/week

Ditch Switch SK800



Description:

42 inches in width

105-inch operating height

Max Lift Capacity (SK800): 860 pounds

Max Lift Capacity (SK900): 932 pounds

Auxiliary hydraulic hookups

Attachment Options:

DW Soil Cultivator

DW Brush Mower

DW Grapple

DW Forks

Rates:

\$185/half day

\$250/full day

\$850/week

Ditch Witch SK900



Description:

42 inches in width

105-inch operating height

Max Lift Capacity (SK900): 932 pounds

Auxiliary hydraulic hookups

Attachment Options:

DW Soil Cultivator

DW Brush Mower

DW Grapple

DW Forks

Rates:

\$200/half day

\$250/full day

\$920/week

Kubota L3302 Tractor 4wd



Description:

"Quick-attach 3-point hitch
33 horsepower
PTO
Cruise control
Foot pedal controls
4wd"

Attachment Options:

Tractor Bush Hog Attachment
Tractor Tiller Attachment
Tractor Box Blade Attachment

Rate:

- \$195/half day
- \$265/day
- \$920/week

KUBOTA SVL-75



Description:

Operating Weight: 9,314 pounds
Bucket Breakout Force: 6,204 pounds
74.3 horsepower
Operating (35%) Tipping Load: 2,300 pounds
Enclosed cab
A/C and heat
Standard flow/joystick controls
Quick coupling bucket lock

Attachment Options:

Brush Cutter
Grapple
Forks
Auger (8"-24")

Rate:

- \$230/half day
- \$340/day
- \$1,190/week

KX040-4



Description:

"Operating Weight: 9,545 pounds
Bucket Breakout Force: 9,535 pounds
Arm Breakout Force: 4,112 pounds
Dig Depth: 11' 2 inches
40.4 horsepower
Aux Hydraulic Flow: 17.2 gallons per minute
4-way angle float blade
Joystick controls
Hydraulic thumb"

Attachment Options:

"12", 16", 18", 24", 36" Buckets
Auger (8"-24")

Rate:

- \$230/half day
- \$340/day
- \$1,190/week

KX057-5 (Cabbed)



Description:

Operating Weight: 12,346 pounds
Bucket Breakout Force: 10,172 pounds
Arm Breakout Force: 5,463 pounds
Dig Depth: 12'9 inches
47.6 horsepower
Aux Hydraulic Flow: 19.8 gallons per minute
4-way angle float blade
Joystick controls
Hydraulic thumb
A/C and Heat

Attachment Options:

16", 18", 24", 36" Buckets
Auger (8"-24")
Excavator Brush Cutter

Rate:

- \$380/half day
- \$490/day
- \$1,715/week

KX057-5



Description:

Operating Weight: 12,346 pounds
Bucket Breakout Force: 10,172 pounds
Arm Breakout Force: 5,463 pounds
Dig Depth: 12'9 inches
47.6 horsepower
Aux Hydraulic Flow: 19.8 gallons per minute
4-way angle float blade
Joystick controls
Hydraulic thumb

Attachment Options:

16", 18", 24", 36" Buckets
Auger (8"-24")
Excavator Brush Cutter

Rate:

- \$315/half day
- \$425/day
- \$1,485/week

KX71-3



Description:

"Operating Weight: 6,305 pounds
Bucket Breakout Force: 6,350 pounds
Arm Breakout Force: 3,285 pounds
Dig Depth: 9' 9 inches
24.4 horsepower
Aux Hydraulic Flow: 13.1 gallons per minute
2-way push blade
Joystick controls
Hydraulic thumb"

Attachment Options:

12", 16", 18", 24", 36" Buckets
Auger (8"-24")

Rate:

- \$195/half day
- \$260/day
- \$910/week

KX080-5



Description:

Operating Weight: 19,470 pounds
Bucket Breakout Force: 14,660 pounds
Arm Breakout Force: 8,554 pounds
Dig Height: 23' 11.4 inches
Dump Height: 17' 2.7 inches
Dig Depth: 15' 1.1 inches
66.6 horsepower
Hydraulic thumb
General Liability insurance required (call office for details)

Attachment Options:

Breaker
24", 36" Buckets

Rate:

- \$475/half day
- \$635/day
- \$2,200/week

Rayco Stump Grinder



Description:

37-hp Vanguard engine
Swing-out operator control station
Rubber track undercarriage
Two-speed ground travel
Hydraulic backfill blade
Swing-out chip retainer curtains
Operating Weight: 1,850 lbs
Cutting Depth: 17.5"
Cutting Height: 24.5"
Cutting Width: 51"

Rate:

- \$205/half day
- \$325/day
- \$1,135/week

Tracked Trencher



Description:

36 inches deep
Tracked
6-inch trench width
Electric start

Rate:

- \$135/half day
- \$210/day
- \$735/week

U-17



Description:

"Operating Weight: 3,703 pounds
Bucket Breakout Force: 3,417 pounds
Arm Breakout Force: 1,918 pounds
Dig Depth: 7' 7 inches
16.1 horsepower
Aux Hydraulic Flow: 7.3 gallons per minute
2-way angle blade
Joystick controls"

Attachment Options:

9", 12", 16" Buckets

Rate:

- \$155/half day
- \$220/day
- \$770/week

Vermeer BC1000XL



Description:

Chipping capacity (max): 12"

4,995-pound gross weight

Panic bar for emergency stop

Feed Sense electronic feed control to prevent stalling of machine

Diesel/Gas Chippers available

Rate:

- \$200/half day
- \$400/day
- \$1,300/week

Auger Attachment



Description:

\$125 daily rate (first bit is free)

\$25 daily rate if additional sizes are needed

Bit sizes available: 9", 12", 18", 24"

Daily Rate:

\$125

Ditch Witch SK 800/900 Forks



Description:

Free for just forks

\$25 daily rate

\$88 weekly rate

42 inches in length by 40 inches in width

Easy adjustment (side-to-side)

Daily Rate:

\$25

Weekly Rate:

\$88

Ditch Witch SK800/900 42-Inch Grapple



Description:

42-inch grapple
Standard flow hydraulics

Daily Rate:

\$75

Weekly Rate:

\$250

Ditch Witch SK800/900 48-Inch Brush Mower



Description:

10-17 gallons per minute flow
48-inch working width

Daily Rate:

\$125

Weekly Rate:

\$438

Ditch Witch SK800/900 48-Inch Soil Cultivator



Description:

9-15 gallons per minute flow
Max Angle Both Ways: 25 degrees
48-inch working width

Daily Rate:

\$105

Weekly Rate:

\$350

Ditch Witch SK800/900 Auger and Bits



Description:

Ditch Witch SK800/900 auger and bits
9 inch, 12 inch, and 18-inch bits available
Standard flow hydraulics

Daily Rate:

\$125

Weekly Rate:

\$250

KX-40 Excavator Additional Buckets



Description:

Choice of one bucket included in rental

\$25 additional daily rate if additional buckets needed

KX040: 12" (smooth/toothed), 16", 24" (smooth/toothed)

Daily Rate:

\$25

KX-57 Excavator Additional Buckets



Description:

Choice of one bucket included in rental

\$25 additional daily rate if additional buckets needed

KX057: 16", 18", 24", 36"

Daily Rate:

\$25

KX-71 Excavator Additional Buckets



Description:

Choice of one bucket included in rental

\$25 additional daily rate if additional buckets needed

KX71: 12" (smooth/toothed), 16", 24" (smooth/toothed)

Daily Rate:

\$25

KX-80 Breaker Hammer



Description:

UT1000 breaker hammer used for rock breaking, demolition and asphalt removing.

4.9~9.7 ton carrier weight range

1,179 lb breaker operating weight

11.88~36.98 gpm oil flow range

Operator-friendly

Daily Rate:

\$300

Weekly Rate:

\$1,050

KX-80 Excavator Additional Buckets



Description:

Choice of one bucket included in rental
\$25 additional daily rate if additional buckets needed
KX-080: 24", 36"

Daily Rate:

\$25

SVL75 Brush Cutter Attachment



Description:

SVL75 attachment

72-inch diameter

Cut up to 6-inch diameter brush

Daily Rate:

\$200

Weekly Rate:

\$700

SVL75 Grapple Attachment



Description:

SVL75 attachment
Standard flow

Daily Rate:

\$125

SVL75 Pallet Forks



Description:

Free for just forks

\$50 daily rate if bucket and forks are needed

Lift Capacity: 1,000 pounds

Tine Length: 31 5/8 inches

Daily Rate:

\$50

SVL75 Toothed Bucket



Description:

Free for just toothed bucket

\$50 daily rate if more than one bucket are needed

Daily Rate:

\$50

Tractor Box Blade Attachment



Description:

72 inch box blade/grading scrape

Daily Rate:

\$75

Tractor Bush Hog Attachment



Description:

5 ft bush hog

Daily Rate:

\$100

Tractor Tiller Attachment



Description:

5 ft Land pride tiller

Daily Rate:

\$75

U-17 Excavator Additional Buckets



Description:

Choice of one bucket included in rental
\$25 additional daily rate if additional buckets needed
U17: 9", 12", 16"

Daily Rate:

\$25

Plate Compactors



Description:

3,968 pounds of compacting force

65-82 feet per minute travel speed

163CC Honda GX160 OHV engine

21 1/2 inch by 16 5/16-inch plate

Attachment Options:

Water option available

Rate:

• \$100/day

Predator 6500W Gas Generator



Description:

6,500 watt

Electric start

DC12 volt, 110 volt, and 240-volt plugs

Rate:

• \$100/day

Pro-Cut Walk Behind Concrete Saw



Description:

7-inch cutting depth

Engine Honda GX390, with manual start

18-inch blade capacity

Depth locking mechanism

Emergency shut off and water valve within easy reach

16-1/2-inch frame width and 20-inch pointer length

Attachment Options

Blade rental \$65 additional fee

Rate:

- \$120/day

Simpson Pressure Washer



Description:

4000 pounds per square inch (PSI)

3.5 gallons per minute

4 different sprayer tips

Rate:

- \$100/day

Stihl Backpack Blower BR430



Description:

Two sizes available

BR430

BR800C

Rate:

- \$55/day

Stihl Backpack Blower BR800C



Description:

Two sizes available

BR430

BR800C

Rate:

- \$80/day

Virginia Abrasives Handheld Core Drill



Description:

3 speed core drill

1 1/4-7 inch to 5/8-11-inch adapter

2 horsepower motor

Revolutions Per Minute: 3,450/1,800/950 minutes

2 bubble levels to ensure accurate alignment

Attachment Options:

Bits available for \$5

Rate:

- \$85/day

Wacker Neuson Jump Jack BS50-4



Description:

4-stroke rammer with Honda GXR120 engine

Weight: 143 pounds

3,596.7 pounds

11-inch shoe width

Rate:

- \$100/day

Billy Goat Walk-Behind Aerator



Description:

PL1800H

Max Operating Slope: 15 degrees

Weight: 240 pounds

18-inch working width

Reciprocating tines

Rate:

- \$100/day

Bosch Hammer Drill



Description:

3 Modes: rotary hammer, hammer, or rotary-only

Corded

Forward and reverse

Convenient and adjustable grip

Attachment Options:

Bits available for \$5

Rate:

- \$65/day

Boss GB17F Pullman Rotary Floor Machine



Description:

17-inch brush head that moves 175 revolutions per minute

50-foot power cord

Safety latch disables machines when not in use

Professional floor care maintenance: Stripping, scrubbing, spray buffing, polishing, sanding and grinding on hard floor surfaces

Shampooing and bonnet cleaning of carpeted floors

Rate:

- \$50/day

Cement Mixer



Description:

3.5 cubic feet

1,820 revolutions per minute

120-volt hookup

15-inch drum opening

Rate:

- \$100/day

Champion Inverter Generator



Description:

2,500 watt

Rate:

- \$75/day

Concrete Bull Float



Description:

End Type: Round

Length: 48 inches

Width: 12 inches

Thickness: 1/32 inches

Rate:

- \$30/day

Dirty Hand Tools 25 Ton Log Splitter



Description:

25-ton random access memory force

90-degree tilt

6.5-horsepower Kohler engine

11-second cycle time down and back

Cuts 25-inch length logs

Rate:

- \$100/day

DR Walk Behind Bushhog



Description:

Electric start

Self propelled

26-inch cutting width

Kawasaki 15 horsepower engine

Rate:

- \$125/day

Essex Silverline SL-7 Floor Edger



Description:

Motor: 1.5 horsepower universal motor, 115 volt, AC

Disc Pad: 7-inch diameter, rubber backed with steel, precision balanced, 3,600 revolutions per minute

Net Weight: 30 pounds

25-foot power cord with twist lock connectors and standard plug, dust bag and wrench

Attachment Options:

Sandpaper additional fee

Rate:

- \$65/day

Essex Silverline SL-8 Floor Sander



Description:

Motor: 1 horsepower constant speed, 115 volt, AC only, 60 cycle, single phase, runs on 14 ampere

Drum: Standard 8-inch width, soft rubber cover with aluminum drum core, spring loaded cam paper locking system, takes 8 inch by 20 3/16-inch paper

1,800 revolutions per minute

25-foot power cord with twist lock connectors and standard plug, dust bag and wrenches

Length: 28 inches

Width: 15 inches

Height: 34 inches

Attachment Options:

Sandpaper additional fee

Rate:

- \$100/day

General Equipment M240H One-Man Auger



Description:

Honda GX35, all-position, 4-stroke

Horsepower: 1.3

Starter: Hand rewind

Fuel: Gasoline

Diameter: 6 inch to 8 inch

Attachment Options:

First bit free; \$25 each additional bit

Rate:

• \$100/day

General Equipment M330H Two-Man Auger



Description:

Comfort-Flex composite operator handles flex under load to help absorb vibration and shock

Engine Type: GXV160 Honda, 4 stroke

Horsepower: 5.5

Starter: Hand rewind

Fuel: Gasoline

Diameter: 6 inch, 8 inch, or 12 inch

Attachment Options:

First bit free; \$25 each additional bit

Rate:

- \$125/day

General Pipe Cleaners Drain Snake



Description:

Multiple heavy duty cutters
Pipe Size: 3 inches to 10 inches
100-foot cable length
One-man operation

Rate:

- \$100/day

Gravely ZTX-42 Mower



Description:

Model # 915255

Zero turn with 42-inch cutting deck

“Smart choke” Kohler engine

17,000 feet per minute blade tips speed

Rate:

- \$75/half day
- \$125/day
- \$438/week

Honda Water Pump



Description:

164 gallons per minute

Easy start

2-inch pipe

15-foot suction hose

Rate:

- \$80/day

Husqvarna K770 Concrete Saw



Description:

5-inch cutting depth

14-inch blade (choice of abrasive or concrete blade with rental)

Additional blades available if needed

Attachment Options

Concrete saw cart available

Rate:

- \$100/day

Kobalt Electric Air Compressor



Description:

8 gallons

150 max pounds per square inch

1.8 horsepower

Rate:

- \$55/day

Makita Electric AVT Breaker Hammer



Description:

Anti-Vibration Technology

1,100 beats per minute and 63J/46.5 pounds of impact energy

Low noise level of only 107 decibel

Rate:

- \$100/day

Mastercraft 20-Inch High Speed Floor Burnisher



Description:

1500 revolutions per minute

50-foot power cord

Daily floor maintenance when spray-buffing and polishing floors, eliminating the need for frequent stripping and refinishing

Rate:

- \$50/day

NorthStar 37 Ton Log Splitter



Description:

Horizontal or vertical splitter

37 ton random access memory force

Honda GX270 engine

Auto throttle control to save fuel and reduce noise

Rate:

- \$115/day

Norton Wet Core Drill



Description:

Electric (220 volt or 110 volt)

Water hookup

Bit sizes available: 2 inch, 3 inch, 4 inch, 5 inch, 6 inch, or 8 inch

Attachment Options:

Bits available for \$5

Rate:

- \$100/day

Orec Gardenquake Tiller



Description:

Counter rotating tines

Tine Diameter: 13 inches

Number of Tines: 12

Depth adjustment bar to adjust a shallower depth

Locking differential feature that forces the wheels of this tiller to move in tandem

Rate:

- \$100/day

5' Raw T-Post



Price:

- \$4.00

Fertilizer: 17-17-17 (50lbs)

**BLENDED
FERTILIZER
17-17-17**

GUARANTEED ANALYSIS

Total Nitrogen (N)	17%
Available Phosphate (P ₂ O ₅).....	17%
Soluble Potash (K ₂ O)	17%

Plant Nutrients Derived from: Urea, Ammonium Phosphate, Muriate of Potash


Double Straw Mat (8x112.5')



Price:

- \$40.00

Fertilizer: 10-10-10 (50lbs)



Price:

- \$23.00

Silt Fence w/ NO WIRE NO STAKES 3'x330



Price:

- \$28.00

Seed: Summer Blend (Contractors Blend) 50lbs



Price:

- \$68.00

Seed: Winter Blend (Contractors Blend) 50lbs



Price:

- \$65.00


Single Straw Mat (8 x 112.5')



Price:

- \$34.00


Fertilizer: Slow Release (50lbs)



Price:

- \$36.00

Sod Staples 100/pk



Price:

- \$10.00

Sod Staples 1000/pk



Price:

- \$35.00

Straw Bales



Price:

- \$8.00

Silt Fence w/ WIRE (Asheville City) 3'x330'



Price:

- \$148.00

Silt Fence w/ WIRE (COUNTY) 3'x330'



Price:

- \$85.00

Silt Fence w/ Wood Stakes (3x100')



Price:

- \$21.00

Zip Ties 100/pk



Price:

- \$6.00

Zip Ties 1000/pk



Price:

- \$30.00

6'x300' Landscape Fabric



Price:

- \$82.00

Landscape Fabric 4'x100'

**4 X 100 FT.
(400 SQ. FT.)**

**Money Back
GUARANTEE**

We will refund your verified purchase price if upon inspection, weeds have penetrated the fabric. Installation instructions must have been followed and maintained for this guarantee to be deemed valid. (see label)

**PROFESSIONAL
SUPERIOR
LANDSCAPE
FABRIC**

**CONTROLS WEEDS
(400 SQ. FT.)**

**4 X 100 FT.
(400 SQ. FT.)**

Easy To Install

- Apply herbicide to all existing vegetation. Remove dead plants prior to installation.
- Dig a border trench and plant stock before laying Landscape Fabric.
- Lay first section along foundation; slit as you go around plants. (A)
- Lay outside sections right over plants; cut an X in the fabric to fit over plants, lights, etc. (B)
- Fit fabric around each plant. Roll back the slitted triangles and gently work the fabric down and around the plant stems. (C)
- For best results, overlap each section 8 inches.
- Turn up in trench to have a good seal.
- Cover it with 3 to 4 inches of mulch or stone to protect it from sunlight (D)

Maintenance

- Mulch coverage must be maintained at 3 to 4 inches to protect against ultra violet degradation and insure maximum life expectancy of fabric.

**4 X 100 FT.
(400 SQ. FT.)**

6 9125 3 400 0

Price:

- \$38.00

LM400 15'X360' Fabric (600SY)



Price:

- \$370.00

LM600NT 12.5'X360' (500SY)



Price:

- \$445.00

LM800NT 12.5'x360' (500SY)



Price:

- \$580.00

LMN400 7.5'x360' Non-woven Fabric (300SY)



Price:

- \$225.00