



SPARTAN *MPD*

SPARTAN *MPD*



855.307.0933

1 Bad Boy Blvd. Batesville, AR 72501

SPARTANMOWERS.COM




*Models, accessories, and specifications are subject to change due to product enhancement.

P180410



TAKE COMMAND



SPARTAN MOWERS MISSION

To offer an American-made mower that drastically changes the turf industry by giving the consumer a premium product with an all-new level of performance, durability and design at an incredible value.

SPARTAN MOWERS

WHAT STARTED AS A DREAM,

was built with dedication and one goal in mind, to set a new standard for the mowing industry. Robert Foster, creator of the Spartan Mower and successful entrepreneur, has had a passion for mowers ever since he was a young boy. Over the years, that passion has developed into one of the fastest growing mower companies in history. The importance of every detail is evident from its ergonomic design to the quality of the cut. The machine not only looks good, but it handles like a dream. It's built with heavy duty American Steel and is manufactured at our headquarters located in Batesville, Arkansas. We believe you will be blown away by the commercial grade features offering performance and durability at an incredible value.

Spartan Mowers is one of several companies owned by Intimidator, Inc. At Intimidator, we know that life is precious. We strive to help people make the most of it with all the products we offer. As a faith-based company, we also believe we are here to serve a purpose that is much bigger than us which, in turn, impacts everything we do. There is great significance placed on improving our community and displaying ethics in our business decisions.

Trust several satisfied Spartan Mower owners as they've shared that mowing with their Spartan has cut their yard time in half allowing them to spend time doing more of the things they love.


TAKE COMMAND

of Your Yard, Your Time, Your Life.

ATTENTION TO DETAIL

A sketch on a napkin launched what is now one of the fastest growing zero-turn mower companies in history. Spartan Mower creator, Robert Foster, has dedicated over 45,000 hours of his life to developing and improving the zero-turn lawn mower. His admitted obsession to every detail has produced a machine like no other in the market. From the sleek look and feel to the incredible way the Spartan handles hills, the key lies in the attention to detail.

EVERY DETAIL // EVERY TIME



RZ

SERIES

**RZ // RZ-PRO
RZ-HD**

DECK SIZES

48" // 54" // 61"



* RZ-HD Shown

BUILT WITH POWER

The newest model in the Spartan RZ Series performs like a commercial grade mower with a residential price! The RZ 48" deck can maneuver through tight spaces with ease. Upgrade to a 54" or 61" with the RZ Pro or RZ HD. Spartan's RZ Series is the most affordable option and is equipped with the standard features that make Spartan stand out from the rest: GT Trac for the best incline traction, easy touch brake system, ergonomic cockpit, foot assist easy-lift deck, uncomplicated design for easy add-ons and maintenance, and state-of-the-art push start instrument panel.

The RZ Series are available in 48", 54" and 61" deck sizes. Pricing starts at \$3,999.

**Set up, options, and delivery fee will apply.*

**Rebates available through authorized Spartan Dealers*



DESIGN

- // Long Lasting Deck Belts are Designed with Large Idler Pulleys to Minimize Wear
- // Ergonomic Cockpit with 12v Outlet
- // Perfectly Balanced with Low Center of Gravity
- // Plug and Play Wiring System
- // Simple Push-Start Control Panel with LCD Display



CUT

- // 5" Deep, Full-Floating Deck
- // RZ-HD - Change-On-The-Go Precision Deck Height Dial with Shock-Assisted Deck Foot Lift
- // RZ & RZ-Pro - Precision Deck Height Pin with 12 Adjustable Cut Heights and Locking Travel Height
- // One Piece Deck with Baffling to Handle All Types of Grass



RIDE

- // GT-Trac for the Best Traction on Inclines. Precision Weight Distribution, Balance, and Control
- // Patented Ergonomic Brake System with Easy, Once-Touch Foot Control to Unlock/Lock
- // Soft Ride Rear Radial Tires - Specific Tread Pattern Designed and Tooled for this Mower for Softer Ride, Longer Life, and More Traction. Upgrade Available on 48", 54" And 61" Deck.
- // Cast Aluminum Sealed Spindles with Ag Bearings
- // Rear Radial Tires - Upgrade Available on RZ-HD Only



HEAVY DUTY FRAME

- // 1.5" to 3" Tubular Frame - Same Heavy-Duty Material Used on Intimidator UTV
- // Easy Maintenance Access
- // Vibration Control Deck System
- // Lifetime Warranty on Leading Edge of Deck

RZ // STANDARD FEATURES



View Our Models
In 360° Online At
SpartanMowers.com



RT

SERIES

RT-PRO // RT-HD

DECK SIZES

54" // 61" // 72"



* RT-Pro Shown

BUILT WITH POWER

The Spartan RT PRO and RT HD offer a dollar for dollar value that is a cut above the competition. The RT Series is packed with the basic features that make Spartan stand out from the rest, making the RT the most decked out mower on the market at such an incredibly affordable price.

The RT-HD is a heavy duty commercial mower, offering fleet-like pricing to everyday buyers. There is not another commercial mower that offers such value.



DESIGN

- // Long Lasting Deck Belts are Designed with Large Idler Pulleys to Minimize Wear
- // Ergonomic Cockpit with Storage, Cup and Phone Holder, and 12v Outlet
- // Perfectly Balanced with Low Center of Gravity
- // Plug and Play Wiring System
- // Simple Push-Start Control Panel with LCD Display
- // Wrap-Around Design for Durability
- // RT-Pro - Parker HTE 10cc Transmission | RT-HD - Parker HTJ 12cc Transmission
- // Folding ROPS - Standard



CUT

- // 6" Deep, Reinforced 7 Gauge XTF (Extreme Turf Flow) Deck
- // Change-On-The-Go Precision Deck Height Dial with Shock-Assisted Deck Foot Lift
- // One Piece Deck with Baffling to Handle All Types of Grass



RIDE

- // GT-Trac for the Best Traction on Inclines. Precision Weight Distribution, Balance, and Control
- // 360 Floating Seat System
- // Patented Ergonomic Brake System with Easy, Once-Touch Foot Control to Unlock/Lock
- // Soft Ride Rear Radial Tires - Specific Tread Pattern Designed and Tooled for this Mower for Softer Ride, Longer Life, and More Traction.
- // Cast Aluminum Sealed Spindles with Ag Bearings
- // 24" Rear Radial Tires - Standard



HEAVY DUTY FRAME

- // 1.5" to 3" Tubular Frame - Same Heavy-Duty Material Used on Intimidator UTV
- // Receiver Hitch Welded into Main Frame Rail
- // Easy Maintenance Access
- // Vibration Control Deck System
- // Lifetime Warranty on Leading Edge of Deck

RT // STANDARD FEATURES

HD EXTRA FEATURES

- // Parker HTJ 12cc Transmission
- // Four Bearing Spindles
- // Adjustable Drive Arms
- // Front Radial Tires - Standard



SRT

SERIES

**SRT-PRO // SRT-HD
SRT-XD**

DECK SIZES

54" // 61" // 72"



* SRT-XD Shown

BUILT WITH POWER

The Spartan SRT offers PRO, HD and XD version mowers for every kind of mowing job and terrain. The SRT Series has all the features the RT is packed with, and even more! The SRT offers Smart Ride Technology. Improvements have been made to the Smart Ride Technology to enhance consistency in ride through weight variation.

Custom built Winamac Coil Springs, Elastomer TecPak® and front radial tires absorb any shock or jostling. This, along with our soft ride rear radial tires and 360 Floating Seat System make the SRT ride exceptional.

The SRT series has all the features of the RT with the addition of Smart Ride Technology, a state of the art system.



DESIGN

- // Long Lasting Deck Belts are Designed with Large Idler Pulleys to Minimize Wear
- // Ergonomic Cockpit with Storage, Cup and Phone Holder, and 12v Outlet
- // Perfectly Balanced with Low Center of Gravity
- // Plug and Play Wiring System
- // Simple Push-Start Control Panel with LCD Display
- // SRT-Pro - Parker HTJ 10cc Transmission | SRT-HD - Parker HTJ 12cc Transmission
SRT-XD - Parker HTG 16cc Transmission
- // Folding ROPs - Standard
- // Steering Levers Adjust Forward and Back Using Soft-Touch Knobs



CUT

- // 6" Deep, Reinforced 7 Gauge XTF (Extreme Turf Flow) Deck
- // Change-On-The-Go Precision Deck Height Dial with Shock-Assisted Deck Foot Lift
- // One Piece Deck with Baffling to Handle All Types of Grass



RIDE

- // GT-Trac for the Best Traction on Inclines. Precision Weight Distribution, Balance, and Control
- // Improved Smart Ride Technology with New Radial Front Tires. Has Two Times the Flex of the Torsional Axle. Winamac Coil Springs are Custom Designed to Deliver the Optimal Horizontal Travel and Dampening Ratio
- // Patented Ergonomic Brake System with Easy, Once-Touch Foot Control to Unlock/Lock
- // Soft Ride Rear Radial Tires - Specific Tread Pattern Designed and Tooled for this Mower for Softer Ride, Longer Life, and More Traction.
- // Custom Winamac Coil Springs and TCB-3 TecPak® Elastomer Dampeners with 360 Floating Seat System
- // Upgraded Custom-Built Seats - Adjustable for Operator Weight
- // Cast Aluminum Sealed Spindles with Ag Bearings - 4 Bearings Each
- // 24" Rear Radial Tires - Standard
- // Front Radial Tires - Standard



HEAVY DUTY FRAME

- // 1.5" to 3" Tubular Frame - Same Heavy-Duty Material Used on Intimidator UTV
- // Optimized Independent Rear Frame
- // Receiver Hitch Welded into Main Frame Rail
- // Easy Maintenance Access
- // Vibration Control Deck System
- // Lifetime Warranty on Leading Edge of Deck

HD EXTRA FEATURES

- // Parker HTJ 12cc Transmission

XD EXTRA FEATURES

- // Parker HTG 16cc Transmission
- // Stress Relief Pads
- // Front HUB Covers
- // Rear Aluminum Wheels
- // Chrome Tip /10" LED Light

View Our Models
In 360° Online At
SpartanMowers.com

SRT // STANDARD FEATURES

LIMITED EDITION

MARK MARTIN

SERIES

SRT-HD // SRT-XD

DECK SIZES

54" // 61" // 72"



*SRT-XD Mark Martin Shown

BUILT WITH POWER

Spartan mowers offers the Limited Edition SRT 'Mark Martin' Series. The Mark Martin Edition is available in the SRT HD and XD models and comes equipped with improved Smart Ride Technology, a customized upgraded seat, dual chrome exhaust, LED light and custom Mark Martin decals.

Looks, durability and the exceptional ride makes your mowing experience in the Spartan Limited Edition 'Mark Martin' more like a racing dream come true.



DESIGN

- // Long Lasting Deck Belts are Designed with Large Idler Pulleys to Minimize Wear
- // Ergonomic Cockpit with Storage, Cup and Phone Holder, and 12v Outlet
- // Perfectly Balanced with Low Center of Gravity
- // Plug and Play Wiring System
- // Simple Push-Start Control Panel with LCD Display
- // SRT-HD - Parker HTJ 12cc Transmission | SRT-XD - Parker HTG 16cc Transmission
- // Folding ROPS - Standard
- // LED Light - Standard
- // Stress Relief Pads, Aluminum Wheels, and Front Hubcaps - Standard on XD - Optional Upgrade on HD



CUT

- // 6" Deep, Reinforced 7 Gauge XTF (Extreme Turf Flow) Deck
- // Change-On-The-Go Precision Deck Height Dial with Shock-Assisted Deck Foot Lift
- // One Piece Deck with Baffling to Handle All Types of Grass



RIDE

- // GT-Trac for the Best Traction on Inclines. Precision Weight Distribution, Balance, and Control
- // Improved Smart Ride Technology with New Radial Front Tires. Has Two Times the Flex of the Torsional Axle. Winamac Coil Springs are Custom Designed to Deliver the Optimal Horizontal Travel and Dampening Ratio
- // Patented Ergonomic Brake System with Easy, Once-Touch Foot Control to Unlock/Lock
- // Soft Ride Rear Radial Tires - Specific Tread Pattern Designed and Tooled for this Mower for Softer Ride, Longer Life, and More Traction.
- // Custom Winamac Coil Springs and TCB-3 TecPak® Elastomer Dampeners with 360 Floating Seat System
- // Upgraded Custom-Built Seats - Adjustable for Operator Weight
- // Cast Aluminum Sealed Spindles with Ag Bearings - 4 Bearings Each
- // Rear Radial Tires - Standard
- // Front Radial Tires - Standard




HEAVY DUTY FRAME

- // 1.5" to 3" Tubular Frame - Same Heavy-Duty Material Used on Intimidator UTV
- // Receiver Hitch Welded into Main Frame Rail
- // Easy Maintenance Access
- // Vibration Control Deck System
- // Lifetime Warranty on Leading Edge of Deck

MARK MARTIN // STANDARD FEATURES



View Our Models
In 360° Online At
SpartanMowers.com



Mark Martin

If I Put My Name On Something I'm Looking For The
BEST PRODUCT Out There At The **BEST PRICE**



THE DEFINITION OF // PERFECTION

A CUT ABOVE

What really sets Spartan apart? As he dreamed, designed and custom built this mower from the ground up, the one thing that Robert Foster made sure of was that the ride would be close to perfection. One ride, and you'll agree.

Smart Ride Technology consists of front and rear radial tires, TecPaks® under the seat, three rubber isolators, two TecPaks® under the seat plate that adjust for operator weight and up and down movement, and independent rear Winamac Coil Springs. These springs are custom designed for Spartan Mowers.

Put all of this together for the same great ride and consistency of the ride regardless of weight variation. Plus, accessories can be added with no decrease in performance.

SPARTAN ACCESSORIES

To View a Complete List of Available Spartan Accessories
Visit Us Online At SpartanMowers.com

AFFORDABLE LUXURY TAILORED TO YOU

When it comes to accessories, Spartan Mowers understands that affordability, comfort, and ease of use are crucial. Extreme care has gone into the design and production of each accessory in order to help you Take Command of your vehicle.



STRIPING KIT

Upgrade Available On:
RT & SRT Models
(Will Not Fit RZ)



FRONT TUBE HITCH WITH JACK

Upgrade Available On:
RT & SRT Models



MULCH BAFFLING KIT

Upgrade Available On:
All Mulch Models
(Will Not Fit RZ Models or Mowers
with 72" Decks)




SPARTAN QUICK SHIELD

Upgrade Available On:
All Models



360 DEGREE FLOATING SEAT PLATE

Upgrade Available On:
All Models



ELECTRONIC ACTUATING DECK LIFT

Upgrade Available On:
All Models



STRESS RELIEF PADS

Upgrade Available On:
All Models
(Standard on SRT-XD)



RZ REAR RECEIVER HITCH BRACKET

Upgrade Available On:
RZ Models



CANOPY

Upgrade Available On:
RT & SRT Models



SIDE MOUNT RECEIVER HITCH

Upgrade Available On:
All Models



SOFT KNOB ADJUSTABLE ARMS

Upgrade Available On:
RZ & RT Pro Models
(Standard on All Other Models)




10" LED LIGHT KIT

Upgrade Available On:
All Models (Standard on SRT-XD &
Mark Martin Series)



SPRAYER TRAY

Upgrade Available On:
RT & SRT Models



OPERATOR ASSIST HANDLE

Upgrade Available On:
All Models



ADJUSTABLE DIAL SEAT

Upgrade Available On:
RT & SRT Models



CHROME EXHAUST TIPS

Upgrade Available On:
All Models

RZ STANDARD SPECIFICATIONS

DRIVE LINE	
Hydraulic Drive	Tuff Torq 300 Series
Hydraulic Drive Torque	Continuous - 1,212.5in-lb Max Torque - 3010in-lb
Hydro Drive Maintenance	Filled For Life
Drive Tires	54" Deck - 20x10.00x8 Bias Ply
Front Tires	11x6.00x5 Smooth Tread
Wheels Type	Steel
Speed (F/R)	Forward - Up to 8mph Reverse - Up to 5mph
FEATURES	
Seat	GBR-7 Elastomer
Steering Levers	Adjustable Up and Down
Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time between Oil Change Countdown - Fault Codes
Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
Ignition	Keyless, Enter Personal Code to Start
Auxiliary Power	12v Outlet
Storage	Large Cup Holder
Hitch	N/A
CUTTING DECK	
Deck Depth	5" Deep, Full-Floating Deck
Deck Lift	Foot Operated with Shock Assist
Deck Adjustment	Precision Deck Height Pin
Cut Height	1" to 4.25" with 12 Cut Heights in Between plus Locking Travel Height with Pin Adjusted Height Selection
Blade Spindles	Cast Aluminum, No Maintenance/Sealed Double Bearings
Parking Brake	Foot Operated
Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	
Engine Warranty	5 Year Residential, 3 Year Commercial
Full Warranty	2 Year / 250 Hour Residential - 1 Year / 250 Hour Commercial - 120 Day Belt Warranty
Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
Hydraulic Drive	3 Year / 200 Hour Residential - 3 Year / 200 Hour Commercial

RZ-PRO STANDARD SPECIFICATIONS

DRIVE LINE	
Hydraulic Drive	Tuff Torq 400 Series
Hydraulic Drive Torque	Continuous - 1,425in-lb Max Torque - 3,540in-lb
Hydro Drive Maintenance	500 Hours Between Oil Change
Drive Tires	54" Deck - 22x11x10 Bias Ply
Front Tires	13x6.50x6 Smooth Tread
Wheels Type	Steel
Speed (F/R)	Forward - Up to 8.5mph Reverse - Up to 5mph
FEATURES	
Seat	GBR-7 Elastomer
Steering Levers	Adjustable Up and Down
Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time between Oil Change Countdown - Fault Codes
Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
Ignition	Keyless, Enter Personal Code to Start
Auxiliary Power	12v Outlet
Storage	Large Cup Holder
Hitch	N/A
CUTTING DECK	
Deck Depth	5" Deep, Full-Floating Deck
Deck Lift	Foot Operated with Shock Assist
Deck Adjustment	Precision Deck Height Pin
Cut Height	1" to 4.25" with 12 Cut Heights in Between plus Locking Travel Height with Pin Adjusted Height Selection
Blade Spindles	Cast Aluminum, No Maintenance/Sealed Double Bearings
Parking Brake	Foot Operated
Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	
Engine Warranty	3 Year Residential, 3 Year Commercial
Full Warranty	2 Year / 250 Hour Residential - 1 Year / 250 Hour Commercial - 120 Day Belt Warranty
Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
Hydraulic Drive	3 Year / 300 Hour Residential - 3 Year / 300 Hour Commercial

RZ ENGINE SPECIFICATIONS

ENGINE NAME	Briggs and Stratton Commercial
Horsepower	25hp
Fuel Capacity	5gal
Deck Sizes	54"
Width	55.5"
Weights	780lb
Length	84"
Height	46"

RZ-PRO ENGINE SPECIFICATIONS

ENGINE NAME	Kohler 747cc	Briggs and Stratton Commercial
Horsepower	25hp	25hp
Fuel Capacity	5gal	5gal
Deck Sizes	54" 61"	54" 61"
Width	55.5" 62.5"	55.5" 62.5"
Weights	800lb 880lb	800lb 880lb
Length	84"	84"
Height	46"	46"

RZ-HD STANDARD SPECIFICATIONS

DRIVE LINE	Hydraulic Drive	Parker HTE 10cc Wheel Motors
	Hydraulic Drive Torque	Continuous - 3,140in-lb Max Torque - 4,870in-lb
	Hydro Drive Maintenance	1,000 Hours Between Oil Change
	Drive Tires	48", 54", & 61" Decks - 22x11x10 Bias Ply with 22x12x10 Optional Radial Upgrade
	Front Tires	13x6.5x6 Smooth Tread with Optional Radial Upgrade
	Wheels Type	Steel
	Speed (F/R)	Forward - Up to 9mph Reverse - Up to 5mph
FEATURES	Seat	RZ HD Seat
	Steering Levers	Adjustable Up and Down
	Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time between Oil Change Countdown - Fault Codes
	Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
	Ignition	Keyless, Enter Personal Code to Start
	Auxiliary Power	12v Outlet
	Storage	N/A
	Hitch	N/A
CUTTING DECK	Deck Depth	5" Deep, Full-Floating Deck
	Deck Lift	Foot Operated with Shock Assist
	Deck Adjustment	Change-On-The-Go Precision Deck Height Dial
	Cut Height	1" to 4.25" with 15 Cut Heights in Between
	Blade Spindles	Cast Aluminum, No Maintenance/Sealed Double Bearings
	Parking Brake	Foot Operated
	Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	Engine Warranty	3 Year Residential, 3 Year Commercial
	Full Warranty	2 Year / 250 Hour Residential - 1 Year / 250 Hour Commercial - 120 Day Belt Warranty
	Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
	Hydraulic Drive	3 Year / 750 Hour Residential - 3 Year / 750 Hour Commercial

RT-PRO STANDARD SPECIFICATIONS

DRIVE LINE	Hydraulic Drive	Parker HTE 10cc Wheel Motors
	Hydraulic Drive Torque	Continuous - 3,140in-lb Max Torque - 4,870in-lb
	Hydro Drive Maintenance	1,000 Hours Between Oil Change
	Drive Tires	54" Deck - 24x10.50x12 Turf Radials 61" Deck - 24x12x12 Turf Radials
	Front Tires	13x6.5x6 Smooth Tread
	Wheels Type	Steel with Optional Aluminum Rear Wheels and Front Hub Covers
	Speed (F/R)	Forward - Up to 9mph Reverse - Up to 5mph
FEATURES	Seat	GBR 7 Elastomer
	Steering Levers	Adjustable Up and Down
	Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time between Oil Change Countdown - Fault Codes
	Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
	Ignition	Keyless, Enter Personal Code to Start
	Auxiliary Power	12v Outlet Next to Phone Holder
	Storage	Phone Holder, Cup Holder, and Deep Storage Tray
	Hitch	2" Rear Receiver Standard
CUTTING DECK	Deck Depth	6" Deep, Reinforced 7 Gauge XTF (Xtreme Turf Flow) Deck
	Deck Lift	Foot Operated with Shock Assist, Optional Push-Button Electric Actuator
	Deck Adjustment	Change-On-The-Go Precision Deck Height Dial
	Cut Height	1.5" to 5.5" with 15 Cut Heights in Between
	Blade Spindles	Cast Aluminum, No Maintenance/Sealed Double Bearings
	Parking Brake	Foot Operated
	Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	Engine Warranty	3 Year Residential, 3 Year Commercial
	Full Warranty	2 Year / 350 Hour Residential - 1 Year / 350 Hour Commercial - 120 Day Belt Warranty
	Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
	Hydraulic Drive	3 Year / 750 Hour Residential - 3 Year / 750 Hour Commercial

RZ-HD ENGINE SPECIFICATIONS

ENGINE NAME	Briggs & Stratton Commercial (44T9770022G1)			Kohler Confidant			Kawasaki FR 730		
Horsepower	25hp			25hp			24hp		
Fuel Capacity	5gal			5gal			5gal		
Deck Sizes	48"	54"	61"	48"	54"	61"	48"	54"	61"
Width	55.5"	62.5"	73.5"	55.5"	62.5"	73.5"	55.5"	62.5"	73.5"
Weights	815lb	828lb	880lb	815lb	828lb	880lb	815lb	828lb	880lb
Length	84"			84"			84"		
Height	46"			46"			46"		

RT-PRO ENGINE SPECIFICATIONS

ENGINE NAME	Kohler Confidant		Briggs & Stratton Commercial (44T977)		Kawasaki FS-730	
Horsepower	25hp		27hp		24hp	
Fuel Capacity	9.5gal		9.5gal		9.5gal	
Deck Sizes	54"	61"	54"	61"	54"	61"
Width	55.5"	62.5"	55.5"	62.5"	55.5"	62.5"
Weights	1,055lb	1,075lb	1,055lb	1,075lb	1,055lb	1,075lb
Length	84"		84"		84"	
Height	75" with ROPS Up - 54" with Folding ROPS Down		75" Fixed ROPS		75" Fixed ROPS	

RT-HD STANDARD SPECIFICATIONS

DRIVE LINE	Hydraulic Drive	Parker HTJ 12cc Wheel Motors
	Hydraulic Drive Torque	Continuous - 3,140in-lb Max Torque - 4,870in-lb
	Hydro Drive Maintenance	1,000 Hours Between Oil Change
	Drive Tires	54" Deck - 23x10.50x12 Turf Radials 61" Deck - 24x12x12 Turf Radials
	Front Tires	13x6.5x6 Radials
	Wheels Type	Steel with Optional Aluminum Rear Wheels and Front Hub Covers
	Speed (F/R)	Forward - Up to 11mph Reverse - Up to 5mph
FEATURES	Seat	TCB-3 TecnPak Elastomer Dampeners with 360 Floating System
	Steering Levers	Soft Touch Knobs to Adjust Forward and Back - Adjustable Up and Down
	Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter Time between Oil Change Countdown - Fault Codes
	Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
	Ignition	Keyless, Enter Personal Code to Start
	Auxiliary Power	12v Outlet Next to Phone Holder
	Storage	Phone Holder, Cup Holder, and Deep Storage Tray
	Hitch	2" Rear Receiver Standard
CUTTING DECK	Deck Depth	6" Deep, Reinforced 7 Gauge XTF (Xtreme Turf Flow) Deck
	Deck Lift	Foot Operated with Shock Assist - Optional Push-Button Electric Actuator
	Deck Adjustment	Change-On-The-Go Precision Deck Height Dial
	Cut Height	1.5" to 5.5" with 15 Cut Heights in Between
	Blade Spindles	Cast Aluminum, No Maintenance/Sealed Double Ag Bearings
	Parking Brake	Foot Operated
	Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	Engine Warranty	3 Year Residential, 3 Year Commercial
	Full Warranty	2 Year Residential - 1 Year Commercial - 120 Day Belt Warranty
	Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
	Hydraulic Drive	3 Year / 1200 Hour Warranty

SRT-PRO STANDARD SPECIFICATIONS

DRIVE LINE	Hydraulic Drive	Parker HTE 10cc Wheel Motors
	Hydraulic Drive Torque	Continuous - 3,140in-lb Max Torque - 4,870in-lb
	Hydro Drive Maintenance	1,000 Hours Between Oil Change
	Drive Tires	54" Deck - 23x10.50x12 Turf Radials 61" Deck - 24x12x12 Turf Radials
	Front Tires	13x6.5x6 Radials
	Wheels Type	Steel with Optional Aluminum Rear Wheels and Front Hub Covers
	Speed (F/R)	Forward - Up to 9mph Reverse - Up to 5mph
FEATURES	Seat	TCB-3 TecnPak Elastomer Dampeners
	Steering Levers	Soft Touch Knobs to Adjust Forward and Back - Adjustable Up and Down
	Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter Time between Oil Change Countdown - Fault Codes
	Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
	Ignition	Keyless, Enter Personal Code to Start
	Auxiliary Power	12v Outlet Next to Phone Holder
	Storage	Phone Holder, Cup Holder, and Deep Storage Tray
	Hitch	2" Rear Receiver Standard
CUTTING DECK	Deck Depth	6" Deep, Full Floating Deck
	Deck Lift	Foot Operated with Shock Assist - Optional Push-Button Electric Actuator
	Deck Adjustment	Change-On-The-Go Precision Deck Height Dial
	Cut Height	1.5" to 5.5" with 15 Cut Heights in Between
	Blade Spindles	Cast Aluminum, No Maintenance/Sealed Four Ag Bearings
	Parking Brake	Foot Operated
	Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	Engine Warranty	3 Year Residential, 3 Year Commercial
	Full Warranty	2 Year Residential - 2 Year Commercial - 120 Day Belt Warranty
	Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
	Hydraulic Drive	3 Year / 1200 Hour Warranty

RT-HD ENGINE SPECIFICATIONS

ENGINE NAME	Vanguard (49R977)		Vanguard Big Block (543777)			Vanguard Big Block EFI (61E877)			Kawasaki FX-850		
Horsepower	26hp		32hp			37hp			27hp		
Fuel Capacity	9.5gal		9.5gal			9.5gal			9.5gal		
Deck Sizes	54"	61"	54"	61"	72"	54"	61"	72"	54"	61"	72"
Width	55.5"	62.5"	55.5"	62.5"	73.5"	55.5"	62.5"	73.5"	55.5"	62.5"	73.5"
Weights	1,061lb	1,081lb	1,105lb	1,125lb	1,170lb	1,105lb	1,125lb	1,170lb	1,090lb	1,110lb	1,155lb
Length	84"		84"			84"			84"		
Height	75" with ROPS Up - 54" with Folding ROPS Down		75" with ROPS Up - 54" with Folding ROPS Down			75" with ROPS Up - 54" with Folding ROPS Down			75" with ROPS Up - 54" with Folding ROPS Down		

SRT-PRO ENGINE SPECIFICATIONS

ENGINE NAME	Kohler Confidant (ZT740)		Briggs & Stratton Commercial (49T877)	
Horsepower	25hp		27hp	
Fuel Capacity	9.5gal		9.5gal	
Deck Sizes	54"	61"	54"	61"
Width	55.5"	62.5"	55.5"	62.5"
Weights	1,135lb	1,160lb	1,130lb	1,150lb
Length	84"		84"	
Height	75" with ROPS Up - 54" with Folding ROPS Down		75" with ROPS Up - 54" with Folding ROPS Down	

SRT-HD STANDARD SPECIFICATIONS

DRIVE LINE	Hydraulic Drive	Parker HTJ 12cc Wheel Motors
	Hydraulic Drive Torque	Continuous - 3,140in-lb Max Torque - 4,870in-lb
	Hydro Drive Maintenance	1,000 Hours Between Oil Change
	Drive Tires	54" Deck - 24x10.50x12 Turf Radials 61" & 72" Decks - 24x12x12 Turf Radials
	Front Tires	13x6.5x6 Radials
	Wheels Type	Steel with Optional Aluminum Rear Wheels and Front Hub Covers
	Speed (F/R)	Forward - Up to 11mph Reverse - Up to 5mph
FEATURES	Seat	TCB-3 TecnPak Elastomer Dampeners
	Steering Levers	Soft Touch Knobs to Adjust Forward and Back. Adjustable Up and Down
	Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter Time between Oil Change Countdown - Fault Codes
	Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
	Ignition	Keyless. Enter Personal Code to Start
	Auxiliary Power	12v Outlet Next to Phone Holder
	Storage	Phone Holder, Cup Holder, and Deep Storage Tray
	Hitch	2" Rear Receiver Standard
CUTTING DECK	Deck Depth	6" Deep, Full Floating Deck
	Deck Lift	Foot Operated with Shock Assist. Optional Push-Button Electric Actuator
	Deck Adjustment	Change-On-The-Go Precision Deck Height Dial
	Cut Height	1.5" to 5.5" with 15 Cut Heights in Between
	Blade Spindles	Cast Aluminum, No Maintenance/Sealed Four Ag Bearings
	Parking Brake	Foot Operated
	Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	Engine Warranty	3 Year Residential, 3 Year Commercial
	Full Warranty	2 Year Residential - 2 Year Commercial - 120 Day Belt Warranty
	Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
	Hydraulic Drive	3 Year / 1,500 Hour Warranty

SRT-XD STANDARD SPECIFICATIONS

DRIVE LINE	Hydraulic Drive	Parker HTJ 16cc Wheel Motors
	Hydraulic Drive Torque	Continuous - 5,970in-lb Max Torque - 7,040in-lb
	Hydro Drive Maintenance	1,000 Hours Between Oil Change
	Drive Tires	61" & 72" Decks - 24x12x12 Turf Radials
	Front Tires	13x6.5x6 Radials
	Wheels Type	Aluminum Rear Wheels and Front Hub Covers
	Speed (F/R)	Forward - Up to 13mph Reverse - Up to 5mph
FEATURES	Seat	TCB-3 TecnPak Elastomer Dampeners with 360 Floating System
	Steering Levers	Soft Touch Knobs to Adjust Forward and Back. Adjustable Up and Down
	Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter Time between Oil Change Countdown - Fault Codes
	Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
	Ignition	Keyless. Enter Personal Code to Start
	Auxiliary Power	12v Outlet Next to Phone Holder
	Storage	Phone Holder, Cup Holder, and Deep Storage Tray
	Hitch	2" Rear Receiver Standard
CUTTING DECK	Deck Depth	6" Deep, Full Floating Deck
	Deck Lift	Foot Operated with Shock Assist. Optional Push-Button Electric Actuator
	Deck Adjustment	Change-On-The-Go Precision Deck Height Dial
	Cut Height	1.5" to 5.5" with 15 Cut Heights in Between
	Blade Spindles	Cast Aluminum, No Maintenance/Sealed Four Ag Bearings
	Parking Brake	Foot Operated
	Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame
WARRANTY	Engine Warranty	3 Year Residential, 3 Year Commercial
	Full Warranty	2 Year Residential - 2 Year Commercial - 120 Day Belt Warranty
	Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions
	Hydraulic Drive	3 Year / 2,000 Hour Warranty

RT-HD ENGINE SPECIFICATIONS

ENGINE NAME	Kawasaki FX-850			Vanguard (49R977)		Vanguard - Big Block (543777)			Vanguard - Big Block EFI (61E877)			Kohler Command (PS-ELV880)		
Horsepower	27hp			26hp		32hp			37hp			33hp		
Fuel Capacity	9.5gal			9.5gal		9.5gal			9.5gal			9.5gal		
Deck Sizes	54"	61"	72"	54"	61"	54"	61"	72"	54"	61"	72"	54"	61"	72"
Width	55.5"	62.5"	73.5"	55.5"	62.5"	55.5"	62.5"	73.5"	55.5"	62.5"	73.5"	55.5"	62.5"	73.5"
Weights	1,160lb	1,185lb	1,220lb	1,130lb	1,150lb	1,180lb	1,205lb	1,240lb	1,180lb	1,205lb	1,240lb	1,140lb	1,160lb	1,185lb
Length	84"			84"		84"			84"			84"		
Height	75" with ROPS Up 54" with Folding ROPS Down			75" with ROPS Up 54" with Folding ROPS Down		75" with ROPS Up 54" with Folding ROPS Down			75" with ROPS Up 54" with Folding ROPS Down			75" with ROPS Up 54" with Folding ROPS Down		

SRT-XD ENGINE SPECIFICATIONS

ENGINE NAME	Vanguard Big Block (613777)		Vanguard Big Block EFI (61E877)	
Horsepower	36hp		37hp	
Fuel Capacity	9.5gal		9.5gal	
Deck Sizes	61"	72"	61"	72"
Width	62.5"	73.5"	62.5"	73.5"
Weights	1,250lb	1,260lb	1,258lb	1,265lb
Length	84"		84"	
Height	75" with ROPS Up - 54" with Folding ROPS Down		75" with ROPS Up - 54" with Folding ROPS Down	

HOW TO GET YOUR **CUSTOM SPARTAN MOWER**

MARK MARTIN HD STANDARD SPECIFICATIONS XD STANDARD SPECIFICATIONS

DRIVE LINE	HD STANDARD SPECIFICATIONS	XD STANDARD SPECIFICATIONS
Hydraulic Drive	Parker HTJ 12cc Wheel Motors	Parker HTG 16cc Wheel Motors
Hydraulic Drive Torque	Continuous - 3,140in-lb Max Torque - 4,870in-lb	Continuous - 5,970in-lb Max Torque - 7,040in-lb
Hydro Drive Maintenance	1,000 Hours Between Oil Change	1,000 Hours Between Oil Change
Drive Tires	54" Deck - 23x10.50x12 Turf Radials 61" & 72" Decks - 24x12x12 Turf Radials	61" & 72" Decks - 24x12x12 Turf Radials
Front Tires	13x6.5x6 Smooth Tread	13x6.5x6 Smooth Tread
Wheels Type	Steel with Optional Aluminum Rear Wheels and Front Hub Covers	Aluminum Rear Wheels and Front Hub Covers
Speed (F/R)	Forward - Up to 11mph Reverse - Up to 5mph	Forward - Up to 13mph Reverse - Up to 5mph

FEATURES	HD STANDARD SPECIFICATIONS	XD STANDARD SPECIFICATIONS
Seat	TCB-3 TecnPak Elastomer Dampeners	TCB-3 TecnPak Elastomer Dampeners
Steering Levers	Soft Touch Knobs to Adjust Forward and Back. Adjustable Up and Down	Soft Touch Knobs to Adjust Forward and Back. Adjustable Up and Down
Control Panel LCD Display	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter Time between Oil Change Countdown - Fault Codes	Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter Time between Oil Change Countdown - Fault Codes
Control Panel LED Warning Indicators	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI	Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI
Ignition	Keyless. Enter Personal Code to Start	Keyless. Enter Personal Code to Start
Auxiliary Power	12v Outlet Next to Phone Holder	12v Outlet Next to Phone Holder
Storage	Phone Holder, Cup Holder, and Deep Storage Tray	Phone Holder, Cup Holder, and Deep Storage Tray
Hitch	2" Rear Receiver Standard	2" Rear Receiver Standard

CUTTING DECK	HD STANDARD SPECIFICATIONS	XD STANDARD SPECIFICATIONS
Deck Depth	6" Deep, Full Floating Deck	6" Deep, Full Floating Deck
Deck Lift	Foot Operated with Shock Assist. Optional Push-Button Electric Actuator	Foot Operated with Shock Assist. Optional Push-Button Electric Actuator
Deck Adjustment	Change-On-The-Go Precision Deck Height Dial	Change-On-The-Go Precision Deck Height Dial
Cut Height	1.5" to 5.5" with 15 Cut Heights in Between	1.5" to 5.5" with 15 Cut Heights in Between
Blade Spindles	Cast Aluminum, No Maintenance/Sealed Four Bearings	Cast Aluminum, No Maintenance/Sealed Four Ag Bearings
Parking Brake	Foot Operated	Foot Operated
Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame	1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame

WARRANTY	HD STANDARD SPECIFICATIONS	XD STANDARD SPECIFICATIONS
Engine Warranty	3 Year Residential, 3 Year Commercial	3 Year Residential, 3 Year Commercial
Full Warranty	2 Year Residential - 2 Year Commercial - 120 Day Belt Warranty	2 Year Residential - 2 Year Commercial - 120 Day Belt Warranty
Deck Warranty	Lifetime on the leading edge. See full warranty for disclosure and restrictions	Lifetime on the leading edge. See full warranty for disclosure and restrictions
Hydraulic Drive	3 Year / 1,500 Hour Warranty	3 Year / 2,000 Hour Warranty

MARK MARTIN HD ENGINE SPECIFICATIONS XD ENGINE SPECIFICATIONS

ENGINE NAME	Vanguard - Big Block (543777)			Vanguard Big Block EFI (61E877)	
Horsepower	32hp			37hp	
Fuel Capacity	9.5gal			9gal	
Deck Sizes	54"	61"	72"	61"	72"
	Width	55.5"	62.5"	73.5"	62.5"
Weights	1,181lb	1,205lb	1,240lb	1,258lb	1,265lb
	Length	84"			84"
Height	75" with ROPS Up - 54" with Folding ROPS Down			75" with ROPS Up - 54" with Folding ROPS Down	



CONTACT YOUR LOCAL DEALER

Use our Dealer Locator online by entering your zipcode to find a dealer nearest you.
SpartanMowers.com/dealer/home

VISIT US ONLINE

Visit us online at SpartanMowers.com to find out more information about our mowers and who we are.

Spartan Mowers
Batesville, AR 72501

Call Us Toll Free
855.307.0933

Visit Us Online At
SpartanMowers.com





GOVERNANCE
TAKE

