



JELD-WEN®

FIBERGLASS
AND STEEL
EXTERIOR DOORS

ABOUT JELD-WEN

DEDICATION FROM DAY ONE

Since 1960, when JELD-WEN began with one millwork plant, we've been dedicated to crafting windows and doors that enhance the beauty and functionality of your home. Today we continue that tradition with products that are durable and well-designed. It's the result of innovation as a driving force in all that we do.

In addition to responsible reforestation practices, we reuse and recycle as much of our raw resources as possible. Innovation is also at the heart of our design and manufacturing process. With JELD-WEN, you can expect products that are more than just beautiful on the outside. The inner workings of our windows and doors are engineered to function for years to come.





SMOOTH-PRO™
1-PANEL ¾ VIEW FRAMELESS SARDIS GLASS IN MARINE



SMOOTH-PRO™
1-PANEL ¾ VIEW FRAMELESS CLEAR GLASS WITH 4-LITE SDL IN BLACK



DESIGN-PRO™
FIR 2-PANEL CRAFTSMAN CLEAR GLASS
WITH 6-LITE EXTERNAL GRILLES IN HAZELNUT

TABLE OF CONTENTS

DESIGN YOUR DOOR

Door Construction	4
JELD-WEN Door Codes	6
	7

MATERIAL OPTIONS

Design-Pro™ Oak	8
Design-Pro™ Fir	12
Smooth-Pro™	16
Frameless Direct Glaze	22
Simulated Divided Lites (SDL)	24
Steel	26

GLASS OPTIONS

Full View	34
¾ View	37
½ View	41
Craftsman	44
Camber Top	47
Sunburst	47

OPTIONS

Paint & Stain Colors	48
Fire-Rated Doors	50
Impact-Rated and Coastal Doors	52
ADA-Compliant Doors	54

WARRANTY

	62
--	----

DESIGN YOUR DOOR

JELD-WEN STYLE COLLECTIONS

Looking for inspiration?

Visit jeld-wen.com or grab a copy of our Lookbook to reimagine your Farmhouse, Updated Traditional, Coastal, and Simply Modern spaces.



FARMHOUSE

RUSTIC CHARM MEETS MODERN SIMPLICITY



UPDATED TRADITIONAL

A REFRESHED TAKE ON TIMELESS TRADITION



COASTAL

A RELAXED VIBE AND A SENSE OF PLAY



SIMPLY MODERN

SPACIOUS, SIMPLE, AND INVITING



1 CHOOSE YOUR MATERIAL

FIBERGLASS

The look of wood without the upkeep. Provides greater panel detail for an improved appearance and won't warp, dent, or rust.

DESIGN-PRO™



Oak



Fir

SMOOTH-PRO™



Smooth


STEEL

Economical, low-maintenance choice that provides strength and style.




2 SELECT DOOR DESIGN


Personalize your home with a door that suits your home's architecture. Here are just a few options.



Full View



Full Oval



6-Panel



Sunburst



2-Panel
1/2 View




4-Panel



1-Panel
Square
Top 3/4
Oval




2-Panel
3/4 View




1-Panel
3/4 View




8-Panel
Center
Arch



2-Panel
Arch Top



1-Panel
1/2 View



Craftsman

3 SELECT GLASS

Decorative glass inserts can elevate the look of your entry door. Choose your level of privacy and optional caming for added detail.



Clear Glass Options

Clear glass inserts maximize natural light to create a clean, open, and inviting feel at the home's entryway.



Privacy Glass Options

Textured and obscure glass options allow some light to shine through while maintaining your preferred level of privacy.



Decorative Glass Options

Add visual interest to your entryway with decorative glass designs with various caming options.



Direct Glaze/Frameless

Direct glaze glass options offer a wider viewing area and clean design.



Simulated Divided Lites

Add simulated divided lites to your direct glaze door for visual interest.

4 SELECT FINISH

Choose from our variety of on-trend paint, stain, and Statement™ Collection finish colors, or choose a primed door to finish yourself.



Paint



Statement™
Collection




Stain



Primed

DOOR CONSTRUCTION

FIBERGLASS DOORS



DESIGN-PRO™ COLLECTION

1-3/4" DOOR

- Woodgrain fiberglass facing
- Square edge design
- Composite capped LVL stiles
- Composite top and bottom rails
- Polyurethane foam core
- 12" lock block
- 20-minute fire rating construction available

SMOOTH-PRO™ COLLECTION

1-3/4" DOOR

- Smooth fiberglass facing
- Square edge design
- Composite capped LVL stiles
- Composite top and bottom rails
- Polyurethane foam core
- 12" lock block
- 20-minute fire rating construction available

STEEL DOORS



STEEL

1-3/4" DOOR


- LVL stiles and rails
- Steel bottom rail
- Galvanized steel facing
- 12" lock block
- Energy efficient core
- 20-minute fire rating construction available
- Optional steel edge for 90-minute fire rating

JELD-WEN MODEL NUMBERS DEFINED

HOW TO CONFIGURE A DOOR CODE




DOOR MATERIAL & DOOR HEIGHT



SMOOTH-PRO™
6'8" HEIGHT

DOOR DESIGN



FULL
LITE

GLASS DESIGN



ATHERTON
GLASS

DOOR MATERIAL

Material	Species	Code
Design-Pro™	Oak	DO
Design-Pro™	Fir	DF
Steel	N/A	CT
Steel	N/A	GL
Smooth-Pro™	Smooth	SP

Design-Pro™




Oak



Fir

Smooth-Pro™



Smooth

Steel
















CT



GL

Door Height	Code
6'8" Height	—
7'0" Height	7
8'0" Height	8

 686 Full View	 919 Full Oval	 60 6-Panel	 659 Sunburst	 684 1/2 View
 692 Twin 1/2 View	 949 3/4 Oval	 607 3/4 View 2-Panel	 607 3/4 View 1-Panel	 80 Center Arch
 20 2-Panel Arch Top	 21 2-Panel Square Top	 866 Craftsman	 26 2-Panel 3/4 Arch Top	 30 3-Panel 3/4 Top
 100 Flush	 648 Camber Top	 673 2-Panel 1/2 View Camber Top	 31 3-Panel Scroll Top	 637 2-Panel 1/2 View Round Top
 696 Square	 412 Diamond	 680 Twin Top Lite		
 690 Full View Sidelite	 692 1/2 View	 422 3/4 View Sidelite	 820 Craftsman Sidelite	 819 Craftsman Full view

GLASS DESIGN

Glass Name	Glass Code
Atherton	ATN
Ballantyne	BLY
Brevard	BVR
Caldwell	CWL
Dilworth	DWH
Eastfield	EFD
Harris	HAR
McAlpine	MCA
Montclair	MTC
Sardis	SDS
Selwyn	SWY
Tryon	TYN
Blanca	BLC
Rain	RN
Streamed	STM
Vapor	VPR
Micro Granite	MG
Clear	CL
Low-E	LE
Other Codes	Code
4-Lite SDL	SD4
6-Lite SDL	SD6
8-Lite SDL	SD8
10-Lite SDL	SD10
Direct Glaze	DG

DESIGN-PRO™ OAK FIBERGLASS



DESIGN-PRO™
OAK 2-PANEL CRAFTSMAN DIRECT GLAZE WITH 6-LITE SDL IN MOCHA



DESIGN-PRO™
OAK 2-PANEL EURO



DESIGN-PRO™
OAK 4-PANEL CAMBER TOP IN MOCHA

Doors with inserts shown with Low-E or Clear Glass. Other glass options available.



Flush

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
DO-100	•	•	•	•	•	•
DO7-100	•	•	•	•	•	•
DO8-100	•	•	•	•	•	•



2-Panel Euro

Door	2'8"	2'10"	3'0"
DO-27	•	•	•



2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"
DO8-26	•	•	•



3-Panel 3/4 Top

Door	2'8"	2'10"	3'0"
DO-30	•	•	•



3-Panel Scroll

Door	2'10"	3'0"
DO-31	•	•



6-Panel

Door	2'6"	2'8"	2'10"	3'0"
DO-60	•	•	•	•
DO8-60	•	•	•	•

DO = 6'8" DO7 = 7'0" DO8 = 8'0"

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

DESIGN-PRO™ OAK FIBERGLASS



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
DO-686LE	•	•	•	•	•	•
DO7-686LE	•	•	•	•	•	•
DO8-686LE	•	•	•	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
DO-919CL	•	•	•
DO7-919CL	•	•	•
DO8-919CL	•	•	•



1-Panel 3/4 View

Door	2'8"	2'10"	3'0"
DO-607CL-1P	•	•	•
DO8-607LE-1P	•	•	•



2-Panel 3/4 View

Door	2'8"	2'10"	3'0"
DO-607CL	•	•	•



3-Panel Square Top 3/4 Oval

Door	2'8"	2'10"	3'0"
DO-949CL	•	•	•



2-Panel 1/2 View

Door	2'8"	2'10"	3'0"
DO-684LE	•	•	•
DO8-684CL	•	•	•



2-Panel Camber Top
1/2 View

Door	2'8"	2'10"	3'0"
DO-673CL	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692LE	•	•	•



Craftsman

Door	2'10"	3'0"
DOC-866DG-LE	•	•
DOC8-866DG-LE	•	•



Camber Top

Door	2'8"	2'10"	3'0"
DO-648CL	•	•	•




Sunburst

Door	2'8"	2'10"	3'0"
DO-659CL	•	•	•



Twin Top Lite

Door	2'8"	2'10"	3'0"
DO-680CL	•	•	•



Full View Sidelite

Sidelite	10"	1'0"	1'2"
DO-690CL	•	•	•
DO8-690LE	•	•	•



3/4 View Sidelite

Sidelite	1'0"	1'2"
DO-422CL	•	•
DO8-422CL	•	•



1/2 View Sidelite

Sidelite	1'0"	1'2"
DO-692LE	•	•
DO8-692CL	•	•



Craftsman Sidelite

Sidelite	1'0"	1'2"
DOC-820DG-LE	•	•
DOC8-820DG-LE	•	•

DO = 6'8" DO7 = 7'0" DO8 = 8'0"

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.


DESIGN-PRO™ FIR FIBERGLASS



DESIGN-PRO™
FIR FULL VIEW FRAMELESS CLEAR GLASS WITH 4-LITE WIDE SDL IN ESPRESSO



DESIGN-PRO™
FIR 1-PANEL ¾ VIEW FRAMELESS RAIN GLASS
WITH 4-LITE SDL IN MOCHA



DESIGN-PRO™
FIR FULL VIEW SELWYN GLASS IN AMARETTO



Flush

Door	2'10"	3'0"
DF-100	•	•
DF7-100	•	•
DF8-100	•	•



1-Panel Flat

Door	2'8"	2'10"	3'0"
DFF-13	•	•	•
DFF8-13	•	•	•



2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"
DF8-26	•	•	•



3-Panel 3/4 Top

Door	2'8"	2'10"	3'0"
DF-30	•	•	•



2-Panel Square Top

Door	2'8"	2'10"	3'0"
DF-21	•	•	•
DF7-21	•	•	•
DF8-21	•	•	•



2-Panel Arch Top

Door	2'8"	2'10"	3'0"
DF-20	•	•	•
DF7-20	•	•	•
DF8-20	•	•	•



2-Panel Plank Arch Top

Door	2'8"	2'10"	3'0"
DF-24	•	•	•
DF7-24	•	•	•
DF8-24	•	•	•



Craftsman

Door	2'8"	2'10"	3'0"
DFC-30	•	•	•




6-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-60	•	•	•	•
DF7-60		•	•	•
DF8-60		•	•	•

DF = 6'8" DF7 = 7'0" DF8 = 8'0"

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

DESIGN-PRO™ FIR FIBERGLASS



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
DF-686DG-LE	•	•	•	•	•	•
DF7-686DG-LE	•	•	•	•	•	•
DF8-686DG-LE			•	•	•	•



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686LE	•	•	•	•
DF7-686LE			•	•
DF8-686LE		•	•	•



1-Panel 3/4 View

Door	2'8"	2'10"	3'0"
DF-607CL	•	•	•



1-Panel 1/2 View

Door	2'8"	2'10"	3'0"
DF-684LE-1P	•	•	•
DF7-684LE-1P	•	•	•
DF8-684CL-1P	•	•	•



1-Panel Plank 1/2 View

Door	2'8"	2'10"	3'0"
DF-684LE-1PL	•	•	•
DF7-684LE-1PL	•	•	•
DF8-684CL-1PL	•	•	•



Craftsman Beadboard

Door	2'8"	2'10"	3'0"
DFB-866DG-LE	•	•	•
DFB7-866DG-LE	•	•	•
DFB8-866DG-LE	•	•	•

Available in direct glaze only



1-Panel Camber Top
1/2 View

Door	2'8"	2'10"	3'0"
DF-673CL-1P	•	•	•
DF7-673CL-1P	•	•	•



1-Panel Plank Camber Top
1/2 View

Door	2'8"	2'10"	3'0"
DF-673CL-1PL	•	•	•
DF7-673CL-1PL	•	•	•



2-Panel 1/2 View

Door	2'6"	2'8"	2'10"	3'0"
DF-684LE	•	•	•	•
DF7-684LE		•	•	•
DF8-684CL		•	•	•



Craftsman

Door	2'8"	2'10"	3'0"
DFC-866LE	•	•	•
DFC7-866LE	•	•	•




Craftsman

Door	2'8"	2'10"	3'0"
DFC-866DG-LE	•	•	•
DFC7-866DG-LE	•	•	•
DFC8-866DG-LE	•	•	•



Twin Top Lite

Door	2'8"	2'10"	3'0"
DF-680CL	•	•	•
DF7-680CL	•	•	•



Full View Sidelite

Sidelite	1'0"	1'2"
DF-690CL	•	•
DF7-690CL	•	•
DF8-690LE	•	•



Craftsman
Full View Sidelite

Sidelite	1'0"	1'2"
DFC-819DG-LE	•	•
DFC8-819DG-LE	•	•



3/4 View Sidelite

Sidelite	1'0"	1'2"
DF-422CL	•	•
DF8-422CL	•	•



1/2 View Sidelite

Sidelite	1'0"	1'2"
DF-692LE	•	•
DF8-692CL	•	•



Craftsman Sidelite

Sidelite	1'0"	1'2"
DFC-820DG-LE	•	•
DFC8-820DG-LE	•	•



Craftsman
Beadboard Sidelite

Sidelite	1'0"	1'2"
DFB-820DG-LE	•	•
DFB7-820DG-LE	•	•
DFB8-820DG-LE	•	•

DF = 6'8" DF7 = 7'0" DF8 = 8'0"

Available in direct glaze only

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

SMOOTH-PRO™ FIBERGLASS




SMOOTH-PRO™
FULL VIEW FRAMELESS CLEAR GLASS WITH 6-LITE SDL IN BLACK



SMOOTH-PRO™
1-PANEL ¾ VIEW FRAMELESS
SARDIS GLASS IN MARINE



SMOOTH-PRO™
1-PANEL ¾ VIEW FRAMELESS CLEAR GLASS WITH
9-LITE PRAIRIE SDL IN COLONY




Flush

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
SP-100	•	•	•	•	•	•
SP7-100	•	•	•	•	•	•
SP8-100	•	•	•	•	•	•



3-Panel 3/4 Top

Door	2'8"	2'10"	3'0"
SP-30	•	•	•




2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"
SP8-26	•	•	•



2-Panel Euro

Door	2'8"	2'10"	3'0"
SP-27	•	•	•



2-Panel Square Top

Door	2'8"	2'10"	3'0"
SP-21	•	•	•
SP7-21	•	•	•
SP8-21	•	•	•



2-Panel Arch Top

Door	2'8"	2'10"	3'0"
SP-20	•	•	•
SP7-20	•	•	•
SP8-20	•	•	•



2-Panel Plank Arch Top

Door	2'8"	2'10"	3'0"
SP-24	•	•	•
SP7-24	•	•	•
SP8-24	•	•	•



Craftsman

Door	2'8"	2'10"	3'0"
SPC-30	•	•	•

SP = 6'8" SP7 = 7'0" SP8 = 8'0"

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

SMOOTH PRO™ FIBERGLASS



4-Panel

Door	2'8"	2'10"	3'0"
SP-40	•	•	•



6-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-60	•	•	•	•
SP7-60		•	•	•
SP8-60		•	•	•



Full View

Door	2'0"	2'4"	2'6"
SP-686CL	•	•	•
SP7-686CL	•	•	•
SP8-686CL	•	•	•

Door	2'8"	2'10"	3'0"
SP-686CL	•	•	•
SP7-686CL	•	•	•
SP8-686CL	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
SP-919CL	•	•	•
SP7-919CL	•	•	•
SP8-919CL	•	•	•



1-Panel 3/4 View

Door	2'6"	2'8"	2'10"	3'0"
SP-607LE	•	•	•	•
SP7-607LE	•	•	•	•
SP8-607LE	•	•	•	•



3-Panel Square Top
3/4 Oval

Door	2'8"	2'10"	3'0"
SP-949CL	•	•	•



1-Panel 1/2 View

Door	2'8"	2'10"	3'0"
SP-684CL-1P	•	•	•
SP7-684CL-1P	•	•	•
SP8-684CL-1P	•	•	•




1-Panel Plank 1/2 View

Door	2'8"	2'10"	3'0"
SP-684CL-1PL	•	•	•
SP7-684CL-1PL	•	•	•
SP8-684CL-1PL	•	•	•



2-Panel Camber Top
1/2 View

Door	2'8"	2'10"	3'0"
SP-673CL-2P	•	•	•



1-Panel Camber Top
1/2 View

Door	2'8"	2'10"	3'0"
SP-673CL-1P	•	•	•
SP7-673CL-1P	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
SP-692CL	•	•	•




Camber Top

Door	2'8"	2'10"	3'0"
SP-648CL	•	•	•



Sunburst

Door	2'8"	2'10"	3'0"
SP-659CL	•	•	•



Craftsman

Door	2'8"	2'10"	3'0"
SPC-866DG-LE	•	•	•
SPC7-866DG-LE	•	•	•
SPC8-866DG-LE	•	•	•



Craftsman Beadboard

Door	2'8"	2'10"	3'0"
SPB-866DG-LE	•	•	•
SPB7-866DG-LE	•	•	•
SPB8-866DG-LE	•	•	•

Available in direct glaze only



Craftsman Sidelite

Sidelite	1'0"	1'2"
SPC-820DG-LE	•	•
SPC7-820DG-LE	•	•
SPC8-820DG-LE	•	•



Craftsman
Beadboard Sidelite

Sidelite	1'0"	1'2"
SPB-820DG-LE	•	•
SPB7-820DG-LE	•	•
SPB8-820DG-LE	•	•

SP = 6'8" SP7 = 7'0" SP8 = 8'0"

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

SMOOTH-PRO™ FIBERGLASS



Craftsman

Door	2'8"	2'10"	3'0"
SPC-866LE	•	•	•
SPC7-866LE	•	•	•




Craftsman
Full View Sidelite

Sidelite	1'0"	1'2"
SPC-819LE	•	•
SPC7-819LE	•	•



Craftsman Sidelite


Sidelite	1'0"	1'2"
SPC-820LE	•	•
SPC7-820LE	•	•



Square

Door	2'0"	2'4"	2'6"
SP-696CL	•	•	•
SP7-696CL	•	•	•

Door	2'8"	2'10"	3'0"
SP-696CL	•	•	•
SP7-696CL	•	•	•



Diamond

Door	2'0"	2'4"	2'6"
SP-412CL	•	•	•
SP7-412CL	•	•	•

Door	2'8"	2'10"	3'0"
SP-412CL	•	•	•
SP7-412CL	•	•	•



Twin Top Lite

Door	2'8"	2'10"	3'0"
SP-680CL	•	•	•
SP7-680CL	•	•	•



Full View Sidelite

Sidelite	10"	1'0"	1'2"
SP-690CL	•	•	•
SP7-690CL	•	•	•
SP8-690CL	•	•	•



3/4 View Sidelite

Sidelite	1'0"	1'2"
SP-422CL	•	•
SP8-422CL	•	•



1/2 View Sidelite

Sidelite	10"	1'0"	1'2"
SP-692CL	•	•	•
SP7-692CL	•	•	•
SP8-692CL	•	•	•



*SMOOTH PRO™
1-PANEL 3/4 VIEW FRAMELESS CLEAR GLASS WITH 4-LITE SDL IN BLACK*

See decorative & privacy glass options starting on page 34

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

SMOOTH PRO™
1-PANEL ¾ VIEW FRAMELESS CLEAR GLASS WITH 4-LITE SDL IN SERENITY

FRAMELESS DIRECT GLAZE GLASS

MORE GLASS. LESS MAINTENANCE. IT'S A WIN-WIN.

Fiberglass entry doors from JELD-WEN have always been beautiful and easy to maintain. Now there's even more reason to appreciate them: direct glaze glass. This feature allows for greater glass surface without additional framing needed to hold it in place. The result is a wide open expanse of glass, more interior light, and unencumbered views. Even when closed, these doors have an open, inviting feel.

- Frameless glass provides wider viewing area
- Easy to clean
- No screw holes or plugs
- Available in 2'0" through 3'0" widths
- Available in 6'8", 7'0", & 8'0" heights
- Grilles Between Glass (GBG) options also available




FRAMELESS GLASS



LIPLITE GLASS


DIRECT GLAZE GLASS OPTIONS



Ballantyne



Sardis



Atherton



Clear Low-E



Micro Granite





Blanca



Rain

SMOOTH-PRO™



DESIGN-PRO™ FIR



DESIGN-PRO™ OAK






SMOOTH PRO™
FULL VIEW FRAMELESS CLEAR GLASS WITH 6-LITE SDL IN BLACK

SIMULATED DIVIDED LITES (SDL)


Add beauty and value by customizing the appearance of a JELD-WEN direct glaze Smooth-Pro™ or Design-Pro™ door with one of our simulated divided lites (SDL) options. Adhered to the exterior of the glass in classic patterns, SDL enhance the architectural style of the door. Our SDL kits provide everything you need to create an eye-catching look.

Choose a traditional Colonial narrow style or a more contemporary putty (flat profile) style in a narrow or wide width. A variety of SDL configurations are possible depending on the visible glass area of your door.



COLONIAL NARROW
(VS2)

1.125" x .295"




PUTTY PROFILE NARROW
(VS3)

1.125" x .295"



PUTTY PROFILE WIDE
(VS4)


3.5" x .295"



CRAFTSMAN
3-LITE

SIZES
2'8"- 3'0"x 6'8" & 7'0",
2'8"- 3'0"x 8'0"


PROFILES
VS2, VS3



CRAFTSMAN
6-LITE

SIZES
2'8"- 3'0"x 6'8" & 7'0",
2'8"- 3'0"x 8'0"


PROFILES
VS2, VS3



3/4 VIEW
4-LITE

SIZES
2'10"- 3'0"x 6'8" & 7'0",
2'10"- 3'0"x 8'0"


PROFILES
VS3



3/4 VIEW
6-LITE

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"


PROFILES
VS3



3/4 VIEW
10-LITE

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"


PROFILES
VS3



FULL VIEW
6-LITE

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"


PROFILES
VS3



FULL VIEW
15-LITE

SIZES
2'10"- 3'0"x 8'0"


PROFILES
VS3



3/4 VIEW
9-LITE PRAIRIE

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"


PROFILES
VS3



FULL VIEW
3-LITE WIDE BAR

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"


PROFILES
VS4



FULL VIEW
4-LITE WIDE BAR

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"

PROFILES
VS4



FULL VIEW
5-LITE WIDE BAR

SIZES
2'10"- 3'0"x 6'8",
2'10"- 3'0"x 8'0"

PROFILES
VS4



CRAFTSMAN
2-LITE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"

PROFILES
VS2, VS3



CRAFTSMAN
2-LITE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"


PROFILES
VS2, VS3



3/4 VIEW
2-LITE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"


PROFILES
VS3



3/4 VIEW
3-LITE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"

PROFILES
VS3



3/4 VIEW
5-LITE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"


PROFILES
VS3



FULL VIEW
3-LITE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"

PROFILES
VS3



3/4 VIEW
6-LITE PRAIRIE
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"


PROFILES
VS3



FULL VIEW
3-LITE WIDE BAR
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"


PROFILES
VS4



FULL VIEW
4-LITE WIDE BAR
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"

PROFILES
VS4





FULL VIEW
5-LITE WIDE BAR
SIDELITE

SIZES
1'0"x 6'8" & 7'0"
1'0"x 8'0"

PROFILES
VS4

STEEL



Flush

Door	2'0"	2'4"	2'6"	2'8"
CT-100	•	•	•	•
CT7-100	•	•	•	•
CT8-100	•	•	•	•
GL-100			•	•

Door	2'10"	3'0"	3'6"
CT-100	•	•	•
CT7-100	•	•	•
CT8-100	•	•	
GL-100	•	•	



6-Panel

Door	2'6"	2'8"	2'10"	3'0"	3'6"
CT-60	•	•	•	•	•
CT7-60	•	•	•	•	•
CT8-60	•	•	•	•	

Available in beaded and ovolo sticking



2-Panel Square Top

Door	2'8"	2'10"	3'0"
CT-21	•	•	•
CT7-21	•	•	•
CT8-21	•	•	•

Available in beaded sticking



2-Panel Arch Top

Door	2'8"	2'10"	3'0"
CT-20	•	•	•



2-Panel Plank Arch Top

Door	2'8"	2'10"	3'0"
CT-24	•	•	•



2-Panel 3/4 Top

Door	2'8"	2'10"	3'0"
CT-28	•	•	•
CT7-28	•	•	•
CT8-28	•	•	•



3-Panel Craftsman Raised

Door	2'6"	2'8"	2'10"	3'0"
CC-30	•	•	•	•
CC7-30	•	•	•	•

Available in craftsman raised sticking




3-Panel Equal

Door	2'8"	2'10"	3'0"
CT-33	•	•	•
CT7-33	•	•	•
CT8-33	•	•	•



4-Panel Equal


Door	2'8"	2'10"	3'0"
CT-44	•	•	•
CT7-44	•	•	•
CT8-44	•	•	•



1-Panel Flat

Door	2'8"	2'10"	3'0"
CT-FP-1	•	•	•
CT7-FP-1	•	•	•

Available in flat sticking



2-Panel Flat

Door	2'8"	2'10"	3'0"
CT-FP-2	•	•	•
CT7-FP-2	•	•	•

Available in flat sticking



3-Panel Craftsman Flat

Door	2'8"	2'10"	3'0"
CT-FP-3	•	•	•
CT7-FP-3	•	•	•

Available in flat sticking



CT = 6'8" CT7 = 7'0" CT8 = 8'0"

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

STEEL



Full View

Door	2'0"	2'4"	2'6"	2'8"
CT-686CL	•	•	•	•
CT7-686CL	•	•	•	•
CT8-686CL	•	•	•	•
GL-686CL			•	•



3-Lite Equal

Door	2'8"	2'10"	3'0"
CT-303CL	•	•	•
CT7-303CL	•	•	•



4-Lite Equal

Door	2'8"	2'10"	3'0"
CT-404CL	•	•	•
CT7-404CL	•	•	•
CT8-404CL	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"	3'6"
CT-919CL	•	•	•	•
CT7-919CL	•	•	•	•
CT8-919CL	•	•	•	
GL-919CL	•	•	•	



1-Panel 3/4 View

Door	2'8"	2'10"	3'0"
CT-28CL	•	•	•
CT7-28CL	•	•	•
CT8-28CL	•	•	•



2-Panel 3/4 View

Door	2'8"	2'10"	3'0"
CT-607CL	•	•	•
CT7-607CL	•	•	•



1-Panel 1/2 View

Door	2'8"	2'10"	3'0"
CT-684CL-1P	•	•	•
CT7-684CL-1P	•	•	•




1-Panel Plank 1/2 View

Door	2'8"	2'10"	3'0"
CT-684CL-1PL	•	•	•
CT7-684CL-1PL	•	•	•



1-Panel 1/2 View
Camber Top

Door	2'8"	2'10"	3'0"
CT-673CL-1P	•	•	•
CT7-673CL-1P	•	•	•



1-Panel Plank 1/2 View
Camber Top

Door	2'8"	2'10"	3'0"
CT7-673CL-1PL	•	•	•



2-Panel 1/2 View

Door	2'6"	2'8"	2'10"	3'0"
CT-684CL	•	•	•	•
CT7-684CL	•	•	•	•
CT8-684CL		•	•	•



2-Panel 1/2 View
Camber Top

Door	2'6"	2'8"	2'10"	3'0"
CT-673CL	•	•	•	•
CT7-673CL	•	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
CT-692CL	•	•	•
CT7-692CL	•	•	•
CT8-692CL	•	•	•



Twin 3/4 View

Door	2'8"	2'10"	3'0"
CT-422CL	•	•	•
CT7-422CL	•	•	•



2-Panel 3/4 Oval

Door	2'8"	2'10"	3'0"
CT-949-2PCL	•	•	•
CT7-949-2PCL	•	•	•



Craftsman Raised 1-Lite

Door	2'6"	2'8"	2'10"	3'0"
CC-866LE	•	•	•	•
CC7-866LE	•	•	•	•



Craftsman Flat 1-lite

Door	2'8"	2'10"	3'0"
CT-FP-C2CL	•	•	•
CT7-FP-C2CL	•	•	•



3-Panel Equal 1-Lite

Door	2'8"	2'10"	3'0"
CT-301CL	•	•	•
CT7-301CL	•	•	•



4-Panel Equal 1-Lite

Door	2'8"	2'10"	3'0"
CT-401CL	•	•	•
CT7-401CL	•	•	•
CT8-401CL	•	•	•



Camber Top

Door	2'8"	2'10"	3'0"
CT-648CL	•	•	•
CT7-648CL	•	•	•

CT = 6'8" CT7 = 7'0" CT8 = 8'0"


Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

STEEL



Sunburst

Door	2'8"	2'10"	3'0"
CT-659CL	•	•	•
CT7-659CL	•	•	•



Square

Door	2'0"	2'4"	2'6"	2'8"
CT-696CL	•	•	•	•
CT7-696CL	•	•	•	•
GL-696CL			•	•

Door	2'10"	3'0"	3'6"
CT-696CL	•	•	•
CT7-696CL	•	•	•
GL-696CL	•	•	



Twin Top Lite

Door	2'8"	2'10"	3'0"
CT-680CL	•	•	•
CT7-680CL	•	•	•



Full View Sidelite

Sidelite	10"	1'0"	1'2"
CT-690CL	•	•	•
CT7-690CL		•	•
CT8-690CL		•	•



3/4 View Sidelite

Sidelite	1'0"	1'2"
CT-422CL	•	•
CT7-422CL	•	•



Craftsman
Full View Sidelite

Sidelite	1'0"	1'2"
CC-819LE	•	•
CC7-819LE	•	•



*SMOOTH PRO™
1-PANEL 3/4 VIEW FRAMELESS CLEAR GLASS WITH 4-LITE SDL IN BLACK*

See decorative & privacy glass options starting on page 34

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.



*SMOOTH-PRO™
FULL VIEW ATHERTON GLASS IN BLACK*



*SMOOTH-PRO™
3/4 VIEW EASTFIELD GLASS IN CUSTOM PAINT*

EXTERIOR DOOR GLASS DESIGNS

Decorative glass inserts can elevate the look of your entry door. Choose your level of privacy and optional caming for added detail.



CLEAR GLASS OPTIONS

Clear glass inserts maximize natural light to create a clean, open, and inviting feel at the home's entryway.



PRIVACY GLASS OPTIONS

Textured and obscure glass options allow some light to shine through while maintaining your preferred level of privacy.



DETAILED CAMING OPTIONS

Add visual interest to your entryway with decorative glass designs with various caming options.



DIRECT GLAZE/FRAMELESS

Direct glaze glass options offer a wider viewing area and clean design. Available for Smooth-Pro™ and Design-Pro™ doors.



SIMULATED DIVIDED LITES (SDL)

Add simulated divided lites to your direct glaze door for visual interest. Available for Smooth-Pro™ and Design-Pro™ doors.



GRILLES BETWEEN GLASS (GBG)

Grilles between glass are installed between the panes of glass, making them an attractive, low-maintenance option. They create the timeless appearance of traditional grilles while making it easy to clean both interior and exterior glass surfaces.

CAMING



Patina



Antique Brass



Brass



Platinum



Wrought Iron

GLASS PRIVACY RATING

1 2 3 4 5 6 7 8 9 10



CLEAR

OBSCURE

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.

FULL VIEW



SMOOTH-PRO™
FULL VIEW ATHERTON GLASS IN BLACK



ATHERTON*



CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

BALLANTYNE*



CAMING	Patina
SIDELITE	•
PRIVACY RATING	9

BREVARD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	8

CALDWELL



CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9

DILWORTH

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9

EASTFIELD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



ELIZABETH

CAMING	Brass
SIDELITE	•
PRIVACY RATING	8

HARRIS

CAMING	Patina
SIDELITE	•
PRIVACY RATING	8

MCALPINE

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

MONTCLAIRE

CAMING	Wrought Iron
SIDELITE	•
PRIVACY RATING	9

SARDIS*



CAMING	Antique Brass
SIDELITE	•
PRIVACY RATING	6

SELWYN


CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

*Available in Frameless/Direct Glaze

Decorative, Privacy, and Clear glass available in Design-Pro™, Smooth-Pro™, and Steel doors.
Direct Glaze glass & SDL only available for Smooth-Pro™ and Design-Pro™ doors.

Glass available in impact

FULL VIEW



TRYON

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



6-LITE*



SIDELITE	•
PRIVACY RATING	0



15-LITE



SIDELITE	•
PRIVACY RATING	0



3-LITE WIDE BAR*




SIDELITE	•
PRIVACY RATING	0



4-LITE WIDE BAR*



SIDELITE	•
PRIVACY RATING	0



5-LITE WIDE BAR*



SIDELITE	•
PRIVACY RATING	0



PRAIRIE



SIDELITE	•
PRIVACY RATING	0



BLANCA*



SIDELITE	•
PRIVACY RATING	9



MICRO GRANITE*



SIDELITE	•
PRIVACY RATING	9



RAIN*



SIDELITE	•
PRIVACY RATING	9



STREAMED

SIDELITE	•
PRIVACY RATING	9



VAPOR

SIDELITE	•
PRIVACY RATING	6

*Available in Frameless/Direct Glaze

3/4 VIEW



*SMOOTH-PRO™
1-PANEL ¾ VIEW EASTFIELD GLASS IN CUSTOM PAINT*

3/4 VIEW



ATHERTON*

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



BALLANTYNE*

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



BREVARD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	8



CALDWELL

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



DILWORTH

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



EASTFIELD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



ELIZABETH

CAMING	Flat Brass
SIDELITE	•
PRIVACY RATING	8



HARRIS

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



MCALPINE

CAMING	Patina
SIDELITE	•
PRIVACY RATING	0



MONTCLAIRE

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



SARDIS*


CAMING	Antique Brass
SIDELITE	•
PRIVACY RATING	6



SELWYN


CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

*Available in Frameless/Direct Glaze



TRYON


CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



4-LITE*



SIDELITE	•
PRIVACY RATING	0



6-LITE*




SIDELITE	•
PRIVACY RATING	0



8-LITE



SIDELITE	•
PRIVACY RATING	0



10-LITE*



SIDELITE	•
PRIVACY RATING	0



PRAIRIE*



SIDELITE	•
PRIVACY RATING	0



BLANCA*



SIDELITE	•
PRIVACY RATING	9



MICRO GRANITE*



SIDELITE	•
PRIVACY RATING	9



RAIN*



SIDELITE	•
PRIVACY RATING	9



STREAMED

SIDELITE	•
PRIVACY RATING	9



VAPOR

SIDELITE	•
PRIVACY RATING	6

3/4 VIEW OVAL



BREVARD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	8



MCALPINE

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



CLEAR

SIDELITE	•
PRIVACY RATING	0



*Available in Frameless/Direct Glaze

1/2 VIEW



SMOOTH-PRO™
1-PANEL 1/2 VIEW ELIZABETH GLASS IN SERENITY

1/2 VIEW



BALLANTYNE* 

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



BREVARD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	8



CALDWELL

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



DILWORTH

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



EASTFIELD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



ELIZABETH

CAMING	Flat Brass
SIDELITE	•
PRIVACY RATING	8



HARRIS

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



MCALPINE

CAMING	Patina
SIDELITE	•
PRIVACY RATING	0



SARDIS* 


CAMING	Antique Brass
SIDELITE	•
PRIVACY RATING	6



SELWYN

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

*Available in Frameless/Direct Glaze



4-LITE



SIDELITE	•
PRIVACY RATING	0



9-LITE



SIDELITE	•
PRIVACY RATING	0



PRAIRIE



SIDELITE	•
PRIVACY RATING	0



BLANCA*



SIDELITE	•
PRIVACY RATING	9



MICRO GRANITE*



SIDELITE	•
PRIVACY RATING	9



RAIN*



SIDELITE	•
PRIVACY RATING	9



STREAMED

SIDELITE	•
PRIVACY RATING	9



VAPOR

SIDELITE	•
PRIVACY RATING	6

*Available in Frameless/Direct Glaze

CRAFTSMAN



SMOOTH-PRO™
2-PANEL CRAFTSMAN BALLANTYNE GLASS IN STATEMENT COLLECTION BLACK CHERRY



BALLANTYNE* BREVARD

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9

CAMING	Patina
SIDELITE	•
PRIVACY RATING	8

DILWORTH

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9

ELIZABETH

CAMING	Flat Brass
SIDELITE	•
PRIVACY RATING	9

HARRIS

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

MONTCLAIRE

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



SARDIS*

CAMING	Antique Brass
SIDELITE	•
PRIVACY RATING	6

SELWYN

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

TRYON

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7

MICRO GRANITE*

SIDELITE	•
PRIVACY RATING	9

RAIN*

SIDELITE	•
PRIVACY RATING	9

VAPOR

SIDELITE	•
PRIVACY RATING	6



DESIGN-PRO™
FIR 2-PANEL CRAFTSMAN CLEAR GLASS WITH 6-LITE EXTERNAL GRILLES IN HAZELNUT



3-LITE*



SIDELITE	•
PRIVACY RATING	9



6-LITE*



SIDELITE	•
PRIVACY RATING	6

*Available in Frameless/Direct Glaze

CAMBER TOP



BALLANTYNE 

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



BREVARD

CAMING	Patina
SIDELITE	•
PRIVACY RATING	9



CALDWELL

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



TRYON

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



HARRIS

CAMING	Patina
SIDELITE	•
PRIVACY RATING	8

SUNBURST



SELWYN

CAMING	Patina
SIDELITE	•
PRIVACY RATING	7



CLEAR 

SIDELITE	•
PRIVACY RATING	0



BREVARD

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	8



CALDWELL

CAMING	Platinum
SIDELITE	•
PRIVACY RATING	9



CLEAR 

SIDELITE	•
PRIVACY RATING	0

PAINT & STAIN COLORS

PAINT COLORS

							
Modern White	Brilliant White	Ash	Gray Pearl	Desert Sand	Reclaimed Bark	Organic Gray	Renew
							
Flower Sprout	Revival Blue	Marine	Colony	Salty Tide	Serenity	Blush Silk	Sunset Quartz
							
Warm Hibiscus	Cranberry	Currant	Fresh Fig	Clay Hearth	Harvest	Dark Chocolate	Steele Gray
							
Chestnut Bronze	Black						

Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.




STEEL
3-PANEL CRAFTSMAN IN CRANBERRY




SMOOTH-PRO™
1-PANEL ¾ VIEW FRAMELESS CLEAR
GLASS WITH 10-LITE SDL IN SERENITY


STATEMENT™ COLLECTION STAIN COLORS




DESIGN-PRO™ OAK STAIN COLORS




DESIGN-PRO™ FIR STAIN COLORS



Actual colors may vary from samples shown due to printing process and/or differing monitor calibrations.



SMOOTH-PRO™
1-PANEL ½ VIEW VAPOR GLASS IN STATEMENT™ COLLECTION DENIM



DESIGN-PRO™
FIR FULL VIEW SELWYN GLASS IN AMARETTO

FIRE-RATED DOORS



Add peace of mind without compromising your design. JELD-WEN fire-rated door systems are engineered to conform to 20-minute or 90-minute fire code requirements.

A fire-rated door system is effective only if the home also has proper wall thickness to prevent the spread of fire.

FIBERGLASS 20-MINUTE FIRE-RATED DOORS DESIGN-PRO™ AND SMOOTH-PRO™



2-Panel Arch Top

Door	2'8"	2'10"	3'0"
20DF-20	•	•	•
20SP-20	•	•	•
20DF8-20	•	•	•
20SP8-20	•	•	•



2-Panel Square Top

Door	2'8"	2'10"	3'0"
20DF-21	•	•	•
20SP-21	•	•	•
20DF8-21	•	•	•
20SP8-21	•	•	•



6-Panel

Door	2'6"	2'8"	2'10"	3'0"
20DO-60	•	•	•	•
20DF-60	•	•	•	•
20SP-60	•	•	•	•
20DO8-60	•	•	•	•
20DF8-60	•	•	•	•
20SP8-60	•	•	•	•



Flush

Door	2'0"	2'4"	2'6"
20SP-100	•	•	•
20DO-100	•	•	•
20DO8-100	•	•	•
20SP8-100	•	•	•

Door	2'8"	2'10"	3'0"
20SP-100	•	•	•
20DO-100	•	•	•
20DO8-100	•	•	•
20SP8-100	•	•	•



2-Panel Arch Plank

Door	2'8"	2'10"	3'0"
20DF-24	•	•	•
20SP-24	•	•	•
20DF8-24	•	•	•
20SP8-24	•	•	•



2-Panel Euro


Door	2'8"	2'10"	3'0"
20DO-27	•	•	•
20SP-27	•	•	•



2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"
20DO8-26	•	•	•
20SP8-26	•	•	•

STEEL FIRE-RATED DOORS



20-MINUTE FIRE-RATED DOOR SYSTEMS

Flush

Door	2'0"	2'6"	2'8"	2'10"	3'0"
20CT-100	•	•	•	•	•

2-Panel Arch Top

Door	2'8"	2'10"	3'0"
20CT-20	•	•	•

2-Panel Square Top

Door	2'8"	2'10"	3'0"
20CT-21	•	•	•

90-MINUTE FIRE-RATED DOOR SYSTEMS

Flush

Door	2'0"	2'6"	2'8"	2'10"	3'0"	3'6"
90CT-100	•	•	•	•	•	•
90CT7-100	•	•	•	•	•	•
90CT8-100	•	•	•	•	•	•

2-Panel Arch Top

Door	2'8"	2'10"	3'0"
90CT-20	•	•	•

2-Panel Square Top

Door	2'8"	2'10"	3'0"
90CT-21	•	•	•
90CT7-21	•	•	•



20-MINUTE FIRE-RATED DOOR SYSTEMS

2-Panel Arch Top Plank

Door	2'8"	2'10"	3'0"
20CT-24	•	•	•

3-Panel Craftsman Raised

Door	2'6"	2'8"	2'10"	3'0"
20CC-30	•	•	•	•

6-Panel

Door	2'6"	2'8"	2'10"	3'0"
20CT-60	•	•	•	•

90-MINUTE FIRE-RATED DOOR SYSTEMS

2-Panel Arch Top Plank


Door	2'8"	2'10"	3'0"
90CT-24	•	•	•

3-Panel Craftsman Raised

Door	2'6"	2'8"	2'10"	3'0"
90CC-30	•	•	•	•
90CC7-30	•	•	•	•

6-Panel

Door	2'6"	2'8"	2'10"	3'0"	3'6"
90CT-60	•	•	•	•	•
90CT7-60	•	•	•	•	•
90CT8-60	•	•	•	•	•



20-MINUTE FIRE-RATED DOOR SYSTEMS

1-Panel Flat

Door	2'8"	2'10"	3'0"
20CT-FP-1	•	•	•

2-Panel Flat

Door	2'8"	2'10"	3'0"
20CT-FP-2	•	•	•

3-Panel Flat

Door	2'8"	2'10"	3'0"
20CT-FP-3	•	•	•

90-MINUTE FIRE-RATED DOOR SYSTEMS

1-Panel Flat

Door	2'8"	2'10"	3'0"
90CT-FP-1	•	•	•
90CT7-FP-1	•	•	•

2-Panel Flat

Door	2'8"	2'10"	3'0"
90CT-FP-2	•	•	•
90CT7-FP-2	•	•	•

3-Panel Flat

Door	2'8"	2'10"	3'0"
90CT-FP-3	•	•	•
90CT7-FP-3	•	•	•



IMPACT-RATED AND COASTAL DOORS

JELD-WEN is dedicated to making doors that perform reliably in any climate and offers door systems that stand up to salt air, coastal moisture, severe winds, and dangerous windborne debris.

JELD-WEN coastal door systems not only protect your home from weather-related damage, but are also well suited for areas where heightened security is a concern.

Our Steel, Smooth-Pro™ fiberglass, and Design-Pro™ fiberglass door collections include impact-rated options. Choose an all-panel, opaque door or a door with impact-rated glass. Contact your local dealer for available options.

MISSILE IMPACT TESTING

Meeting the WBDR and HVHZ requirements involves stringent performance evaluations. To pass the missile impact test, the door unit must withstand an 8-foot-long 2" x 4" being fired at 35 mph at designated spots on the door surface and glass unit. After this, the system must remain intact through 9000 pressure cycles to simulate the winds of a hurricane.



2" x 4" fired at 35 miles per hour



IMPACT!



Remains intact through 9000 pressure cycles



	Available Product	Door Options	Building Codes
Windborne Debris Region (WBDR)	- Standard Fiberglass - Steel	- All Panel - Impact Glass Only	- Florida Building Code - Texas Dept. of Insurance - National & Regional Codes
High Velocity Hurricane Zone (HVHZ)	- Reinforced Fiberglass - Steel	- All Panel - Impact Glass Only	HVHZ Areas of Florida

Visit www.jeld-wen.com and your JELD-WEN dealer for specific details on door systems requiring coastal certifications. Always check with local building codes in your area. Doors must be installed in accordance with JELD-WEN product approvals.



*SMOOTH-PRO™
4-PANEL CAMBER TOP TRYON GLASS IN CUSTOM PAINT*








ADA-COMPLIANT DOORS

STEEL ADA DOOR OFFERING




Design Name	Item #	Heights	34"	36"	42"	Bottom Rail Height
Flush	CT-100	79"	X	X	X	N/A
	CT7-100	83"	X	X	X	N/A
	CT8-100	95"	X	X		N/A
	GL-100	79"	X	X		N/A
1-Panel Flat	CT-FP-1 ADA	79"	X	X		10.125"
	CT7-FP-1	83"	X	X		12.875"
		95"				
2-Panel Flat	CT-FP-2 ADA	79"	X	X		10.125"
	CT7-FP-2	83"	X	X		12.875"
		95"				
2-Panel Square Top	CT-21 ADA	79"	X	X		10.125"
	CT7-21	83"	X	X		12.875"
	CT8-21	95"	X	X		10.125"
2-Panel Arch Top	CT-20 ADA	79"	X	X		10.125"
	CT7-20	83"	X	X		12.875"
		95"				
2-Panel Arch Top Plank	CT-24 ADA	79"	X	X		10.125"
	CT7-24	83"	X	X		12.875"
		95"				
2-Panel Euro	CT-28	79"	X	X		10.125"
	CT7-28	83"	X	X		12.875"
	CT8-28	95"	X	X		10.125"
Craftsman 3-Panel Flat	CT-FP- ADA	79"	X	X		10.125"
	CT7-FP-3	83"	X	X		12.875"
		95"				
Craftsman 3-Panel Raised		79"				
	CC7-30	83"	X	X		12.375"
		95"				
3-Panel Equal	CT-33	79"	X	X		10.125"
	CT7-33	83"	X	X		12.875"
	CT8-33	95"	X	X		10.125"
4-Panel Equal	CT-44	79"	X	X		10.125"
	CT7-44	83"	X	X		12.875"
	CT8-44	95"	X	X		10.125"

These slabs may be paired with the appropriate frames, hinges, and hardware to create ADA-compliant door systems. ADA design standard requirements may vary depending on the specific nature of each project. Consult local building code authorities for ADA compliance and local code requirements.










Design Name	Item #	Heights	34"	36"	42"	Bottom Rail Height
6-Panel	CT-60 ADA	79"	X	X		10.125"
	CT7-60	83"	X	X		12.875"
	CT8-60	95"	X	X		12.375"
4-Panel Blank Top		79"				
	CT-40BT	83"	X	X		13"
		95"				
Full View	CT-639 ADA	79"				12.875"
	CT-686 ADA	79"	X	X		12.875"
	CT7-686	83"	X	X	X	12.4375"
	CT8-686	95"	X	X		12.875"
	ADA GL-638	79"	X	X	X	12.875"
	ADA GL-639	79"				12.875"
Full Oval	CT-919	79"	X	X	X	12.0625"
	CT7-919	83"	X	X	X	16.0625"
	CT8-919	95"	X	X		19.3125"
	GL-919	79"	X	X		12.0625"
3/4 View 1-Panel	CT-28	79"	X	X		10.125"
	CT7-28	83"	X	X		12.875"
	CT8-28	95"	X	X		10.125"
3/4 View Oval 1-Panel	CT-949-2P	79"	X	X		10.125"
	CT7-949-2P	83"	X	X		12.875"
		95"				
1/2 View 1-Panel	CT-684-1P ADA	79"	X	X		10.125"
	CT7-684-1P	83"	X	X		12.875"
	CT8-684-1P	95"	X	X		10.125"
1/2 View 1-Panel Plank	CT-684-1PL ADA	79"	X	X		10.125"
	CT7-684-1PL	83"	X	X		12.875"
		95"				
1/2 View 2-Panel		79"				
	CT7-684	83"	X	X		12.875"
	CT8-684	95"	X	X		12.375"
1/2 View Camber Top 1-Panel	CT-673-1P ADA	79"	X	X		10.125"
	CT7-673-1P	83"	X	X		12.875"
		95"				
1/2 View Camber Top 1-Panel Plank	CT-673-1PL ADA	79"	X	X		10.125"
	CT7-673-1PL	83"	X	X		12.875"
		95"				
1/2 View Camber Top 2-Panel		79"				
	CT7-673-2P	83"	X	X		12.875"
		95"				









Design Name	Item #	Heights	34"	36"	42"	Bottom Rail Height
Twin 1/2 View		79"				
	CT7-692	83"	X	X		12.875"
	CT8-692	95"	X	X		12.375"
Craftsman 2-Panel Flat 1-Lite		79"				
	CT7-FP-C2	83"	X	X		12.875"
		95"				
Craftsman Lite 2-Panel Raised 1-Lite		79"				
	CC7-866	83"	X	X		12.375"
		95"				
3-Panel Equal 1-Lite	CT-301	79"	X	X		10.125"
	CT7-301	83"	X	X		12.875"
		95"				
3-Panel Equal 3-Lite		79"				
	CT7-303	83"	X	X		12.375"
		95"				
4-Panel Equal 1-Lite	CT-401	79"	X	X		10.125"
	CT7-401	83"	X	X		12.875"
	CT8-401	95"	X	X		10.125"
4-Panel Equal 4-Lite		79"				
	CT7-404	83"	X	X		12.375"
		95"				
Camber Top		79"				
	CT7-648	83"	X	X		12.8125"
		95"				
Sunburst		79"				
	CT7-659	83"	X	X		12.875"
		95"				
4-Panel Top Lite		79"				
	CT7-622	83"	X	X		12.875"
		95"				
Square	CT-696	79"	X	X	X	57.4375"
	CT7-696	83"	X	X	X	61.4375"
	GL-696	79"	X	X		57.4375"
Diamond	CT-412	79"	X	X	X	57.6875"
	CT7-412	83"	X	X	X	12.8125"
	GL-412	79"	X	X		57.6875"
Twin Top Lite		79"				
	CT7-680	83"	X	X		12.875"
		95"				

FIBERGLASS ADA DOOR OFFERING

	Design Name	Item #	Heights	34"	36"	Bottom Rail Height
	Flush	DF-100	79"	X	X	N/A
		DF7-100	83"	X	X	N/A
		DF8-100	95"	X	X	N/A
		DO-100	79"	X	X	N/A
		DO7-100	83"	X	X	N/A
		DO8-100	95"	X	X	N/A
		SP-100	79"	X	X	N/A
		SP7-100	83"	X	X	N/A
		SP8-100	95"	X	X	N/A
		TW-100	79"	X	X	N/A
		TW7-100	83"	X	X	N/A
		TW8-100	95"	X	X	N/A
	2-Panel Square Top	ADA-DF-21	79"	X	X	10.125"
		DF7-21	83"	X	X	11"
		ADA-DF8-21	95"	X	X	10.125"
		ADA-SP-21	79"	X	X	10.125"
		SP7-21	83"	X	X	11"
		ADA-SP8-21	95"	X	X	10.125"
	2-Panel Arch Top	ADA-DF-20	79"	X	X	10.125"
		DF7-20	83"	X	X	11"
			95"			
	2-Panel Arch Top Plank	ADA-DF-24	79"	X	X	10.125"
		DF7-24	83"	X	X	11"
		ADA-DF8-24	95"	X	X	10.125"
		ADA-SP-24	79"	X	X	10.125"
		SP7-24	83"	X	X	11"
		ADA-SP8-24	95"	X	X	10.125"
	Craftsman 3-Panel Flat		79"			
			83"			
		SP-866	95"	X	X	12.625"
			79"			
			83"			
		DF-866	95"	X	X	10.125"
	6-Panel	ADA-DF-60	79"	X	X	10.125"
		DF7-60	83"	X	X	11"
		ADA-DF8-60	95"	X	X	10.125"
		ADA-SP-60	79"	X	X	10.125"
		SP7-60	83"	X	X	11"
		ADA-SP8-60	95"	X	X	10.125"







Design Name	Item #	Heights	34"	36"	Bottom Rail Height
Full View	ADA-DF-686	79"	X	X	10.125"
	DF7-686	83"	X	X	10.625"
		95"			
	ADA DF-638	79"	X	X	12.5625"
		83"			
	ADA DF8-618	95"	X	X	12.625"
	ADA-DO-686	79"	X	X	10.125"
	DO7-686	83"	X	X	10.625"
		95"			
	ADA DO-638	79"	X	X	12.5625"
		83"			
	ADA DO8-618	95"	X	X	12.625"
	ADA-SP-686	79"	X	X	10.125"
	SP7-686	83"	X	X	10.625"
		95"			
	ADA SP-638	79"	X	X	12.5625"
		83"			
	ADA SP8-618	95"	X	X	12.625"
	ADA-TW-686	79"	X	X	10.125"
	TW7-686	83"	X	X	10.625"
		95"			
	ADA TW-638	79"	X	X	12.5625"
		83"			
	ADA TW8-618	95"	X	X	12.625"
Full View Round Top	ADA SP-636	79"	X	X	10.125"
	SP7-636	83"	X	X	10.6875"
		95"			
	ADA TW-636	79"	X	X	10.125"
	TW7-636	83"	X	X	10.6875"
		95"			
1/2 View 1-Panel	ADA-DF-684-1P	79"	X	X	10.125"
	DF7-684-1P	83"	X	X	11"
	ADA-DF8-684-1P	95"	X	X	10.125"
	ADA-SP-684-1P	79"	X	X	10.125"
	SP7-684-1P	83"	X	X	11"
	ADA-SP8-684-1P	95"	X	X	10.125"



Design Name	Item #	Heights	34"	36"	Bottom Rail Height
1/2 View 1-Panel Plank	ADA-DF-684-1PL	79"	X	X	10.125"
	DF7-684-1PL	83"	X	X	10.6875"
		95"			
	ADA-SP-684-1PL	79"	X	X	10.125"
	SP7-684-1PL	83"	X	X	10.6875"
		95"			
1/2 View 2-Panel	ADA-DF-684	79"	X	X	10.125"
	DF7-684	83"	X	X	11"
	ADA-DF8-684	95"	X	X	10.125"
	ADA-SP-684	79"	X	X	10.125"
	SP7-684	83"	X	X	11"
	ADA-SP8-684	95"	X	X	10.125"
Craftsman 2-Panel 1-Lite	ADA - DFC-866	79"	X	X	10.125"
	DFC7-866	83"	X	X	11"
	DFC8-866	95"	X	X	10.125"
	ADA -DOC-866	79"	X	X	10.125"
	DOC7-866	83"	X	X	11"
		95"			
Craftsman 2-Panel 1-Lite (Continued)	ADA - SPC-866	79"	X	X	10.125"
	SPC7-866	83"	X	X	11.06"
	SPC8-866	95"	X	X	10.125"
	ADA - TWC-866	79"	X	X	10.125"
	TWC7-866	83"	X	X	11.06"
		95"			
4-Lite	ADA DF-662	79"	X	X	10.125"
	DF7-662	83"	X	X	10.6875"
		95"			
	ADA SP-662	79"	X	X	10.125"
	SP7-662	83"	X	X	10.6875"
		95"			
Twin top lite	ADA DF-680	79"	X	X	10.125"
	DF7-680	83"	X	X	10.6875"
		95"			
	ADA SP-680	79"	X	X	10.125"
	SP7-680	83"	X	X	10.6875"
		95"			

These slabs may be paired with the appropriate frames, hinges, and hardware to create ADA-compliant door systems. ADA design standard requirements may vary depending on the specific nature of each project. Consult local building code authorities for ADA compliance and local code requirements.

DIRECT GLAZE FIBERGLASS ADA DOOR OFFERING



Design Name	Item #	Heights	34"	36"	Bottom Rail Height
Full View	DF-686DG	79"	X	X	10.375"
	DF7-686DG	83"	X	X	12.875"
	DF8-686DG	95"	X	X	10.375"
	SP-686DG	79"	X	X	10.375"
	SP7-686DG	83"	X	X	12.875"
	SP8-686DG	95"	X	X	10.375"
3/4 View 1-Panel	ADA-DF-607DG-1P	79"	X	X	10.125"
	DF7-607DG-1P	83"	X	X	11.06"
		95"			
	ADA-SP-607DG-1P	79"	X	X	10.125"
	SP7-607DG-1P	83"	X	X	11.06"
		95"			
1/2 View 2-Panel	ADA-DF-684DG	79"	X	X	10.125"
	DF7-684DG	83"	X	X	11"
		95"			
	ADA-SP-684DG	79"	X	X	10.125"
	SP7-684DG	83"	X	X	11"
		95"			
Craftsman 2-Panel 1-Lite	ADA DFC-866DG	79"	X	X	10.125"
	DFC7-866DG	83"	X	X	11"
		95"			
	ADA SPC-866DG	79"	X	X	10.125"
	SPC7-866DG	83"	X	X	11"
		95"			
Craftsman Beardboard 1-Lite	ADA DFB-866DG	79"	X	X	10.125"
	DFB7-866DG	83"	X	X	11"
		95"			
	ADA SPB-866DG	79"	X	X	10.125"
	SPB7-866DG	83"	X	X	11"
		95"			

These slabs may be paired with the appropriate frames, hinges, and hardware to create ADA-compliant door systems. ADA design standard requirements may vary depending on the specific nature of each project. Consult local building code authorities for ADA compliance and local code requirements.

JELD-WEN® INTERIOR AND EXTERIOR DOOR SLAB AND SYSTEM LIMITED WARRANTY

OUR WARRANTY TO YOU...

JELD-WEN® Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **June 1, 2019** for use in the United States and Canada. Any previous warranties will continue to apply to door products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information, refer to www.jeld-wen.com or www.jeld-wen.ca.

WHAT THIS WARRANTY COVERS

We warrant to the original owner² if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor³ (where deemed necessary by us) to repair or replace any component is provided for **one (1)** year from the date of purchase.

Owner-Occupied Single-Family Residence Limited Warranty

Door Slabs: Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage
Fiberglass Exterior Doors	As long as you own and occupy your residence
Steel Exterior Doors	Ten (10) years
Wood Exterior Doors	Five (5) years
Interior MDF Doors	Ten (10) years
All Other Interior Doors	Five (5) years

Factory Prefinish: We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to the credit indicated per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	10 years	\$350 per opening
Other Fiberglass and Steel Doors	10 years	\$100 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All Other Doors	1 year	\$100 per opening

Door Frames: We warrant our door frames for **one (1)** year from the date of purchase.

AuraLast® Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for **twenty (20)** years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage **for as long as the original consumer owns the home** in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Severe Weather® Glass: We warrant each Severe Weather glass unit for **ten (10)** years.

Retractable Screens: We warrant retractable roll screens for **five (5)** years.

Stress Cracks: Applies to sealed glass units installed in exterior doors. Laminated glass and special glazings are excluded. Coverage for **one (1)** year includes replacement glass and skilled labor³ necessary

to replace the glass. Stress cracks occur when, in the first year after manufacture, the glass develops a crack without sign of impact.

Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

All Door Slabs, Components, Prefinishes, and Options: Warranty coverage is the lesser of five (5) years from the date of purchase or the period indicated above for Owner-Occupied Single-Family Residences.

Transferability

This warranty is not transferable.

HOW TO GET ASSISTANCE

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

In the United States:

Mail: JELD-WEN Customer Care
Attn: Door Warranty Claims
P.O. Box 1329, Klamath Falls, OR 97601
Phone: 800-JELD-WEN (800-535-3936)
Fax: 800-436-5954
Email: CustomerServiceAgents@jeld-wen.com
Web: www.jeld-wen.com/contact-us

In Eastern Canada:

Mail: JELD-WEN Service Department
90, rue Industrielle
Saint-Appollinaire, Quebec, Canada G0S 2E0
Phone: 800-463-1930
Fax: 888-998-1599

In Western Canada:

Mail: JELD-WEN Service Department
550 Munroe Avenue
Winnipeg, Manitoba, Canada R2K 4H3
Phone: 888-945-5627
204-668-8230
Fax: 204-663-1072
Email: wpgservice@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgment within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is approved, and we choose to repair or replace the product or a component of the product, the replacement product/component will be provided in the same specification as the original product or its nearest equivalent current product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

Continued on next page

WHAT THIS WARRANTY DOES NOT COVER

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

JELD-WEN is not liable for damage, product failure or poor product performance due to:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces. Variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Normal wear and tear to hardware and naturally occurring changes to hardware finishes (e.g., corrosion or tarnishing).
- Misuse or abuse; failure to follow the care and maintenance instructions.
- Alteration or modification of the Product (e.g. customer applied peepholes, mail slots, security systems).
- Any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Improper installation not in conformance with JELD-WEN installation instructions (note: see www.jeld-wen.com for current installation instructions); operational problems and problems related to water and/or air infiltration/leaking as a result of improper installation or flaws in building design or construction.
- Installation into a condition that exceeds product design standards and/or certified performance specifications and/or is not in compliance with building codes.
- Improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www.jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Hardware, accessories or inserts that are not provided by us.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).

JELD-WEN is also not liable for:

- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.

- Labor and materials for repainting or refinishing activities or the removal or disposal of defective product(s); labor exceeding the time periods specified above.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

Important Legal Information -- Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Any ensuing arbitration will be venue in Charlotte, North Carolina. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. This warranty shall be interpreted in accordance with the laws of North Carolina (excluding North Carolina's conflict of laws principles). This warranty shall be interpreted in accordance with the laws of Oregon (excluding Oregon's conflict of laws principles). If any provision of this warranty is deemed illegal or unenforceable in a judicial proceeding, that provision shall be severed and excluded, and the remainder of this warranty shall continue in force. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

¹"JELD-WEN Products" shall refer to interior and exterior door slabs and systems marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

²This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory prefinish.

³"Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.

© 2019, JELD-WEN, Inc. | JELD-WEN and AuraLast are registered trademarks of JELD-WEN, Inc.



JELD-WEN is proud to be part of the JELD-WEN global family of product brands and companies.
© 2026 JELD-WEN, Inc. All rights reserved. JELD-WEN, the JELD-WEN Logo, and the JW Logo are registered trademarks of JELD-WEN, Inc. DESIGN-PRO, SMOOTH-PRO, and STATEMENT COLLECTION are trademarks of JELD-WEN, Inc.
10-568 03/26