

Enhanced MSO + UAN Surfactant & Water Conditioning Agents

PRECAUTIONARY STATEMENT

Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wash all exposed external body areas thoroughly after handling.

IN CASE OF FIRE: Use alcohol resistant foam, CO2, powder or water spray as extinguishing media.

DANGER: KEEP OUT OF REACH OF CHILDREN





Causes serious eye irritation. May cause respiratory irritation. Causes skin irriation.

GENERAL INFORMATION

Caldron is a 4-in-1 formula, combining MSO, UAN, Surfactants & Water Conditioning Agents, making this one of the most beneficial products to run with your spray applications.

DIRECTIONS FOR USE

Shake well before use. Fill spray tank 1/2 full of water and begin agitation. Add herbicides/pesticides as directed by label, while maintaining agitation. After herbicides/pesticides are thoroughly mixed, add Caldron at recommended rate. Refer to herbicide/pesticide label being used regarding specific adjuvant use recommendations.

Seller makes no warranty of fitness or merchantability. Buyer agrees that sellers maximum liability shall not exceed the purchase price of this product.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF IN EYES: hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF SWALLOWED: Have a person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

CALL A POISON CONTROL CENTER: 800-222-1222 OR DOCTOR IMMEDIATELY IF SYMPTOMS OCCUR OR YOU FEEL UNWELL.

STORAGE AND DISPOSAL

Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco. Remove and wash contaminated clothing before reuse. Personal protective equipment: Wear chemical-resistant gloves, long-sleeved shirt and long pants, socks and shoes.

RATE OF CALDRON

- Follow Herbicide/Pesticide label recommendations for adjuvants.
- 2-8 qts per 100 gallons spray mixture for herbicides/pesticides, that include active ingredients such as; but not limited to, bentazon, metribuzin, paraquat, glyphosate, flufosinate, diquat, imazamox, tembotrione, diflufenzopyr, dicamba, 2,4-D, flucarbazone, clethodim, mesosulfuron-methyl, propoxycarbazone-sodium, or other herbicides benefiting from an oil/nitrogen blend.
- For tank mixes that include glyphosate, add 1 gallon of Padlock PLUS per 100 gallons of spray mix. Padlock PLUS should be the first ingredient added to the spray water in the tank.

Important: This product has demonstrated excellent plant safety; however, not all species and varieties have been tested. Before treating a large area, treat a small area and observe prior to full scale application.

Principal Functioning Agents

CONTAINS NO NPE OR APE



www.egebio.com PO Box 538 Minneola, KS 67865



2.5 U.S. GALLONS (9.46 L)