



Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Oil Lock
Description	Agricultural Adjuvant

Registered company name	EGE PRODUCTS
Address	450 Cr C Minneola Kansas 67865
Telephone	620-450-4320
Website	www.egebio.com

2. HAZARD IDENTIFICATION

GHS Classification	Eye Irritation, Category 2B, H320
Signal Word	Warning
Hazard Statement	H320: Causes eye irritation

Precautionary Statements	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children P103: Read label before use P264: Wash protective equipment and work clothes thoroughly after handling
Response	P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing P337+P313: If eye irritation persists: Get medical attention or advice.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS number	Percentage
Proprietary Blend	Mixture	100%

4. FIRST AID MEASURES

Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice or attention.
Skin	Wash affected area with plenty of soap and water. Use tepid water if available. Treat symptomatically. If skin irritation occurs: get medical advice or attention. Take off contaminated clothing and wash it before reuse.
Inhaled	Move to fresh air. Call a physician if symptoms develop or persist.
Ingestion	Rinse mouth. Have person sip a glass of water if able to swallow. No NOT induce vomiting, unless told to by a poison control center or doctor. DO not give anything to an unconscious person.

5. FIRE FIGHTING MEASURES

Extinguishing Media	Water spray, alcohol foam, dry chemical, or CO2.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Additional Fire and Explosion Data	Product will burn under fire conditions.
Hazardous Decomposition Materials	Oxides of carbon.

6. ACCIDENTAL RELEASE MEASURES

Personal Protective Equipment	Keep unnecessary personnel away. Keep people away from and upwind of spill. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Containment and Cleanup	This material contains a material classified as a water pollutant under the Clean Water Act and should be prevented from contaminated soil or from entering sewage and drainage systems which lead to waterways. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Used rags or other cleaning material should be soaked with water and placed in a sealed container. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental Precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE

Handling	Keep away from heat, sparks and flame. Keep container sealed when not in use. Safety goggles with full-face shield and eyewash recommended. USDA-accepted nitrile or neoprene rubber recommended. Wear appropriate clothing to prevent repeated or prolonged skin contact. Use only with adequate mechanical exhaust ventilation.
Storage	Product should be stored in a dry place at temperatures between 46 and 100F. Ethylene oxide may collect in container head space. Although concentrations are expected to remain below established exposure limits, provide adequate ventilation when accessing or working with open containers and tanks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits	N/D
----------------------------------	-----

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear appropriate chemical resistant gloves.
Skin protection	Wear appropriate chemical resistant clothing.
Respiratory protection	The use of a NIOSH approved respiratory protection may be needed if working in a poor ventilated area.
General Protection	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors. Wash thoroughly after handling product.
Note	Eye wash fountains and drench showers should be located within a 10 second walk from the work area.
Personal Protection in Case of Large Spill	Splash goggles, full suit, boots and gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Amber Liquid
-------------------	--------------

Odor	Slight odor
pH (1 w% solution)	4-7
Freeze / Melting Point	Not determined
Boiling Point / Range	Not determined
Density (lb/gal)	7.72
Flash Point	Not determined
Color	Not determined
Solubility in Water	Dispersable
Viscosity	Not determined
Odor Threshold	Not determined
Evaporation Rate	Not determined
Upper / Lower Flammability Limits	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Partition Coefficient	Not determined
Auto-Ignition Point	Not determined
Decomposition Temperature	Not determined

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage, and transport.
Possibility of Hazardous Reactions	Hazardous polymerization will not occur
Conditions to Avoid	Heat. Open flame, ignition sources
Incompatible materials	Strong oxidizing agents and reducing agents.
Thermal decomposition Products	Oxides of Carbons.

11. TOXICOLOGY INFORMATION

Acute:	Based on product components		
Oral Toxicity	Oral LD50	Rat	> 5,000 mg/kg
Eye Irritation	Minimally irritating		
Dermal Irritation	Non-irritating		
Dermal Toxicity	LD50	Rat	> 5,050 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not expected to cause significant adverse environmental impact if product reaches waterways.
--------------------	--

13. DISPOSAL CONSIDERATIONS

Disposal Method	Dispose of contents/container in accordance with local/regional/international regulations.
Local Disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Empty Containers	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

14. TRANSPORTATION INFORMATION

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.

15. REGULATORY INFORMATION

TSCA	Components listed
DSL	Components listed

SARA TITLE III

SARA 311/312 Hazardous chemical	Acute Health Hazard
--	---------------------

Other Federal Regulations

Clean Air Act	Contains component(s) regulated under the Clean Air Act.
Clean Water Act	Contains component(s) regulated under the Clean Water Act.

US State Regulations

California Proposition 65	This product can expose you to chemicals including ethylene oxide, which are known to the State of California to cause cancer and birth defects or other reproductive harm.
----------------------------------	---

16. OTHER INFORMATION

Revision Date	11-12-25
Initial Date	10-15-25

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.