

Albany Door Company, Inc.



Fiberglass Doors Fiberglass Sidelights Steel Doors Steel Sidelights Transoms


Door Construction

We feature steel and fiberglass doors from Masonite International, and fiberglass doors from MasterGrain. Albany Door Company offers 25 different paint colors, 12 stain colors, and the option to custom paint more than 200 door styles.


Optimum Security

All doors are made with a reinforced lockset area to provide a rigid, secure base. In addition to the reinforcement on the door slab, Albany Door also installs an 18 gauge steel plate on the strike area of all our wood frame units.

Fiberglass Door Construction




Steel Door Construction



Interlocking Steel Edge

Incorporates six 90° steel bends in each edge ensuring stability and strength.



Reinforced Lockset Area

Provides a rigid base for locksets.



Hinge Reinforcement


The 12-gauge plate riveted inside each door adds extra strength to the hinge area.

Energy Efficiency


Our steel and fiberglass doors provide the kind of energy efficiency that can really contribute to lower home heating and cooling costs. With an average U Value below .30, we design our door units to be as energy efficient as possible.

Albany Door's Weather Fighting Frame System

CONTINUOUS FRAME HEAD
Using a continuous head, sill assembly maximizes the stability of any sidelight unit.*




CONTINUOUS FRAME SILL
The continuous sill system virtually eliminates racking and bending because it is one solid unit. Mill finish shown is standard Brass and Bronze are available.*



Strike Reinforcement

An 18 Gauge Steel Plate is attached to the back side of every wood frame for enhanced security



FRAMESAVER®

The bottom 5 inches of all our exterior frames and moldings are made with a wood composite guaranteed not to wick water



COMPOSITE ADJUSTABLE RISER

Our composite riser is wear resistant, not subject to the effects of water or the transmission of hot and cold while still adjustable to maintain an optimal weather seal.



TRIPLE BOTTOM SEAL
The door seal on all our door bottoms is a bulb, fin, bulb configuration assuring a triple seal against wind and rain.

*In some instances your contractor may deem a box built unit is more appropriate for your particular installation. All our new construction frames are designed to be storm door ready (up to 8-5/8" jamb depth).

Albany Door Company, Inc.

PRE-FINISHED ENTRY DOOR SYSTEM LIMITED WARRANTY

Albany Door Company, Inc., warrants to the original purchaser, that the door system will be free of defects in materials and workmanship under normal use. This warranty covers materials only.

Fiberglass Entry Doors: LIMITED LIFETIME WARRANTY, the door panels are warranted not to shrink, warp, split, crack or delaminate for the lifetime of the door.

Steel Entry Doors: LIMITED 15 YEAR WARRANTY, the door panels are warranted not to shrink, warp, split, crack or delaminate for fifteen (15) years.

Door glass and door glass frames: LIMITED 10 YEAR WARRANTY, glass units, internal blind units, internal muntin units, and glass frames are warranted against seal failure and defects in material and workmanship for a period of ten (10) years from date of installation. This includes doors that are installed with a storm door.

Factory Paint and Stain finishes: LIMITED 7 YEAR/ 1 YEAR WARRANTY, paint and stain finishes on the door unit and glass frame are warranted against flaking, checking, blistering or peeling for a period of seven (7) years. After three years the clear coat on stained surfaces may start to discolor, it is the owner's responsibility to apply a fresh coat of exterior polyurethane in accordance with the manufacturer's instructions. If the factory finish is visibly scratched, scuffed or otherwise damaged, it is the owner's responsibility to repair immediately. Failure to maintain this coating will void this warranty. Paint finishes on the exterior components of the wood frame are warranted against flaking, checking, blistering or peeling for a period of 1 year from date of installation. If the factory finish is visibly scratched, scuffed or otherwise damaged, it is the owner's responsibility to repair immediately. Failure to maintain this coating will void this warranty. Fading is a natural occurring event and is not covered by this warranty.

Standard wood frames and components: LIMITED LIFETIME WARRANTY, door frames will not rot, decay or suffer fungal damage resulting from water absorption through the bottom of the frame. The "Z-Series Composite Threshold" supplied with wood frames also carries a LIMITED LIFETIME WARRANTY.

Steel L-frame, stops and oak adjustable threshold: LIMITED 5 YEAR WARRANTY, replacement frame components are warranted against defects in material and workmanship for five (5) years.

Hardware: LIMITED 5 YEAR WARRANTY, hinges, kick plates, magazine slots, door knockers, peepsites, door closers, are warranted against mechanical defects and tarnishing for a period of five (5) years except hinges with exterior exposure unless those hinges are stainless steel (32D).

Kwikset® locks: LIMITED LIFETIME MECHANICAL, LIMITED LIFETIME FINISH, LIMITED 10 YEAR FINISH, LIMITED 5 YEAR FINISH, L03 finishes are finish warranted against tarnishing for the lifetime of the lock, Chelsea®, Commonwealth®, Hancock® and 780/785 deadbolts with finishes other than L03 are finish warranted against tarnishing for ten (10) years; Montara™, Lido®, Tustin™, Delta® and 660/665 deadbolts with finishes other than L03 are finish warranted against tarnishing for five (5) years. Performance on Kwikset™'s warranty is through their customer service at 1-800-327-LOCK (5625).

Schlage® locks: LIMITED LIFETIME MECHANICAL, LIMITED LIFETIME FINISH, finishes are warranted against tarnishing for the lifetime of the door except for the Oil Rubbed Bronze finish (613) which is designed to improve over time and change in appearance, creating a living finish through daily use and, thus, finish discoloration is not applicable to the warranty. Performance on Schlage™'s warranty is through their customer service at 1-888-805-9837.

The warranty excludes failures which are the result of: (1) Accidents, fires, acids, fumes, chemicals; (2) Improper use; (3) Improper installation; (4) Abuse; (5) Vandalism; (6) Prolonged water infiltration; (7) Acts of God.


NOTHING IN THIS WARRANTY SHALL RENDER ALBANY DOOR COMPANY, INC. IN ANY RESPECT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING ANY DAMAGE TO BUILDINGS OR OTHER PROPERTY, OR FOR ANY INJURIES OR DAMAGE SUSTAINED BY ANY PERSONS WHOMSOEVER. (SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.)

To obtain performance of the warranty notify your contractor or dealer, in writing, of the problem incurred. Have them forward a copy of your notification along with our original invoice number and invoice date to the below address. Within 45 days of receipt of this notice an Albany Door Company, Inc. representative will arrange for inspection. If it is deemed to be a manufacturing defect, Albany Door Company, Inc. will arrange to supply replacement product or part to your contractor or dealer. Albany Door Company, Inc. reserves the right to make changes in any of its products or offerings. If the products covered by this warranty are not available, Albany Door Company, Inc. shall have the right to substitute a product that is of equal or better quality. The purchaser must pay for any and all labor necessary to install the product or replacement part and for the transportation from their contractor or dealer to his or her residence.

Albany Door Company, Inc., 5846 West 66th Street, Bedford Park, IL 60638

Skin Choices


SMOOTH STEEL (S)



MAHOGANY GRAIN FIBERGLASS (MB)




FIR GRAIN FIBERGLASS (FB, MGF)



ALDER GRAIN FIBERGLASS (MGA)



CHERRY GRAIN FIBERGLASS (MGC)



OAK GRAIN FIBERGLASS (ATO/TB)



SMOOTH FIBERGLASS (SB)



SMOOTH FIBERGLASS* (AS/MGS)




Please note - available skin types are dependent on the door style. Not all door styles are available in every skin.

**AS and MGS features a unique brushstroke texture on the surface of the door that's ideal for painting.*

Introducing the

Belleville™ Fiberglass Door Collection,

shaping grand entryways with great looks and maximum design flexibility



HIGH-PERFORMANCE FIBERGLASS FACING

Smooth Belleville facing provides an extra smooth surface for painting that will not dent and resists splitting, cracking and warping.

HIGH-DEFINITION PANEL

New high-definition panel profile provides Smooth Belleville with excellent shadow lines and distinct panel designs.

STILE AND RAIL

Smooth Belleville replicates the appearance of a wood door with stile and rail detail.

POLYURETHANE CORE

Rigid polyurethane foam, meeting strict environmental guidelines, provides maximum thermal protection and dimensional stability.

TRUE SQUARE-EDGE DESIGN

The square-edge design of Smooth Belleville offers an attractive wood door appearance.



HIGH-PERFORMANCE FIBERGLASS & HARDWOOD DOOR BEAUTY

Specially engineered fiberglass door facings provide maximum protection and durability. The surface of the Textured Belleville door produces an authentic wood door appearance by utilizing Masonite's new, variable depth, wood-grain texture that finishes beautifully.

HIGH-DEFINITION PANEL

New high-definition panel profile provides Textured Belleville with excellent shadow lines and distinct panel designs.

STILE AND RAIL

Textured Belleville replicates the appearance of a wood door with stile and rail detail.

POLYURETHANE CORE

Rigid polyurethane foam, meeting strict environmental guidelines, provides maximum thermal protection and dimensional stability.

TRUE SQUARE-EDGE DESIGN

The square-edge design of Textured Belleville offers an attractive wood door appearance.

Mastergrain Fiberglass

NVD Technology is a patented process that authentically replicates any natural surface. The door process begins by hand selecting the most desirable wood pieces to build a real wood door. A silicone casting accurately picks up the finest details of the wood grain and is transferred into a door mold using our Nickel Vapor Deposition Technology. The mold produces fiberglass skins used on MasterGrain doors with random grain depths and all the natural characteristics of real wood making our doors virtually indistinguishable to real wood doors. Master Grain door codes are MGC, MGF, and MGA.




Premium Fiberglass Entry Doors, and Door Components.

MasterGrain Products are a premium line of fiberglass door system components featuring the most authentic wood grain replication in the door industry. Combine the beauty and their high quality construction to any fiberglass doors and you will see "The Difference is in the Details".

Through creativity, innovation and leading edge technology, they will continue to develop the finest door system components you can purchase to protect and enhance your home.

Cherry Grain Stain Colors




Berry Wine

Burgandy

Chestnut

Cognac

English Toffee



Latte

Merlot

Redwood

Shaded Walnut

Tahitian Palm

Please Note - These colors are used on MGC doors only. Due to limitations in the printing process the above colors may not be accurate. For true color, see actual samples. All Cherry Grain doors are available with Albany Door standard paint colors also.

Paint and Stain Finishes

Choose from 25 standard paint finishes. Albany Door Company uses paint with the same scratch resistance as baked on enamel and ultra-violet blockers as the finest latex. We also offer custom matched paint using a high quality water reducible formula.




* Color available for aluminum clad new construction jambs

Choose from 12 standard stain finishes. Contact your dealer for details. *Please note - Cherry grain fiberglass have 10 different stain colors please see your dealer for samples.*



Due to limitations in the printing process, the above color and stain samples may vary. For true color, see the actual color and stain samples.

BAYPOINT




Door 89 BPT-PA | Sidelight L150 BPT-PA
 AS, MB, S, SB, TB



Door 89 BPT-PA | Sidelight L150 BPT-PA
 AS, MB, S, SB, TB

BERKLEY



Door 82 BKL-PA
MB, MGC, S, SB




Door 39 BKL-PA | Sidelight L220 BKL-PA
AS, MB, MGC, S, SB, TB



Door 81 BKL-PA | Sidelight L281 BKL-PA
AS, ATO, MGC



BLANCA




Door 89 BLC | AS, MB, MGC, S, SB, TB



Door 82 BLC | S, MB, MGC



Door 21P BLC | S, MB, MGA, SB




Door 89 BLC | AS, MB, MGC, S, SB, TB
Sidelight L150 BLC | AS, MB, MGC, S, SB, TB

BRISSELLE



Door 82 BSL-PA | Sidelight L281 DWT
MB, MGC, S, SB




Door 81 BSL-PA | AS, ATO, MGC




Door 89 BLS-PA | AS, MB, MGC, S, SB, TB
Sidelight L150 DWT | AS, MB, S, SB, TB

CADENCE



Door 89 CD-PA
Sidelight L150 CD-PA
Transom CD-PA
AS, MB, MGC, S, SB, TB



Door 101CD-PA
AS, S, SB, TB




Door 302 CD-PA
MB, SB



Door 81 CD-PA • Sidelight L281
CD-PA
AS, ATO, MGC

CALANDRA



LOW MEDIUM **HIGH** MAXIMUM

Door 82 CDR-BC
MB, MGC, S, SB




Door 89 CDR-BC | Sidelight L150 CDR-BC
AS, MB, S, SB, TB




Door 81 CDR-BC | Sidelight L281 CDR-BC
AS, ATO, MGC



COURTYARD



Door 82 CTD-WI
MB, MGC, S, SB



Door 89 CTD-WI • Sidelight
L150 CTD-WI
AS, MB, MGC, S, SB, TB




Door 39 CTD-WI • Sidelight L220
CTD-WI
AS, MB, MGC, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

CROSSWALK



Door 89 CWK-NI
Sidelight L150 CWK-NI
AS, MB, MGC, S, SB, TB



Door 51D CWK-NI
FB, SB




Door 39 CWK-NI • Sidelight L220
CWK-NI
AS, MB, MGC. S, SB, TB



Door 81 CWK-NI
AS, ATO, MGC



CYNDI



Door 82 CYN | Sidelight L150 CYN
MB, S, SB



Door 81 CYN
AS, ATO, MGC




Door 89 CYN | AS, MB, S, SB, TB
Sidelight L150 CYN | AS, MB, S, SB, TB

DORAIN



Door 89 DOR-BK/SL
AS, MB, MGC, S, SB, TB




Door 82 • Sidelight L281
DOR-BK/SL
MB, MGC, S, SB



Door 39 • Sidelight L220
DOR-BK/SL
AS, MB, MGC, S, SB, TB

EDGEWOOD



Door 89 EWD-P | Sidelight L150 EWD-P
AS, S, MB, SB, TB



Door 39 EWD-P | Sidelight L220 EWD-P
AS, MB, MGC, S, SB, TB



Door 51 EWD-P
FB, S, SB



Door 82 EWD-P | Sidelight L281 EWD-P
MB, MGC, S, SB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

EMPIRE



Granite Glass _____
 Clear Bevels _____
 Patina Caming _____
 Clear Glass _____
 Chinchilla _____

LOW MEDIUM **HIGH** MAXIMUM

Door 82 EPR-PA | MB, MGC, S, SB
 Sidelight L281 EPR-PA | MB, MGC, S, SB




Door 35 EPR-PA
 S




Door 39 EPR-PA | AS, MB, MGC, S, SB, TB
 Sidelight L220 EPR-PA | AS, MB, MGC, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

FRAGRANCE



Door 89 FRA | AS, MB, S, SB, TB
Sidelight L150 FRA | AS, MB, S, SB, TB



Door 51 FRA
FB, s, SB




Door 81 FRA | AS, ATO, MGC
Sidelight L281 FRA | AS, ATO, MGC


GARRISON



Door 51 GAR-PA
FB, S, SB



Door 89 GAR-PA
AS, MB, MGC, S, SB, TB




Door 39 GAR-PA | AS, MB, MGC, S, SB, TB
Sidelight L220 GAR-PA | AS, MB, MGC, S, SB, TB



Door 82 GAR-PA | MB, MGC, S, SB
Sidelight L281 GAR-PA | MB, MGC, S, SB

GRACE



Door 89 GRC-NI/PA • Sidelight L150 GRC-NI/PA
AS, MB, MGC, S, SB, TB




Door 302 GRC-NI/PA
MB, SB



Door 21 GRC-NI/PA
Sidelight L220 GRC-NI/PA
S, MGA, SB



Door 71 GRC-NI/PA
MB, MGC



Door 137 GRC-NI/PA
AS, S, SB, TB




Door 81 GRC-NI/PA
AS, ATO, MGC

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

HEIRLOOMS



Door 89 HM • Sidelight L150 HM-BR/SN
AS, MB, MGC, S, SB, TB



Door 71 HM-BR/SN
MB, MGC



Door 81 HM-BR/SN • Sidelight L281
HM-BR/SN
AS, ATO, MGC




Door 302 HM-BR/SN
MB, SB



Door 137 HM-BR/SN
AS, S, SB, TB

HIGH POINT



Door 89 HPT-PA | Sidelight L150 HPT-PA
AS, MB, MGC, S, SB, TB



Door 51 HPT-PA
FB, S, SB




Door 82 HPT-PA | MB, MGC, S, SB
Sidelight L281 HPT-PA | MB, MGC, S, SB

JAMESTON



Door 89 JWL-P | AS, MB, MGC, S, SB, TB



LOW **MEDIUM** HIGH MAXIMUM



Door 302 JWL-P | MB, SB
Sidelight L281 JWL-P | AS, ATO, MB, MGC, S, SB, TB




Door 21 JWL-P
MGA, S, SB



Door 35 JWL-P | S
Sidelight L220 JWL-P | AS, MB, MGC, S, SB, TB



Door 81 JWL-P
AS, ATO, MGC



AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

LAUREL



LOW MEDIUM HIGH MAXIMUM



Door 39CT LRL-PL | AS, MB, S, SB, TB
Sidelight L150 LRL-PL | AS, MB, S, SB, TB



Door 89 LRL-PL
AS, MB, MGC, S, SB, TB



Door 137 LRL-PL
AS, S, SB, TB



Door 39 LRL-PL | AS, MB, MGC, S, SB, TB
Sidelight L220 LRL-PL | AS, MB, MGC, S, SB, TB





Door 302 LRL-PL
MB, SB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

MAJESTIC



Door 89 ME-NI/PA • Sidelight L150 ME-NI/PA
AS, MB, MGC, S, SB, TB



Door 81 ME-NI (Nickel Only)
Sidelight L281 ME-NI (Nickel Only)
ATO, MGC, SB




Door 39 ME-NI/PA
AS, MB, MGC, S, SB,
TB



Door 89 ME-NI/PA • Sidelight L150 ME-NI/PA
AS, MB, MGC, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

MARGATE



Doors 89 MRG-NI
AS, MB, MGC, S, SB, TB



Door 51 MRG-NI
FB, S, SB



Door 39 MRG-NI • Sidelights L220
MRG-NI
AS, MB, MGC, S, SB, TB




Door 82 MRG-NI • Sidelights L281
MRG-NI
MB, MGC, S, SB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

MOHAVE



Double Door 89 MOH-BZ
AS, MB, MGC, S, SB, TB



Door 89 MOH-BZ • Sidelight
L150 MOH-BZ
AS, MB, MGC, S, SB, TB




Door 21 MOH-BZ
Sidelight L220 MOH-BZ
S, MGA, SB




Door 81 MOH-BZ • Sidelight L281 MOH-BZ
AS, ATO, MGC

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

MONTEREY



Door 89 MO-SN/PA • Sidelight L150 MO-SN/PA
AS, MB, MGC, S, SB, TB



Door 39 MO-SN/PA
AS, MB, MGC, S, SB, TB



Door 51D
MO-SN/PA
FB, SB




Door 81 MO-SN/PA • Sidelight
L281 MO-SN/PA
AS, ATO, MGC

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

NEO



Door 82 NEO-PA | MB, MGC, S, SB



Door 82P NEO-PA | MGC
Sidelight L281 NEO-PA | MGC




Door 39 NEO-PA | AS, MB, MGC, S, SB, TB
Sidelight L220 NEO-PA | AS, MB, MGC, S, SB, TB



AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

NOUVEAU



LOW MEDIUM HIGH MAXIMUM




Door 89 MN-NI/PA
Sidelight L150 MN-NI/PA
AS, MB, MGC, S, SB, TB




Door 140 MN-NI/PA
AS, S, SB, TB




Door 39 MN-NI/PA
AS, MB, MGC, S,
SB, TB



Door 82 MN-NI/PA
Sidelight L281 MN-NI/PA
MB, MGC, S, SB



Door 137 MN-NI/PA
AS, S, SB, TB



Door 35 MN-NI/PA
S




Door 302 MN-NI/PA
MB, SB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

OAK PARK




Door 89 KP-PA • Sidelight L150 KP-PA
AS, MB, MGC, S, SB, TB



Door 51 KP-PA
FB,S, SB



Door 81 KP-PA • Sidelight
L281 KP-PA
AS, ATO, MGC



Door 21 KP-PA
S, MGA, SB



Door 39 KP-PA • Sidelight
L220 KP-PA
AS, MB, MGC, S, SB, TB



AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

PARIS



Door 89 PS-PA • Sidelight L150 PS-PA
AS, MB, MGC, S, SB, TB



Door 39 PS-PA • Sidelight
L220 PS-PA
AS, MB, MGC, S, SB, TB




Door 81 PS-PA • Sidelight L281 PS-PA
AS, ATO, MGC

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

PEMBROOK



Door 89 PEM-P | AS, MB, MGC, S, SB, TB
Sidelight L150 PEM-P | AS, MB, MGF, MGC, S, SB, TB




Door 51D PEM-P
FB, MGF, MGS, SB



Door 39 PEM-P | AS, MB, MGC, S,
SB, TB
Sidelight L220 PEM-P | AS, MB, MGC,
S, SB, TB




Door 81 PEM-P | AS, ATO, MGC
Sidelight L281 PEM-P | AS, ATO, MGC,
S



AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

PRESTIGE



Doors 89 PRS-BC | AS, MB, S, SB, TB



Door 82 PRS-BC | MB, MGC, S, SB
Sidelight L281 PRS-BC | MB, MGC, S, SB




Door 39 PRS-BC | AS, MB, MGC, S, SB, TB
Sidelight L220 PRS-BC | AS, MB, MGC, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

RENEWED IMPRESSIONS



Door 89 RLI-NI • Sidelight L150 RLI-NI
AS, MB, MGC, S, SB, TB




LOW MEDIUM HIGH MAXIMUM



Door 21 RLI-NI
Sidelight L220 RLI-NI
S, MGA, SB




Door 302 RLI-NI
MB, SB



Door 137 RLI-NI
AS, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

RILL



Door 89 RLL-BK | AS, MB, MGC, S, SB, TB
Sidelight L150 RLL-BK | AS, MB, S, SB, TB



Door 82 RLL-BK
MB, MGC, S, SB



Door 51 RLL-BK
FB, S, SB



Door 89 RLL-BK | AS, MB, MGC, S, SB, TB
Sidelight L150 RLL-BK | AS, MB, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain


RIVERWOOD



Door 140 RVR-P
AS, MGC, S, SB, TB



Door 89 RVR-P | AS, MB, MGC, S, SB, TB
Sidelight L150 RVR-P | AS, FB, MB, MGC, S, SB, TB



Micro-Granite
Granite
Diamond Bevels
Thin Reed
Patina Caming

LOW MEDIUM HIGH **MAXIMUM**




Door 51D RVR-P
FB, MGF, MGS, SB



Door 51 RVR-P | FB, MGF, MGS, S, SB
Sidelight L150C RVR-P | S, FB, MB, MGF, MGS, SB, TB



Door 81 RVR-P | AS, ATO, MGC
Sidelight L281 RVR-P | AS, ATO, MGC, S



AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

STERLING



Door 89 STG-PA | Sidelight L150 STG-PA
AS, MB, MGC, S, SB, TB




Door 82 STG-P | MB, MGC, S, SB
Sidelight L281 STG-P | MB, MGC, S, SB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

TOPAZ



Door 89 TPZ-PA
AS, MB, MGC, S, SB, TB




Door 39 TPZ-PA
AS, MB, MGC, S,
SB, TB



Door 81 TPZ-PA
Sidelight L281 TPZ-PA
AS, ATO, MGC




Door 51 TPZ-PA
FB, MGF, MGS, S, SB



Door 35 TPZ-PA
S

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

VILANO



Door 89 VLO-PA
AS, MB, MGC, S, SB, TB



Door 82 VLO-PA
Sidelight L281 VLO-PA
MB, MGC, S, SB



Door 51 VLO-PA
Sidelight L150C VLO-PA
FB, S, SB




Door 39 VLO-PA
Sidelight L220 VLO-PA
AS, MB, MGC, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

VINTAGE CRAFTSMAN



Door 51D CFT-P | FB, MGF, MGS, SB
Sidelight L150C CFT-P | AS, FB, MB, MGF,
MGS SB, TB



Door 21 CFT-P | MGA, SB, S
Sidelight L 220 CFT-P | AS, MB, MGA, SB, TB



Door 140 CFT-P | AS, MGC,
S, SB, TB




Door 89 CFT-P | AS, MB, MGC, S, SB, TB
Sidelight L150 CFT-P | AS, FB, MB, MGC, S,
SB, TB



Door 81 CFT-P | AS, ATO, MGC
Sidelight L 281 CFT-P | AS, MGC, SB, TB, S

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

WATERSIDE



Door 89 WTS-BC
AS, MB, MGC, S, SB, TB



Door 39 WTS-BC
AS, MB, MGC, S,
SB, TB



Door 82 WTS-BC • Sidelight L281
WTS-BC
S, MB, MGC, SB



Door 35 WTS-BC
S

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

MID-CENTURY MODERN



Door 1015 (8')
S, SB, TB

If you're inspired by the character of your home, this door glass is for you. Designed for homeowners who appreciate the history of architecture and the spirit of good design. This line of door glass puts a spotlight on the growing trend for renovations and remodels that are done with class and top-notch materials. A solution that is constructed with the performance features and sense of unique style that savvy homeowners want. Whether it's Mid-Century Modern, or today's most contemporary designs, this glass offers a clean, authentic style that's customized for your home.




Door 1019 CLEAR
AS, S, SB, TB




Door 1012 RGL
AS, S, SB, TB



Door 1015 FROSTED
AS, S, SB, TB



Door 1017 CUBED
AS, S, SB, TB



Door 1018 CHA
AS, S, SB, TB

Each of these 5 door styles can be made with the any of the glass choices on the following page.

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

MID-CENTURY MODERN




CHINCHILLA (CHA)



CLEAR



Doors 1015 Clear
AS, S, SB, TB



CUBED



FROSTED




RAIN GLASS (RGL)

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

SDL

A mill finish grille between glass with our all-in-one SDL frame provides the look of a true divided light with the energy efficiency of a single light.




Available in Clear, Baroque, Chinchilla, Micro-Granite, Rain Glass and Streamed.

Doors 681
AS, ATO, MGC
Chinchilla (CHA)

Baroque (BQ)




LOW MEDIUM HIGH MAXIMUM



LOW MEDIUM HIGH MAXIMUM

Clear Low E (LOE)



LOW MEDIUM HIGH MAXIMUM

Micro-Granite (MG)




LOW MEDIUM HIGH MAXIMUM

Rain Glass (RGL)



LOW MEDIUM HIGH MAXIMUM

Streamed (STM)



LOW MEDIUM HIGH MAXIMUM



Door 481 BQ
AS, ATO, MGC


SDL




Doors 96 RGL
AS, MB, S, SB, TB




34 SDL
AS, MB, S, SB, TB




481 SDL
AS, ATO, MGC




681 SDL
AS, ATO, MGC



1281 SDL
AS, ATO, MGC



482 SDL
MB, MGC, S, SB



682 SDL
MB, MGC, S, SB



1282 SDL
MB, MGC, S, SB



90 SDL
AS, MB, MGC, S,
SB, TB



96 SDL
AS, MB, MGC, S,
SB, TB



L230 SDL
AS, MB, MGC
S, SB, TB



L282 SDL
AS, ATO,
MGC, S



L283 SDL
AS, ATO,
MGC, S



L180 SDL
AS, MB,
S, SB, TB



L160 SDL
AS, MB,
S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

INTERNAL BLINDS

Raise, Lower & Tilt Triple-Glazed Doorglass Blinds & Grilles Between Glass

Control light and privacy with the touch of a finger.



Door 90 RLBIM-W



Triple glazed design improves energy efficiency.



Door 34
RLBIM-W
AS, MB, S, SB,
TB

Door 39
RLBLOE
AS, MB, S, SB,
TB

Door 89
RLBLOE
AS, MB, S, SB,
TB



Door 90
RLBIM-W
AS, MB, S, SB,
TB

Door 91
RLBIM-W
AS, MB, S, SB,
TB




Door 89 RLBTLOE


Light-Touch Tan Enclosed Blinds Raise, Lower & Tilt



Door 39 RLBTLOE
AS, MB,
S, SB, TB



Door 89 RLBTLOE
AS, MB,
S, SB, TB



INTERNAL BLINDS

Raise, Lower & Tilt Color Collection Blinds



easy to clean



Espresso
RLBESLOE




Slate Gray
RLBSGLOE



Silver
RLBSMLOE

Available in Espresso, Slate Gray and Silver. With matching privacy channels and operators, the colors of your entry door blinds will always coordinate with your décor. These color choices are available in both half glass and full glass doors. (not available in sidelights)



Door 89 RLBSGLOE
AS, MB, MGC, S, SB, TB



Door 89 RLBSMLOE
AS, MB, MGC, S, SB, TB




Door 39 RLBESLOE
AS, MB, MGC, S, SB, TB

INTERNAL MUNTINS



easy to clean



Low-E glass is made with an invisible thin metallic coating that blocks heat flow. A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In winter, it reduces heat loss to the outside and allows solar energy to pass inside.


Classic Style



Door 34 LOEIMW, LOEIMC, LOEIMB, LOEIMBK
Sidelight L230
AS, MB, S, SB, TB



Door 1281 LOEIMW, LOEIMC, LOEIMB, LOEIMBK
Sidelight L284 LOEIMW or LOEIMB
AS, ATO, MGC




Door 34 LOEIMW, LOEIMC, LOEIMB, LOEIMBK
AS, MB, S, SB, TB

Thermally sealed between two panes of tempered safety glass.




Door 91 LOEIMW, LOEIMC, LOEIMB
Sidelight L160
AS, MB, S, SB, TB



Door 90 LOEIMW, LOEIMC, LOEIMB, LOEIMBK
AS, MB, S, SB, TB



Available muntin colors




Black Champagne Bronze White

Please refer to price book for availability of colors.

PRIVACY GLASS

Striking the right balance between privacy and security for your home's entry and a desired level of natural light can be tricky. Move the scale too far to one side and you end up with a dark entryway. Move it too far to the other and you end up with too much visibility into your home. Privacy glass offers a balance of the two. It filters glass for privacy without filtering light.


Double Water (DWT)




Rain Glass (RGL)



Chinchilla (CHA)




Streamed (STM)



Karma (KAR)



Micro-Granite (MG)



Door 89 CHA
AS, MB, MGC, S, SB, TB


AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

PRIVACY GLASS




Door 82 RGL
MB, MGC S, SB


Privacy glass can be ordered in the door and sidelight styles below.



11
AS,S,SB,TB



21
MGA,S,SB



21P
MB,MGA,S, SB



35
S



39
AS,MB,MGC,
S,SB,TB



81
AS, ATO,
MGC



82
MB
MGC,S,SB



82P
MGC



89
AS,MB,MGC
S,SB,TB



L150
AS,FB,MB,MGC
MGF,S,SB,TB




L220
AS,MB,
MGC,S,SB,TB



L281
ATO,MB,MGC
S,SB,TB

PRIVACY RATINGS

With all the variety of door glass designs with different types of glass and textures customers are asking questions about how we determine our privacy levels. With no industry standard, every manufacturer is free to determine what the opacity or privacy level is for their door glass. We are pleased to announce that we are leading the way with a standard test using a spectrophotometer to produce an objective number for every glass, every time. We've eliminated arbitrary numbers, simplified our privacy levels to four categories, and show visual examples for each level of privacy.



- Baroque
- Berkley
- Briselle
- Double Water
- Karma
- Nouveau
- Oak Park



- Bay Point
- Cadence
- Heirlooms
- Jameston
- Laurel
- Majestic
- Mohave
- Paris
- Rain
- Renewed Impressions
- Vintage Craftsman



- Calandra
- Chinchilla
- Crosswalk
- Dorian
- Grace
- High Point
- Monterey
- Neo
- Pembrook
- Prestige
- Rill
- Sterling
- Vilano
- Waterside




- Blanca
- Courtyard
- Cubed
- Cyndi
- Edgewood
- Fragrance
- Frosted
- Margate
- Micro-Granite
- Riverwood
- Streamed
- Topaz

CRAFTSMAN VARIATIONS


We currently carry three different Craftsman-style door options, and while they may look similar at first glance, each one has its own unique design details.

To make things easier, we've put together detailed images that highlight the differences between each style.



Glass frame on door surface


Steel Craftsman Doors
S50, S51, S351, S651



Embossed/raised panels



Glass frame flush into the door



Glass frame on door surface

Fiberglass Craftsman Doors
SB51, SB351, SB651
FB51, FB351, FB651



Recessed/shaker style panels



Recessed/shaker style panels



Fiberglass Craftsman Doors
MGS51, MGS351, MGS651
MGF51, MGF351, MGF651

LOCKS



Lockset ↓ Finish →	505/605	609	619	620	622	625	626	716
Accent Lever	•	•	•	•	•	•	•	•
Addison Handle		•	•	•	•	•	•	•
Camelot Handle	•	•	•	•	•	•		•
Flair Lever	•	•	•	•	•	•	•	•
Georgian Knob	•	•	•	•	•	•	•	•
Plymouth Handle	•	•	•	•	•	•	•	•
Plymouth Knob	•	•	•	•	•	•	•	•

LOCKS

Kwikset



660/665



Tylo
400T



780/785



Hancock
740H



Chelsea
800CE



Delta
405DL



Tustin
740TNL



Polished
Brass
US 3 / L03



Venetian
Bronze
US 11P



Satin
Nickel
US 15




Polished
Chrome
US 26




Satin
Chrome
US 26D

Lockset ↓ Finish →	3	L03	5	11P	15	26	26D
Chelsea Handle		•		•	•	•	
Delta Lever	•					•	•
Hancock Knob		•		•	•	•	•
Tustin Lever	•			•	•	•	•
Tylo Knob	•		•			•	•
660 / 665 Deadbolt	•		•			•	•
780 / 785 Deadbolt		•		•	•	•	•


DOOR STYLES




10
AS,S,SB,TB




11
AS,S,SB,TB



12
AS,S,SB,TB




12A
AS,S,SB,TB




13
AS,S,SB,TB




13A
AS,S,SB,TB




16
AS,S,SB,TB



20
S,SB




21
MGA,S,SB




21P
MB,MGA,SB, S




22
MGA,S



22P
MB,MGA,S,SB




24
S,SB




24P
MB,S,SB




28
S,SB,TB




30
AS,MB,MGC,S,SB,TB




31
S,SB,TB



32
S,SB,TB



34
AS,MB,S,SB,TB




335
S

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain


DOOR STYLES




35
S



136
S,SB,TB




37
AS,S,SB,TB




137
AS,S,SB,TB




39
AS,MB,MGC,S,SB,TB



39CT
AS,MB,
S,SB,TB




40
AS,S,SB,TB



140
AS,MGC,S,SB,TB



50
MGS,MGF,S



51
FB,MGF,MGS,S,SB



351
FB,MGF,
MGS,S,SB



651
FB,MGF,MGS,S,SB




70
MB,MGC




71
MB,MGC




81
AS,ATO,
MGC



481
AS,ATO, MGC




681
AS,ATO, MGC



1281
AS,ATO, MGC



82
MB,MGC,S,SB



482
MB,MGC,S,SB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain


DOOR STYLES



682
MB, MGC
S, SB




82P
MGC



83
ATO, MGC S




84
MGC




84P
MGC



89
AS, MB, MGC
S, SB, TB




90
AS, MB
S, SB, TB




91
AS, MB
S, SB, TB




94
AS, MB
S, SB, TB



96
AS, MB
S, SB, TB




101
AS, S, SB, TB




300
MGC




302
MB, SB




1011
AS, S, SB, TB




1012
AS, S, SB, TB



1013
AS, S, SB, TB



1015
AS, S, SB, TB



1017
AS, S, SB, TB



1018
AS, S, SB, TB




1019
AS, S, SB, TB

AS/SB/MGS=Smooth Fiberglass | FB/MGF=Fir Grain | MB=Mahogany Grain | MGA=Knotty Alder Grain | MGC=Cherry Grain | S=Smooth Steel | ATO/TB=Oak Grain

DOOR/SIDELIGHT STYLES

TWO NEW SHAKER DOOR STYLES



551
FB, SB



552
FB, SB



L150
AS,FB,MB,MGC
MGF,S,SB,TB



L160
AS,MB
S,SB,TB



L170
S,MB
SB,TB



L180
AS,MB
S,SB,TB



L220
AS,MB,
MGC,S,SB,TB



L230
AS,MB
S,SB,TB



L251
FB, MGF SB



L252
FB, MGF SB



L281
ATO,MB,MGC
S,SB,TB



L282
ATO,MB,
S,SB,TB



L283
ATO,MB,
S,SB,TB



L284
ATO,MB
S,SB,TB

Style Availability

Door Style	Smooth Fiberglass AS	Oak Fiberglass ATO	Fir Fiberglass FB	Mahogany Fiberglass MB	Knotty Alder Fiberglass MGA	Cherry Fiberglass MGC	Fir Fiberglass MGF	Smooth Fiberglass MGS	Smooth Steel S	Smooth Fiberglass SB	Oak Fiberglass TB
10	■								■ ■	■ ■	■ ■
11	■								■ ■	■ ■	■ ■
12	■								■ ■	■ ■	■ ■
12A	■								■ ■	■ ■	■ ■
13	■								■ ■	■ ■	■ ■
13A	■								■ ■	■ ■	■ ■
16	■								■ ■	■ ■	■ ■
20									■	■	
21					■ ■ ■				■	■	
21P				■	■ ■ ■				■	■	
22					■ ■ ■				■		
22P				■	■ ■ ■				■	■	
24									■	■	
24P				■					■	■	
28									■	■	■
30	■			■		■ ■			■ ■	■ ■ ■	■ ■ ■
31									■	■	■
32									■	■	■
34	■			■					■ ■	■ ■	■ ■
335									■		
35									■		
136									■	■	■
37	■								■	■	■
137	■								■	■	■
39	■			■		■ ■			■ ■	■ ■	■ ■
39CT	■			■					■ ■	■	■
40	■								■	■	■
140	■					■ ■			■	■	■
50							■ ■	■ ■	■		
51			■				■ ■	■ ■	■	■	
351			■				■ ■	■ ■	■	■	
651			■				■ ■	■ ■	■	■	
51D			■				■ ■	■ ■	■	■	
351D			■				■ ■	■ ■	■	■	
651D			■				■ ■	■ ■	■	■	
70				■		■ ■					
71				■		■ ■					
81	■	■				■ ■					

■ = 6/8 ■ = 7/0 ■ = 8/0

Style Availability

Door Style	Smooth Fiberglass AS	Oak Fiberglass ATO	Fir Fiberglass FB	Mahogany Fiberglass MB	Knotty Alder Fiberglass MGA	Cherry Fiberglass MGC	Fir Fiberglass MGF	Smooth Fiberglass MGS	Smooth Steel S	Smooth Fiberglass SB	Oak Fiberglass TB
481	■	■				■ ■					
681	■	■				■ ■					
1281	■	■				■ ■					
82				■		■ ■ ■			■	■	
482				■		■ ■			■	■	
682				■		■ ■			■	■	
1282				■		■ ■			■	■	
82P						■ ■ ■					
83		■				■ ■			■		
84						■ ■ ■					
84P						■ ■ ■					
89	■			■		■ ■			■ ■	■ ■ ■	■ ■ ■
90	■			■		■ ■			■ ■	■ ■	■ ■
91	■			■		■ ■			■ ■	■ ■	■ ■
94	■			■		■ ■			■ ■	■ ■	■ ■
96	■			■		■ ■			■ ■	■ ■	■ ■
101	■			■					■ ■	■ ■	■ ■
300						■ ■					
302				■						■	
551			■							■	
552			■							■	
1011	■								■ ■	■ ■	■ ■
1012	■								■ ■	■ ■	■ ■
1013	■								■ ■	■ ■	■ ■
1015	■								■ ■	■ ■	■ ■
1017	■								■ ■	■ ■	■ ■
1018	■								■ ■	■ ■	■ ■
1019	■								■ ■	■ ■	■ ■
L150	■			■					■ ■	■ ■ ■	■ ■ ■
L150C		■	■		■ ■	■ ■	■ ■	■ ■	■	■	■
L160	■	■	■	■					■ ■	■ ■	■ ■
L170	■	■	■	■					■ ■	■ ■	■ ■
L180	■	■	■	■					■ ■	■ ■	■ ■
L220	■	■		■	■ ■ ■	■ ■			■ ■	■ ■ ■	■ ■ ■
L230	■	■		■					■ ■	■	■
L251			■				■ ■		■	■	
L252			■				■ ■		■	■	
L281	■	■		■	■ ■ ■	■ ■ ■			■	■ ■ ■	■ ■ ■
L282	■	■		■					■	■	■
L283	■	■		■					■	■	■
L284	■	■		■					■	■	■

■ = 6/8 ■ = 7/0 ■ = 8/0

Albany Door Company, Inc.



No Hardware Constraints

Use your choice of most off-the-shelf hardware.



Three Times Stronger

All the strength and security of a traditional multi-point locking system.



Enhanced Performance

Two tapered locks enhance performance while reducing operation force.

Single Operation System

Most multi-point locks require extra steps to lock the door. With PanoLock's innovative latch and deadbolt adapters, simply turn the thumbturn to lock.

Flexibility

PanoLock can be used for both inswing and outswing.



WWW.ALBANYDOOR.CO

A beautiful door creates a lasting impact on the value of your home. Albany doors are not only energy efficient and increase curb appeal, but they are a reflection of those who reside within. We have a variety of styles to choose from, merging sophisticated taste with value.