

MOBILITY SCOOTER **GUIDE**



Get **Out**
There!

PRIDE® MOBILITY SCOOTERS
LIVE YOUR BEST®

pridemobility.com • pridescooters.com



/PrideMobilityProductsCorp



/PrideMobility



Don't let a change in mobility affect your lifestyle. Live your best with Pride® Mobility Scooters and enjoy sleek, sporty style in a high-performance package.

With an array of models and colors to choose from, Pride Mobility Scooters make it easier for you to get out there and enjoy life.

What's Inside

• Go-Go® Travel Mobility	3-6	• Sport Rider	10
• Victory® Series	7-8	• Scooter Accessories	11
• Pursuit® Series	9	• Specifications	13-14
• Maxima	10		



Choosing the right Pride Mobility Scooter

When choosing a Pride Mobility Scooter, specific requirements and conditions can affect your process.

Indoor maneuverability

- Travel Mobility to Mid-Size Luxury scooters offer enhanced maneuverability

Stability

- 4-Wheel scooters provide increased stability

Indoor and outdoor versatility

- Mid-Size and Full-Size Luxury Scooters are great for both indoor and outdoor use

Outdoor capabilities

- Mid-Size and Full-Size Luxury Scooters offer excellent outdoor capabilities

Increased weight capacity

- Mid-Size and Full-Size Luxury Scooters provide increased weight capacity

Easy portability

- Travel Mobility Scooters are easy to disassemble, transport and store

Speed and performance

- Mid-Size and Full-Size Luxury Scooters offer increased speed and performance

GO-GO®

TRAVEL MOBILITY

3-WHEEL SCOOTER



Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Two speed settings - high and low (indoor/outdoor)
- Maximum speed up to 4 MPH
- Up to 6 miles per charge range
- Modular design for easy serviceability
- Removable front canvas basket
- Lightweight, one-piece frame for added stability and easy portability
- 250 lbs. weight capacity

Color Choices



Black



3 & 4-WHEEL SCOOTER



Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 4 MPH
- Up to 8 miles per charge range
- Pride's exclusive black, non-scuffing tires
- Auto-connecting front to rear cable
- Easily disassembles into 5 super lightweight pieces for convenient transport
- 260 lbs. weight capacity

Color Choices



Red



Go-Go® Ultra X 3-wheel



Go-Go® Ultra X 4-wheel

The *First* Name in *Travel* Mobility®

3 & 4-WHEEL SCOOTER

GO GO ELITE TRAVELLER®

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Two speed settings - high and low (indoor/outdoor)
- Maximum speed up to 4 MPH
- Up to 7.2 miles per charge range (3W), 7.7 per charge range (4W)
- Modular design for easy serviceability
- Charger port in tiller
- Pride's exclusive black, non-scutting tires
- Front frame mounted seat post offers maximum stability
- Easily disassembles into 5 lightweight pieces for convenient transport and storage
- 300 lbs. weight capacity

Color Choices

INTERCHANGEABLE SHROUDS*



Red



Blue

Go-Go Elite Traveller®
4-wheelGo-Go Elite Traveller®
3-wheel

3 & 4-WHEEL SCOOTER

GO GO ELITE TRAVELLER® PLUS

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 4.5 MPH
- Up to 14.4 miles per charge range (3W), 8.3 per charge range (4W)
- Pride's exclusive black, non-scutting tires
- Auto-connecting front to rear cable
- Easily disassembles into 5 lightweight pieces for convenient transport and storage
- Delta tiller with wraparound handles
- 300 lbs. weight capacity

Color Choices

INTERCHANGEABLE SHROUDS*



Red



Blue

Go-Go Elite Traveller® Plus
4-wheelGo-Go Elite Traveller® Plus
3-wheel

GO•GO®

TRAVEL MOBILITY



Go-Go® Sport 4-wheel



Go-Go® Sport 3-wheel



Go-Go® LX w/CTS Suspension 3-wheel



Go-Go® LX w/CTS Suspension 4-wheel

3 & 4-WHEEL SCOOTER

GO•GO® SPORT

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 4.7 MPH
- Up to 12.7 miles per charge range (3W), 12 miles per charge range (4W)
- Pride's exclusive black, non-scutting tires
- Charger port in tiller
- Front frame mounted seat post offers maximum stability
- Delta tiller with wraparound handles
- Easily disassembles into 5 lightweight pieces for convenient transport and storage
- 325 lbs. weight capacity

Color Choices

INTERCHANGEABLE SHROUDS⁷



Red



Blue

3 & 4-WHEEL SCOOTER

GO•GO® LX WITH CTS SUSPENSION

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- CTS Suspension (Comfort-Trac front and rear suspension)
- Maximum speed up to 4.4 MPH
- Up to 9.44 miles per charge range (3W), 10.5 miles per charge range (4W)
- Charger port in tiller
- Front frame mounted seat post offers maximum stability
- Easily disassembles into 5 lightweight pieces for convenient transport and storage
- Delta tiller with wraparound handles
- 300 lbs. weight capacity

Color Choices

INTERCHANGEABLE SHROUDS⁷



Red



Blue

Optional



Orion Yellow



Onyx Black



Pearl Pink



Sunburst Orange

The *First* Name in *Travel* Mobility®



Note: Transport of this item on commercial aircraft is subject to federal regulations and airline policy. Please consult your airline prior to your flight to ensure your Go-Go® Folding Scooter and its lithium-ion battery is permitted.

3-WHEEL SCOOTER

GO GO® FOLDING SCOOTER

Features

- Folds in three easy steps
- Maximum speed up to 4 MPH
- Up to 12.5 miles per charge range (Lithium Ion), 9.3 miles per charge range (Sealed lead acid)
- Perfect travel mobility scooter choice
- Height adjustable tiller
- Full lighting package
- Portable, space saving design
- Optional lithium ion battery
- 250 lbs. weight capacity
- Optional armrests

Color Choices



White



Easy disassembly

GO CHAIR®

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Easy to remove battery pack and compact, lightweight frame
- Maximum speed up to 3.5 MPH
- Up to 8 miles per charge range
- Conveniently disassembles into 4 manageable pieces
- Fits in most vehicle trunks
- 250 lbs. weight capacity

Color Choices



Red



Blue



VICTORY® SERIES

3 & 4-WHEEL SCOOTER

VICTORY® 9

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 5.25 MPH
- Up to 13 miles per charge range
- Delta tiller with wraparound handles
- Pride's exclusive black, non-scuffing 9" tires
- Lightweight pinchless hinge seat, eight position rotation, sliders and viscoelastic foam inserts for increased comfort
- Long-lasting, high-intensity LED headlight offers optimal pathway illumination
- Easy access tiller-mounted charger port
- 300 lbs. weight capacity

Color Choices



Candy
Apple Red



Viper
Blue



Victory® 9 3-wheel



Victory® 9 4-wheel

3 & 4-WHEEL SCOOTER

VICTORY® 10

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 5.25 MPH
- Up to 15.5 miles per charge range
- Auto-connecting front to rear cable
- Delta tiller with wraparound handles
- Pride's exclusive black, non-scuffing 10" tires
- Lightweight pinchless hinge seat, eight position rotation, sliders and viscoelastic foam inserts for increased comfort
- Long lasting, high intensity LED headlight offers optimal pathway illumination
- Easy access tiller-mounted charger port
- 400 lbs. weight capacity

Color Choices



Candy
Apple Red



Viper
Blue



Victory® 10 3-wheel



Victory® 10 4-wheel

The Ultimate in Style & Performance®

NEW



4-WHEEL SCOOTER

VICTORY® 10 LX WITH CTS SUSPENSION

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- CTS Suspension (Comfort-Trac front and rear suspension)
- Maximum speed up to 5.6 MPH
- Up to 16.16 miles per charge range
- Delta tiller with wraparound handles
- Pride's exclusive black, non-scuffing tires
- Lightweight pinchless hinge seat, eight position rotation, sliders and viscoelastic foam inserts for increased comfort
- Full LED lighting package that includes curb and rear lights and directional signals
- Easy access tiller-mounted charger port
- 400 lbs. weight capacity

Color Choices



Candy
Apple Red



True
Blue

4-WHEEL SCOOTER

VICTORY® SPORT

Features

- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 8 MPH
- Up to 11 miles per charge range
- Auto-connecting front-to-rear harness
- Delta tiller with wraparound handles
- Black reclining highback seat with sliders and headrest
- Long-lasting, high-intensity LED headlight offers optimal pathway illumination with directional signals
- Front and rear suspension
- Easy access tiller-mounted charger port
- 350 lbs. weight capacity

Color Choices



Candy
Apple Red



Viper
Blue



FULL-SIZE LUXURY

*Outstanding Outdoor
Performance with
Luxurious Features*

4-WHEEL SCOOTER



Features

- Infinitely-adjustable tiller angle with conveniently located handle
- Maximum speed up to 8 MPH
- Front and rear suspension
- Up to 14 miles per charge range
- Feather-touch disassembly
- Delta tiller with wraparound handle
- Full lighting package that includes directional signals and lower headlight
- Reclining high-back seat with sliders and headrest
- 400 lbs. weight capacity

4-WHEEL SCOOTER



Features

- Infinitely-adjustable tiller angle with conveniently located handle
- Maximum speed up to 8.5 MPH
- Up to 29.51 miles per charge range (G27), 22.13 miles per charge range (G24)
- Front and rear suspension
- Delta tiller with wraparound handle
- Deluxe reclining high-back seat with sliders and headrest
- 13" low-profile, pneumatic tires for excellent outdoor performance
- 400 lbs. weight capacity

4-WHEEL SCOOTER



Features

- Front and rear suspension for optimal handling
- Maximum speed up to 9 MPH
- Up to 22.5 miles per charge range
- 36 volt battery system with (3) 12-volt 55 AH batteries
- Full steering wheel with integrated digital display
- Full lighting package that includes directional signals & two lower headlights
- 400 lbs. weight capacity

Color Choices



**Candy
Apple Red**
(Not available
on Pursuit Sport
36 Volt)



Silver



Red
(Only available
on Pursuit Sport
36 Volt)



pridemobility.com
pridescooters.com

Pride
Mobility Products Corp.
— LIVE YOUR BEST —

MAXIMA



Maxima 3-wheel



Maxima 4-wheel

HEAVY-DUTY

*Heavy-Duty Performance at
an Exceptional Value*

3 & 4-WHEEL SCOOTER

Features

- Ultra heavy-duty drivetrain with 110 amp controller
- Maximum speed up to 5.25 MPH
- Easily adjustable tiller
- Up to 18 miles per charge range (3W, U-1), 9.6 miles per charge range (Power elevating seat), 16 miles per charge range (4W)
- Black, flat-free, non-marking tires
- Durable and stylish rear polyurethane bumper
- User-friendly console
- 500 lbs. weight capacity

Color Choices



Candy
Apple Red



Viper
Blue

SPORT RIDER

FULL-SIZE LUXURY

A Stylish, Comfortable Ride



3-WHEEL SCOOTER

Features

- Full digital displaying speedometer / odometer
- Maximum speed up to 9.4 MPH
- Up to 31.25 miles per charge range
- Full suspension system
- Two rearview mirrors
- 400 lbs. weight capacity

Color Choices



Black

A wide selection of Pride Mobility Scooter accessories are available to personalize your Pride Mobility Scooter to better meet your needs and make it uniquely yours.



Cane Clip Attachment



Cup Holder



Single Cane Holder



Double Cane Holder



Front Basket



Rear Basket



Oxygen Holder



RAM® X-Grip® Cell Phone Holder



Wishbone Crutch Holder



Lapbelt



Saddlebag



Walker Holder



Rearview Mirror



Weather Breaker



Weather Cover

DISCLAIMER: Not all accessories are available for all products. Please speak with your Provider for details and availability.

INNOVATIVE TECHNOLOGY

CTS SUSPENSION



Front Suspension



Rear Suspension

Comfort-Trac Suspension

(CTS) is the next generation in mobility scooter ride comfort. Pride's **industry first** technology incorporates advanced suspension components for improved absorption over rough surfaces, and a smoother ride experience over various terrains.

FEATHER-TOUCH DISASSEMBLY



Scooter disassembly



Chair disassembly

All Go-Go® Travel Mobility and Pride® Mid-Size Scooters feature **Feather-Touch** — one-hand disassembly for hassle-free transport and storage.

PRIDE® MOBILITY SCOOTERS

LIVE YOUR BEST®

SPECIFICATIONS

		Front Tires	Rear Tires	Maximum Speed ²	Ground Clearance ^{4,12,15}	3-W Turning Radius ⁴	4-W Turning Radius ⁴	3-W Length/Width ^{4,11}	4-W Length/Width ^{4,11}	Seat-to-ground Height Range	(3/4-wheel) Weight ^{3,4,13}
TRAVEL MOBILITY	Go Chair®	3" x 5" SOLID	3" x 8" SOLID	UP TO 3.5 MPH	1.37"	N/A	26.87" WITH FOOT PLATFORM	N/A	27" WITHOUT FOOT PLATFORM/ 19"	N/A	82 LBS.
	Go-Go® ES 2 K0800 - GROUP 1 STANDARD	2" x 7.5" SOLID	3" x 7.5" SOLID	UP TO 4 MPH	1.5" at mid-frame	31"	N/A	36.75"/ 19.5"	N/A	19"-20"	58.4 LBS.
	Go-Go® Ultra X	2" x 8" SOLID (3W) 2" x 7" SOLID (4W)	2.5" x 8" SOLID	UP TO 4 MPH	2"	33"	44"	37"/19.5"	39.5"/19.5"	18.13"- 20.13"	75 LBS./ 78.5 LBS.
	Go-Go Elite Traveller® K0800 - GROUP 1 STANDARD	2" x 8" SOLID (3W) 2" x 7" SOLID (4W)	2.5" x 8" SOLID	UP TO 4 MPH	2"	33"	44"	37"/19.5"	39.5"/19.5"	18.13"- 20.13"	75 LBS./ 78.5 LBS.
	Go-Go Elite Traveller® Plus K0806 - GROUP 2 STANDARD ¹⁴	2" x 8" SOLID (3W)	3" x 9" SOLID	UP TO 4.5 MPH	3" at mid-frame 1.5" at motor	34"	45.72"	40"/21"	40.25"/21"	20.5"-22"	86.5 LBS./ 87 LBS.
	Go-Go® Sport K0801 - GROUP 1 HEAVY DUTY	3" x 8" SOLID (3W) 3" x 9" SOLID (4W)	3" x 9" SOLID	UP TO 4.7 MPH	3" at mid-frame 1.5" at motor	36"	50.5"	43"/ 21.25"	43"/ 21.25"	20.5"-22"	83.2 LBS./ 99.2 LBS.
	Go-Go® LX with CTS Suspension	2" x 8" SOLID (3W) 2" x 7" SOLID (4W)	2.5" x 8" SOLID	UP TO 4.4 MPH	1.5" at motor	33"	44.75"	39.75"/ 20.5"	41"/20.5"	20.75"- 22.25"	85.4 LBS./ 87.4 LBS.
	Go-Go® Folding Scooter	1.6" x 7" SOLID	2" x 8" SOLID	UP TO 4 MPH	2.3"	32"	N/A	37"/19"	N/A	20.5"	51.4 LBS.
MID-SIZE LUXURY	Victory® 9 K0800 - GROUP 1 STANDARD	3W: 3" x 8" SOLID 4W: 3" x 9" SOLID	3" x 9" SOLID	UP TO 5.25 MPH	3W: 2" 4W: 2.25"	40.25"	51.5"	43.5"/ 22.25"	45.5"/ 22.5"	19.25"- 20.75"	117.5 LBS./ 131 LBS.
	Victory® 10 K0801 - GROUP 1 HEAVY DUTY	3.5" x 10" SOLID	3.5" x 10" SOLID	UP TO 5.25 MPH	3" at mid-frame	42"	54"	45.25"/ 22.25"	47"/22.25"	20.5"-22"	131.5 LBS./ 132.5 LBS.
	Victory® 10 LX with CTS Suspension	3.5" x 10" SOLID	3.5" x 10" SOLID	UP TO 5.6 MPH	2.2" at motor	N/A	59.9"	N/A	47"/22.2"	N/A	156.2 LBS
	Victory® Sport ¹⁶	3.5" x 10" SOLID	4" x 10" SOLID	UP TO 8 MPH	2.25"	N/A	51.75"	N/A	47"/26"	21.5"- 24.25"	150 LBS
HEAVY-DUTY	Maxima K0802 - GROUP 1 VERY HEAVY DUTY (3W) K0808 - GROUP 2 ¹⁴ VERY HEAVY DUTY (4W)	3" X 10" SOLID	4" x 10" SOLID	UP TO 5.25 MPH	4.25" 3W 3.25" 4W	50.38"	54"	46"/25.5"	46.9"/25.5"	22.5"- 24.5"	171 LBS./ 176 LBS.
	Pursuit® ¹⁶	3" X 13" SOLID	13" SOLID	UP TO 8 MPH	3.56"	N/A	67.75" LEFT 66.75" RIGHT	N/A	53.25"/25.25"	24.75"- 26.25"	225 LBS.
FULL-SIZE LUXURY	Pursuit® XL ¹⁶	13" PNEUMATIC	13" PNEUMATIC	UP TO 8.5 MPH	5.25"	N/A	82.5"	N/A	56"/27.25"	26.25"- 27.75"	259.9 LBS.
	Pursuit® Sport 36 Volt ¹⁶	13" PNEUMATIC	13" PNEUMATIC	UP TO 9 MPH	5.25" at mid-frame 2.5" at rear frame	N/A	83"	N/A	56"/27.25"	27.25"	271 LBS.
	Sport Rider ³	2.75" X 14" PNEUMATIC	2.75" X 14" PNEUMATIC	UP TO 9.4 MPH	5"	62.2"	N/A	65"/30.7"	N/A	21.8"	253.5 LBS.

- All shroud panels included.
- Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. This specification can be subject to a variance of (+ or -) 10%.
- Battery weight not included.
- Due to manufacturing tolerances and continual product improvement, this specification can be subject to variance of + or - 3%.

- Battery pack is 18 lbs. with 12AH batteries.
- Deep cycle (AGM or gel cell type recommended).
- 18 AH battery pack weighs 28 lbs.
- Tested in accordance with ANSI/RESNA, WC Vol 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Test conducted at maximum weight capacity.

The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed & range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%.

Get Out There!

Seat Type (Standard)	Seat-to-deck Height Range	Battery Weight ¹⁰	Battery Requirements ⁶	Per Charge Range (Max.) ^{2a}	Battery Charger	Maximum Weight Capacity	Suspension	Weight of Heaviest Piece ⁴
COMPACT, FOLDABLE (18" X 16")	N/A	10 LBS. EA.	(2)12AH	UP TO 8 MILES	OFF-BOARD, 2A	250 LBS.	LIMITED	34.5 LBS. (REAR)
COMPACT, FOLDABLE (17" X 15")	16.25"-17.25"	6 LBS. EA.	(2)10AH	UP TO 6 MILES	OFF-BOARD, 1.5A	250 LBS.	N/A	41.4 LBS. (3-WHEEL) (SCOOTER BASE)
COMPACT, FOLDABLE (17" X 17")	15.75"-17.25"	9 LBS. EA. ⁵	(2)12AH	UP TO 8 MILES	OFF-BOARD, 2A	260 LBS.	N/A	29.5 LBS. (3-WHEEL) (FRONT SECTION) 34 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	15.75"-17.25"	9 LBS. EA. ⁵ / 14 LBS. EA. ⁷	(2)12AH OR (2)18AH	3W: UP TO 7.2 MILES ⁹ 4W: UP TO 7.7 MILES ⁹	OFF-BOARD, 2A	300 LBS.	N/A	29.5 LBS. (3-WHEEL) (FRONT SECTION) 34 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	16.25"-17.75"	14 LBS. EA. ⁷	(2)18AH	3W: UP TO 14.4 MILES ⁹ 4W: UP TO 8.3 MILES ⁹	OFF-BOARD, 2A	300 LBS.	N/A	29.5 LBS. (3-WHEEL) (FRONT SECTION) 34 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	16.25"-17.75"	14 LBS. EA. ⁷	(2)18AH	3W: UP TO 12.7 MILES 4W: UP TO 12 MILES	OFF-BOARD, 2A	325 LBS.	N/A	35 LBS. (3-WHEEL) (FRONT SECTION) 44 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	16.25"-17.25"	9 LBS. EA. ⁵ / 14 LBS. EA. ⁷	(2)12AH OR (2)18AH	3W: UP TO 9.44 MILES 4W: UP TO 10.5 MILES	OFF-BOARD, 2A	300 LBS.	FRONT & REAR	34 LBS. (3-WHEEL) (FRONT SECTION) 36.6 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (16" X 13")	13"	9 LBS. EA. (SEALED LEAD ACID) / 5 LBS. EA. (LITHIUM-ION)	(2)12AH OR (1) 11.5AH (LITHIUM-ION)	UP TO 12.5 MILES (LITHIUM-ION) UP TO 9.3 MILES (SEALED LEAD ACID)	OFF-BOARD, 2A (SEALED LEAD ACID) OFF-BOARD, 2.5A (LITHIUM-ION)	250 LBS.	N/A	51.4 LBS. (UNIT DOES NOT DISASSEMBLE UNIT WEIGHT WITHOUT BATTERY PACK)
FOLDABLE, MOLDED PLASTIC (18" X 17")	17.25"-18.75"	24.5 LBS. EA.	(2) U1 OR	UP TO 13 MILES	OFF-BOARD, 3A (U-1)	300 LBS.	N/A	48.5 LBS. (3-WHEEL) (FRONT SECTION) 59 LBS. (4-WHEEL) (FRONT SECTION)
FOLDABLE, MOLDED PLASTIC (18" X 17")	17.5"-19"	24.5 LBS. EA. / 32.5 LBS. EA.	(2) U1 OR (2) 40AH	UP TO 15.5 MILES	OFF-BOARD, 3A (U-1) OFF-BOARD, 5A (40AH)	400 LBS.	N/A	54.5 LBS. (3-WHEEL) (FRONT SECTION) 61 LBS. (4-WHEEL) (FRONT SECTION)
FOLDABLE, MOLDED PLASTIC (18" X 17")	17.7"	32.5 LBS. EA.	(2) 40AH	UP TO 16.16 MILES	OFF-BOARD, 5A (40AH)	400 LBS.	N/A	77.6 LBS. (4-WHEEL) (FRONT SECTION)
CRS RECLINING H/B W/SLIDERS & HEADREST (19" X 17")	16"-18.5"	32.5 LBS. EA.	(2) 40AH	UP TO 11 MILES	OFF-BOARD, 5A	350 LBS.	N/A	68 LBS. (3-WHEEL) (FRONT SECTION)
DELUXE CONTOURED MEDIUM-BACK (22"X18")	16"-18"	38 LBS. EA. (NF-22 OR 55AH) 24.5 LBS. EA. (U-1)	(2) NF-22 (2) U-1 (POWER ELEVATING SEAT)	3W: UP TO 18 MILES, U-1 (POWER ELEVATING SEAT) UP TO 9.6 MILES 4W: UP TO 16 MILES	OFF-BOARD, 5A	500 LBS.	3-W REAR/ 4-W FRONT & REAR	76 LBS. (3-WHEEL) (REAR SECTION) 76 LBS. (4-WHEEL) (REAR SECTION)
CRS RECLINING H/B W/SLIDERS & HEADREST (19" X 17")	17"-18.75"	38 LBS. EA. (NF-22 OR 55AH) 53 LBS. EA. (75AH)	(2) NF-22 (2) GROUP 24	UP TO 14 MILES	OFF-BOARD, 5A (NF-22) OFF-BOARD, 8A (GROUP 24)	400 LBS.	FRONT & REAR	95 LBS. (FRONT SECTION)
HIGH-BACK PILLOW TOP W/SLIDERS & HEADREST (19.5" X 17.5")	21"-22.5"	60.5 LBS. EA.	(2) GROUP 27 OR (2) GROUP 24	G27: UP TO 29.51 MILES G24: UP TO 22.13 MILES	OFF-BOARD, 8A	400 LBS.	FRONT & REAR	205.5 LBS. (MAIN FRAME)
HIGH-BACK PILLOW TOP W/SLIDERS & HEADREST (19.5" X 17.5")	21"-21.5"	38 LBS. EA.	(3) 55AH	UP TO 22.5 MILES	36V OFF-BOARD, 8A	400 LBS.	FRONT & REAR	216 LBS. (BASE)
RECLINING H/B W/SLIDERS & HEADREST (20" X 22")	18.7"	75AH: 53 LBS. EA. / 100AH: 75.48 LBS. EA.	(2) 75AH OR (2) 100AH	UP TO 31.25 MILES	OFF-BOARD, 8A	400 LBS.	FRONT & REAR	203.5 LBS. (BASE WEIGHT- DOES NOT DISASSEMBLE)

9. Up to 14 miles per charge on 18 AH batteries.

10. Battery weight may vary based on manufacturer.

11. Width of base (not including seat).

12. Does not account for anti-tip clearance.

13. Includes standard seat weight.

14. Must be billed to Medicare as either a beneficiary requested upgrade with a properly executed ABN, or as an upgrade at no additional charge to the beneficiary.

15. At midframe.

16. Light package.

**DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement.
HCPCS codes should not be considered legal advice.

www.pridemobility.com
www.pridescooters.com

Pride
Mobility Products Corp.
— LIVE YOUR BEST —



PRIDE® MOBILITY SCOOTERS
LIVE YOUR BEST®

AUTHORIZED PRIDE® PROVIDER

PROVIDER INFO