

INANDON KARAOKE MACHINE



catalogue 2024

PROFESSIONAL STAGE LIGHTING SPARK MACHINE



PROFESSIONAL KARAOKE SPEAKER



PROFESSIONAL

by HARMAN

**EXCLUSIVE
DISTRIBUTOR**
OF ENTERTAINMENT SERIES

www.hdaudiosystem.com

CONTENT

SECTION

1



In-And-On Karaoke Player

2



Mixing Amplifier

3



DSP Mixer

4



Power Amplifier

5



Wireless Microphone System

6



Karaoke Speakers

7



Professional Stage Speakers

8



Stage Lighting & Effect Machine



In-And-On Karaoke Player

Massive music playlist up to 400,000+ songs on demand (updated monthly). Cover multi-language operation interface. Android core operating system, support Youtube playback. Stable and durable storage hard disk, supporting 2TB to 6TB storage.



15.6" ALL IN ONE KARAOKE PLAYER

SPECIFICATION:

MODEL: KV-KF156

Processor:	Quad Core ARM
Operate System:	In-And-On & Android
RAM:	4GB
Screen:	Capacity Touch Panel
Storage:	2TB/4TB/6TB
Interface:	HDMI*1 / USB*2 / TF*1 RCA*1PAIR / MIC*2 / LINE IN*1 / OPTICAL *1 / LAN*1
Input Power:	DC 12V
Product Size:	L 14.25" * W 9.50" * H 6.5"
Product Weight:	5.75 LBS

MSRP:

2TB \$699.99

4TB \$799.99

6TB \$899.99



19.5" ALL IN ONE KARAOKE PLAYER

SPECIFICATION:

MODEL: KV-HT195

Processor:	Quad Core ARM
Operate System:	In-And-On & Android
RAM:	8GB
Screen:	Capacity Touch Panel
Storage:	2TB/4TB/6TB
Interface:	HDMI*1 / USB*2 / TF*1 RCA*1PAIR / MIC*2 / LINE IN*1 / OPTICAL *1 / LAN*1 / TF SLOT*1
Input Power:	DC 12V
Product Size:	L 18.75" * W 10.25" * H 7"
Product Weight:	10.1 LBS

MSRP:

2TB \$799.99

4TB \$899.99

6TB \$999.99



21.5" ALL IN ONE KARAOKE PLAYER

SPECIFICATION:

MODEL: KV-HT215

Processor:	Quad Core ARM
Operate System:	In-And-On & Android
RAM:	8GB
Screen:	Capacity Touch Panel
Storage:	2TB/4TB/6TB
Interface:	HDMI*1 / USB*2 / MIC*2 RCA*1PAIR
Input Power:	DC 12V
Product Size:	L 20.75" * W 9.25" * H 34.5"
Product Weight:	18.65 LBS

MSRP:

2TB \$999.99

4TB \$1099.99

6TB \$1199.99

GDHD

GDHD Mixing Amplifier

GDHD is a brand under our company, dedicated to the research and development of professional karaoke equipment. Our mixing amplifier is equipped with a built-in DSP processor, delivering exceptional sound quality and robust interface support. The entire product range offers seamless Bluetooth connectivity. In addition to karaoke, it also allows you to connect your smartphone or tablet to play the music of your choice.



GDHD K2250 MIXING AMPLIFIER

SPECIFICATION:

MODEL: K2250

MSRP: \$699.99

Combo Included:	1 Pair of UHF Microphones
Number of Channels:	2
Watt/Side @ 8 ohms:	250W
Watt/Side @ 4 ohms:	350W
Inputs:	RCA*3 / MIC*3 / HDMI*3 / Optical*1 / Coaxial*1
Outputs:	Binding Post*2 / SpeakON*2 / HDMI*1
Colling System:	Internal heat sinks
Rack Spaces:	2U
Product Size:	L 17" * W 12.75" * H 4"
Product Weight:	19.75 LBS



GDHD K2800 MIXING AMPLIFIER

SPECIFICATION:

MODEL: K2800

MSRP: \$899.99

Number of Channels:	2
Watt/Side @ 8 ohms:	800W
Watt/Side @ 4 ohms:	900W
Inputs:	RCA*3 / MIC*3 / HDMI*3
Outputs:	Binding Post*2 / SpeakON*2 / HDMI*1
Colling System:	Internal heat sinks
Rack Spaces:	2U
Product Size:	L 17" * W 12.75" * H 4"
Product Weight:	19.75 LBS



GDHD KA800 MIXING AMPLIFIER

SPECIFICATION:

MODEL: KA800

MSRP: \$849.99

Number of Channels:	2
Watt/Side @ 8 ohms:	400W
Watt/Side @ 4 ohms:	500W
Inputs:	RCA*3 / MIC*3 / HDMI*3
Outputs:	Binding Post*2
Colling System:	Internal heat sinks
Rack Spaces:	2U
Product Size:	L 17" * W 12.75" * H 4"
Product Weight:	19.75 LBS

SECTION 2

www.hdaudiosystem.com

GDHD

GDHD DSP Mixer

GDHD is a brand under our company, dedicated to the research and development of professional karaoke equipment. Our DSP Mixer features simulating a dual reverberation effect, offering flexibility to switch between single and double reverberation to accommodate various singing habits and create a wide sound field for a rich sense of presence. High-quality components, such as a 30W transformer with a ring-type oxygen-free copper enameled wire, ensure a stable, thick, transparent, and sweet sound.



MSRP: \$249.99

GDHD DSP6600 DSP MIXER SPECIFICATION:

MODEL: DSP6600

Mix Input:	1/4" Unbalanced *5	Feedback Control:	Yes
Line Input:	RCA Unbalanced *2 Pairs	Support Bluetooth:	Yes
Input Impedance:	MIC 10K Unbalanced	Rack Spaces:	1U
	Music 47K Unbalanced	Product Size:	L 21.85" * W 10.1" * H 3.35"
XLR Output:	XLR Balanced *4 Channels	Product Weight:	6.6 LBS
RCA Output:	RCA Unbalanced *2 Pairs		
Output Impedance:	1K Unbalanced		



MSRP: \$379.99

GDHD DSP6900 DSP MIXER SPECIFICATION:

MODEL: DSP6900

Mix Input:	1/4" Unbalanced *5	Feedback Control:	Yes
Line Input:	RCA Unbalanced *2 Pairs	Support Bluetooth:	No
Input Impedance:	MIC 10K Unbalanced	Rack Spaces:	1U
	Music 47K Unbalanced	Product Size:	L 18.89" * W 4.65" * H 1.77"
XLR Output:	XLR Balanced *6 Channels	Product Weight:	6.6 LBS
RCA Output:	RCA Unbalanced *1 Pairs		
Output Impedance:	300 Balanced / 1K Unbalanced		



MSRP: \$399.99

GDHD DSP9000 DSP MIXER SPECIFICATION:

MODEL: DSP9000

Mix Input:	1/4" Unbalanced *2	Support Bluetooth:	No
Line Input:	RCA Unbalanced *2 Pairs	Rack Spaces:	1U
Input Impedance:	MIC 10K Unbalanced	Product Size:	L 18.89" * W 8.27" * H 1.75"
	Music 47K Unbalanced	Product Weight:	6.6 LBS
XLR Output:	XLR Balanced *6 Channels		
Output Impedance:	300 Balanced / 1K Unbalanced		
Feedback Control:	Yes		

SECTION 3

www.hdaudiosystem.com



JBL DSP Mixer

JBL Pro is the world's leading designer, manufacturer and marketer of professional loudspeakers and studio monitors for musicians, contracting, tours, cinema and recording & broadcasting applications. KX180 and VX8 are professional-grade digital processor designed for karaoke applications and provides a full set of audio processing for enhancing or fine-tuning music and voice.



KX180 Mixer

- 15-Bands PEQ and Compressor for Each Mic Input
- Three Levels of Feedback Inhibition for Each Mic Input
- Independent Control of Echo and Reverberation



JBL KX180 DSP MIXER SPECIFICATION:

MODEL: KX180

MSRP: \$549.99

Mix Input:	1/4" Unbalanced *3
Line Input:	RCA Unbalanced *2 Pairs
Impedance:	7.5K Ohms
XLR Output:	XLR Balanced *6 Channels
Line Output:	RCA Unbalanced *1 Pairs
Output Impedance:	10K Ohms
Frequency Response:	20 Hz ~ 20KHz ≤1.0dB
Dynamic Range:	>100dB
A/D Conversion:	24bit, 48KHz
DSP Processor:	High Performance 32-bit/40-bit

Carrier Frequency:	38KHz
Format:	NEC
Distance:	Device Dependent
Feedback Control:	Yes
Rack Spaces:	1U
Angle:	Device Dependent
Computer Connection:	USB 2.0
AC Power Supply:	AC 110V
Product Size:	L 19" * W 8" * H 1.85"
Product Weight:	6.1 LBS



VX8 Mixer

- 15-Bands PEQ for Music and 20 EQ for Each Mic Input
- Four Levels of Feedback Inhibition for Each Mic Input
- Independent Control of Echo and Reverberation
- Store up to 16 Presets



JBL VX8 DSP MIXER SPECIFICATION:

MODEL: VX8

MSRP: \$649.99

Mix Input:	1/4" Unbalanced *4
Line Input:	RCA Unbalanced *2 Pairs
Impedance:	8K Ohms
XLR Output:	XLR Balanced *6 Channels
Line Output:	RCA Unbalanced *1 Pairs
Output Impedance:	300 Ohms
Frequency Response:	20 Hz ~ 20KHz ≤1.0dB
Dynamic Range:	>100dB
A/D Conversion:	24bit, 48KHz
DSP Processor:	High Performance 32-bit/40-bit

Carrier Frequency:	38KHz
Format:	NEC
Distance:	Device Dependent
Feedback Control:	Yes
Rack Spaces:	1U
Angle:	Device Dependent
Computer Connection:	USB 2.0
AC Power Supply:	AC 110V
Product Size:	L 19" * W 8" * H 1.73"
Product Weight:	7.9 LBS

GDHD

GDHD Powered Amplifier

GDHD is a brand under our company, dedicated to the research and development of professional karaoke equipment. Powerful, affordable, reliable - these words define GDHD's power amplifier. Whether you're a musician, DJ, or live sound engineer, you're sure to appreciate what this remarkably rugged amplifier can do for your PA system.



GDHD 15-210D+ Power Amplifier

MODEL: 15-210D+

SPECIFICATION:

MSRP: \$1199.99

Number of Channels:	2
Watts/Side @ 8 ohms:	1000W
Watts/Side @ 4 ohms:	1500W
Watts Bridged @ 8 ohms:	3000W
Link Connectors:	XLR*2
Inputs:	XLR*2
Outputs:	SpeakON*2
Sequence Outlets:	4
Colling System:	Variable Speed Fan
Rack Spaces:	2U
Product Size:	L 19" * W 18.7" * H 3.82"
Product Weight:	48.46 LBS

GDHD 15-215D+ Power Amplifier

MODEL: 15-215D+

SPECIFICATION:

MSRP: \$1299.99

Number of Channels:	2
Watts/Side @ 8 ohms:	1500W
Watts/Side @ 4 ohms:	2250W
Watts Bridged @ 8 ohms:	4500W
Link Connectors:	XLR*2
Inputs:	XLR*2
Outputs:	SpeakON*2
Sequence Outlets:	4
Colling System:	Variable Speed Fan
Rack Spaces:	2U
Product Size:	L 19" * W 18.7" * H 3.82"
Product Weight:	57.27 LBS



GDHD Mate 218 / 222 Power Amplifier

MODEL: Mate 218 / 222

SPECIFICATION:

**MSRP: Mate 218 \$1599.99
Mate 222 \$1899.99**

Number of Channels:	2
Watts/Side @ 8 ohms:	(218)1800W / (222)2200W
Watts/Side @ 4 ohms:	(218)3100W / (222)3300W
Watts Bridged @ 8 ohms:	(218)6000W / (222)6600W
Link Connectors:	XLR*2
Inputs:	XLR*2
Outputs:	SpeakON*2
Colling System:	Variable Speed Fan
Rack Spaces:	2U
Product Size:	L 19" * W 18.7" * H 3.82"
Product Weight:	48.46 LBS

GDHD Mate 418 / 422 Power Amplifier

MODEL: Mate 418 / 422

SPECIFICATION:

**MSRP: Mate 418 \$2299.99
Mate 422 \$2499.99**

Number of Channels:	4
Watts/Side @ 8 ohms:	(418)1800W / (422)2200W
Watts/Side @ 4 ohms:	(418)3100W / (422)3300W
Watts Bridged @ 8 ohms:	(418)6000W / (422)6600W
Link Connectors:	XLR*4
Inputs:	XLR*4
Outputs:	SpeakON*4
Colling System:	Variable Speed Fan
Rack Spaces:	2U
Product Size:	L 19" * W 18.7" * H 3.82"
Product Weight:	48.46 LBS

GDHD

GDHD Wireless Microphone

GDHD is a brand under our company, dedicated to the research and development of professional karaoke equipment. When it comes to wireless microphone systems, there's no reason to make things overly complicated. With the GDHD Wireless microphone set, you'll benefit from quality, long-lasting performance as well as equipment that is incredibly reproduce your voice.



GDHD ST-9850 UHF Portable Wireless Microphone

MSRP: \$269.99

SPECIFICATION:

MODEL: ST-9850

Wireless Technology:	UHF
Included Microphones:	2
Max Operating Range:	200 FT
Polar Pattern:	Cardioid
Number of Channels:	100
RF Frequency Band:	600-690 Mhz
Sensitivity:	12 dB mu V
Transmitters Use Time:	8-10 Hours
Power Requirements:	DC 12V
Product Size:	Microphone: L 1.8" * W 1.8" * H 10.25" Receiver: L 8.75" * W 6.25" * H 1.9"
Product Weight:	5.1 LBS



GDHD ST-9620 UHF Portable Wireless Microphone

MSRP: \$369.99

SPECIFICATION:

MODEL: ST-9620

Wireless Technology:	UHF
Included Microphones:	2
Max Operating Range:	200 FT
Polar Pattern:	Cardioid
Number of Channels:	300
RF Frequency Band:	600-690 Mhz
Sensitivity:	12 dB mu V
Transmitters Use Time:	8-10 Hours
Power Requirements:	DC 12V
Product Size:	Microphone: L 1.8" * W 1.8" * H 10.25" Receiver: L 16.5" * W 7.5" * H 1.9"
Product Weight:	7 LBS



GDHD ST-9720 UHF Portable Wireless Microphone

MSRP: \$419.99

SPECIFICATION:

MODEL: ST-9720

Wireless Technology:	UHF
Included Microphones:	2
Max Operating Range:	200 FT
Polar Pattern:	Cardioid
Number of Channels:	200
Frequency Response:	40Hz to 18KHz
Sensitivity:	12 dB mu V
Transmitters Use Time:	8-10 Hours
Power Requirements:	DC 12V
Product Size:	Microphone: L 1.8" * W 1.8" * H 10.25" Receiver: L 16.5" * W 7.5" * H 1.9"
Product Weight:	7 LBS



JBL Wireless Microphone

JBL Pro is the world's leading designer, manufacturer and marketer of professional loudspeakers and studio monitors for musicians, contracting, tours, cinema and recording & broadcasting applications. Renowned JBL karaoke tuning delivers excellent vocal performance. Auto Scan automatically searches for available frequencies. Preset Module offers selectable and storable presets for easy synchronization.

Signature JBL Karaoke Sound

Continuing JBL's legacy as a leader in the KTV-audio market, the VM200/300 wireless microphone system features JBL's legendary karaoke tuning.

Reliable Performance

The system's Auto Mute feature mutes microphones after three seconds if vocals are not detected, while Auto Sleep powers off the microphones if they stay static for eight minutes. Oppositely, Auto Wakeup powers the microphones when motion is detected.

Painless Setup

Auto Scan automatically searches for available frequencies, while the Preset Module allows you to select and store channel presets for simple synchronization between the receiver and microphones.

Simple Operation

Allows several systems to operate simultaneously without interfering with one another. Plus, for simple monitoring, the receiver and microphones feature an LCD display that show the system's status and battery levels.



JBL VM200 UHF Portable Wireless Microphone

MSRP: \$499.99

SPECIFICATION:

MODEL: VM200

Wireless Technology:	UHF
Included Microphones:	2
Max Operating Range:	200 FT
Polar Pattern:	Super Cardioid
Number of Channels:	40
RF Frequency Band:	640-690 Mhz
Sensitivity:	12 dB mu V
Transmitters Use Time:	8-10 Hours
Power Requirements:	DC 12V
Product Size:	Microphone: L 2" * W 2" * H 9.5" Receiver: L 8.25" * W 6.25" * H 1.75"
Product Weight:	3.5 LBS



JBL VM300 UHF Portable Wireless Microphone

MSRP: \$599.99

SPECIFICATION:

MODEL: VM300

Wireless Technology:	UHF
Included Microphones:	2
Max Operating Range:	200 FT
Polar Pattern:	Super Cardioid
Number of Channels:	200
RF Frequency Band:	640-690 Mhz
Sensitivity:	12 dB mu V
Transmitters Use Time:	8-10 Hours
Power Requirements:	DC 12V
Product Size:	Microphone: L 2.2" * W 2.2" * H 9.75" Receiver: L 8.25" * W 6.25" * H 1.75"
Product Weight:	3.5 LBS



JBL Karaoke Speakers

JBL Pro is the world's leading designer, manufacturer and marketer of professional loudspeakers and studio monitors for musicians, contracting, tours, cinema and recording & broadcasting applications. A tremendous amount of work has gone into the speaker tuning as well as inspection and quality control of all components to ensure the highest quality.



Speaker Type: 2 Way, Bass-Reflex
 Frequency Range: 8": 53Hz-17kHz
 10": 48Hz-17kHz
 12": 45Hz-17kHz
 Frequency Response: 8": 70Hz-14kHz
 10": 64Hz-14kHz
 12": 60Hz-14kHz
 Sensitivity: 8": 88dB
 10": 90dB
 12": 91dB

JBL MK Series Speaker 8" / 10" / 12"

SPECIFICATION:

MODEL: MK8 / MK10 / MK12

Impedance: 8 ohm
 Max SPL: 8": 110dB / 10": 113dB / 12": 115dB
 Power Rating: 8": 150W RMS / 600W Peak
 10": 200W RMS / 800W Peak
 12": 250W RMS / 1000W Peak
 Coverage Pattern: 8": 110° × 100° (H × V)
 10": 110° × 100° (H × V)
 12": 110° × 90° (H × V)
 Product Size: 8": L 9.6" * W 17.1" * H 11.2"
 10": L 11.4" * W 19.9" * H 12.6"
 12": L 13.8" * W 22.6" * H 14"
 Product Weight: 8": 18.7LBS / 10": 24.3 LBS / 12": 35.9 LBS

MSRP: MK 8:\$649.99 / 10:\$849.99 / 12:\$849.99



Speaker Type: 8": 2 Way / 10"12": 3 Way
 Frequency Range: 8": 53Hz-17kHz
 10": 50Hz-17kHz
 12": 47Hz-17kHz
 Frequency Response: 8": 53Hz-18kHz
 10": 65Hz-14kHz
 12": 60Hz-14kHz
 Sensitivity: 8": 88dB
 10": 90dB
 12": 91dB

JBL PASION Series Speaker 8" / 10" / 12"

SPECIFICATION:

MODEL: PASION8 / PASION10 / PASION12

Impedance: 8 ohm
 Max SPL: 8": 110dB / 10": 113dB / 12": 115dB
 Power Rating: 8": 150W RMS / 600W Peak
 10": 200W RMS / 800W Peak
 12": 250W RMS / 1000W Peak
 Coverage Pattern: 8": 120° × 120° (H × V)
 10": 120° × 90° (H × V)
 12": 120° × 90° (H × V)
 Product Size: 8": L 10" * W 17.8" * H 10.9"
 10": L 11.5" * W 20.5" * H 12.6"
 12": L 13.8" * W 23.1" * H 14.8"
 Product Weight: 8": 19.1LBS / 10": 24.3 LBS / 12": 38.5 LBS

MSRP: PASION 8:\$759.99 / 10:\$899.99 / 12:\$999.99



Speaker Type: 3 Way
 Frequency Range: 10": 42Hz-20kHz
 12": 42Hz-20kHz
 Frequency Response: 10": 69Hz-16kHz
 12": 58Hz-16kHz
 Sensitivity: 10": 92dB
 12": 94dB

JBL KI500 Series Speaker 10" / 12"

SPECIFICATION:

MODEL: KI510 / KI512

Impedance: 8 ohm
 Max SPL: 10": 117dB / 12": 120dB
 Power Rating: 10": 350W RMS / 1400W Peak
 12": 400W RMS / 1600W Peak
 Coverage Pattern: 10": 80° × 60° (H × V)
 12": 80° × 60° (H × V)
 Product Size: 10": L 12.2" * W 20" * H 13.4"
 12": L 14.2" * W 22.4" * H 15.4"
 Product Weight: 10": 54.7 LBS / 12": 77.6 LBS

MSRP: KI500 10:\$1049.99 / 12:\$1149.99



JBL PRO Stage Speakers

JBL Pro is the world's leading designer, manufacturer and marketer of professional loudspeakers and studio monitors for musicians, contracting, tours, cinema and recording & broadcasting applications. The speaker features excellent vocal and bass performance and JBL's standard of reliability in a reimagined, modern, sleek design.



Speaker Type:	2 Way, Bass-Reflex
Frequency Range:	10": 50Hz-20kHz 12": 48Hz-20kHz
Frequency Response:	10": 85Hz-17kHz 12": 80Hz-17kHz
Sensitivity:	10": 95 dB 12": 96 dB
Impedance:	8 ohms

JBL KP2000 Series Loudspeaker System

SPECIFICATION:

MODEL: KP2010 / KP2012

Max SPL:	10": 120 dB (126 dB Peak) 12": 122 dB (128 dB Peak)
Power Rating:	10": 300W RMS 1200W Peak 12": 350W RMS 1400W Peak
Coverage Pattern:	70° × 110° (H × V)
Input Connectors:	Neutrik Speakon NL4MP *1
Enclosure Construction:	Trapezoid, 15mm, MDF
Product Size:	10": L 21.1" * W 12.6" * H 13.4" 12": L 21.1" * W 12.6" * H 13.4"
Product Weight:	10": 35.9LBS / 12": 46.7LBS

MSRP: KP2010 \$1299.99 One Pair / KP2012 \$699.99 Each



Speaker Type:	2 Way, Bass-Reflex
Frequency Range:	10": 50Hz-20kHz 12": 47Hz-20kHz 15": 45Hz-20kHz
Frequency Response:	10": 85Hz-20kHz 12": 80Hz-20kHz
Sensitivity:	15": 75Hz-20kHz 10": 95dB 12": 97.5dB 15": 99dB

JBL KP4000 Series Loudspeaker System

SPECIFICATION:

MODEL: KP4010 / KP4012 / KP4015

Impedance:	8 ohm
Max SPL:	10": 122dB / 12": 125dB / 15": 127dB
Power Rating:	10": 300W RMS / 1200W Peak 12": 350W RMS / 1400W Peak 15": 400W RMS / 1600W Peak
Coverage Pattern:	70° × 100° (H × V)
Input Connectors:	Neutrik Speakon NL4MP *2
Enclosure Construction:	Trapezoid, 15mm, Plywood
Product Size:	10": L 21" * W 11.8" * H 13.4" 12": L 23.6" * W 14.2" * H 15" 15": L 26.8" * W 16.1" * H 17.3"
Product Weight:	10":32.6LBS / 12":40.7 LBS / 15":50.7 LBS

MSRP: 10 :\$749.99EA / 12:\$899.99EA / 15:\$999.99EA



Speaker Type:	2 Way, Bass-Reflex
Frequency Range:	12": 71Hz-20kHz 15": 70Hz-20kHz
Frequency Response:	12": 90Hz-20kHz 15": 82Hz-20kHz
Sensitivity:	12": 97dB 15": 99dB

JBL KP6000 Series Loudspeaker System

SPECIFICATION:

MODEL: KP6012 / KP6015


Impedance:	8 ohm
Max SPL:	12": 124dB/ 15": 127dB
Power Rating:	12": 350W RMS / 1400W Peak 15": 350W RMS / 1400W Peak
Coverage Pattern:	70° × 60° (H × V)
Input Connectors:	Neutrik Speakon NL4MP *2
Enclosure Construction:	Trapezoid, 18mm, Plywood
Product Size:	12": L 23.6" * W 13.8" * H 15" 15": L 26.8" * W 16.9" * H 16.9"
Product Weight:	12":32.5 LBS / 15":43.9 LBS

MSRP: KP6012:\$1299.99 / KP6015:\$1499.99



GDHD Stage Lighting

GDHD is a brand under our company, dedicated to the research and development of professional stage equipment. GDHD have what you need and can easily point you in the right direction. From set-and-forget fixtures and powerful fog and spark machines to extensive DMX control options.



MODEL: CL150A

GDHD 150W Wash Moving Head Light



MODEL: CL150B

GDHD 150W Laser Moving Head Light



MODEL: CL150C

GDHD 150W Outer Ring Moving Head Light

CL150A / CL150B / CL150C MSRP: \$349.99

SPECIFICATION:

Input Voltage: AC100/240V 50/60HZ
 Power: 160W
 Light Source: 1 piece of 150W white LED + 6*10W RGBW 4 IN 1
 Beam Angle: 13.5°
 Electronic Dimming: 0-100%
 Cooling: Fan-cooled/convection heat dissipation
 Pan: 540° / Tilt: 270°
 Pan/Tilt Fine-tuning: 8-16 bit
 Prism: Rotatable five-facet prism
 Focus: Electronic linear focus from near to far

1 Fixed Gobo Wheel: 8 patterns + blank
 1 Rotating Gobo Wheel: 6 patterns + blank, 360° rotation
 1 Color Wheel: 7 colors + blank
 Strobe: 0-16 Hz, adjustable from slow to fast
 Control Modes: Auto-run, Sound-activated, DMX512
 DMX Channels: 16 channels
 LED Digital Display
 Data Input/Output: 3-pin XLR connectors
 Dimensions: 290x182x400mm
 Net Weight: 7.5kg



GDHD Stage Lighting

GDHD is a brand under our company, dedicated to the research and development of professional stage equipment. GDHD have what you need and can easily point you in the right direction. From set-and-forget fixtures and powerful fog and spark machines to extensive DMX control options.



GDHD 230W Moving Head Light

SPECIFICATION:

MODEL: CL230B

MSRP: \$329.99

Input Voltage: AC100V-220V, 50/60Hz
 Rated Power: 450W
 Control Channels: 16 DMX channels
 Operating Modes: Sound-activated, Auto-run, Master-slave, DMX512
 Color Wheel: 14 colors + white
 Gobo Wheel: 17 patterns + white
 Prism: Single prism (16 facets)
 Focus: Dual-motor high-definition focus
 Fogging: Independent soft fogging for light spots
 Strobe: Single strobe

Dimming: 0-100% linear dimming
 Pan/Tilt: 540° horizontal scan, 270° vertical scan
 Display Interface: 1.8-inch color screen with buttons, 180° reversible display with switchable English/Chinese
 Fixture Housing: High-temperature-resistant plastic and alloy materials
 Protection Rating: IP20
 Package Dimensions: 44*41*54 (cm)
 Product Dimensions: 40*34*52 (cm)
 Gross Weight: 17.5KG
 Net Weight: 15.3KG



GDHD Mini 230W Stage Moving Head Light

SPECIFICATION:

MODEL: CL230W

MSRP: \$299.99

Input Voltage: AC100V-220V 50/60Hz
 Rated Power: 450W
 Control Channels: 16 DMX channels
 Operating Modes: Sound-activated, Auto-run,
 Color Wheel: 14 colors + white
 Gobo Wheel: 17 patterns + white
 Prism: Single prism (8+16 prisms/8+16+24 prisms)
 Fogging: Independent soft fogging for light spots
 Strobe: Single strobe
 Dimming: 0-100% linear dimming
 Pan/Tilt: 540° horizontal scan, 270° vertical scan

Display Interface: 1.8-inch color screen with buttons, 180° reversible display with switchable English/Chinese
 Fixture Housing: High-temperature-resistant plastic and alloy materials
 Protection Rating: IP20
 Product Dimensions: 28.5*23.5*46 (cm)
 Gross Weight: 17.5KG
 Net Weight: 15.3KG



GDHD 250W Moving Head Light

SPECIFICATION:

MODEL: CL250BSW

MSRP: \$599.99

Voltage: AC100-240V, 50/60Hz
 Power: 450W
 LED: 250W white, 8300K, 20,000-hour lifespan
 Colors: 9 + white, with dynamic effects
 Gobo Wheels: Rotating (7 gobos + white) and Fixed (10 gobos + white)
 Iris: Smooth 5%-100% adjustment
 Dimming: Electronic 0-100%
 Fogging: Electronic 0-100%, soft effect
 Zoom: Linear 7°-21°
 Strobe: Fast, multiple modes

Prism: 1 four-facet bidirectional rotating
 Pan: 540°, Tilt: 240°, both with fine-tune
 Channels: 18 DMX
 Display: 1.8-inch color screen with RDM
 Package Dimensions: 54 * 27.5 * 20 (cm)
 Package Dimensions: 46 * 46 * 58 (cm)
 Gross Weight: 18KG
 Net Weight: 15KG



GDHD 300W Stage Moving Head Light

SPECIFICATION:

MODEL: CL300W

MSRP: \$599.99

Voltage: AC100-240V, 50/60Hz
 Power: 450W
 LED: 250W white, 8300K, 20,000-hour lifespan
 Colors: 9 + white, with dynamic effects
 Gobo Wheels: Rotating (7 gobos + white) and Fixed (10 gobos + white)
 Iris: Smooth 5%-100% adjustment
 Dimming: Electronic 0-100%
 Fogging: Electronic 0-100%, soft effect
 Zoom: Linear 7°-21°
 Strobe: Fast, multiple modes

Prism: 1 four-facet bidirectional rotating
 Pan: 540°, Tilt: 240°, both with fine-tune
 Channels: 18 DMX
 Display: 1.8-inch color screen with RDM
 Package Dimensions: 54 * 27.5 * 20 (cm)
 Package Dimensions: 46 * 46 * 58 (cm)
 Gross Weight: 18KG
 Net Weight: 15KG



GDHD Stage Lighting

GDHD is a brand under our company, dedicated to the research and development of professional stage equipment. GDHD have what you need and can easily point you in the right direction. From set-and-forget fixtures and powerful fog and spark machines to extensive DMX control options.

GDHD Full Color 6 Head Laser Moving Head Light Bar



MSRP: \$499.99

SPECIFICATION: *MODEL: CL006*

Input Voltage: 220V-240V
 Total Power: 150W
 Control Modes: Auto/Sound/DMX512
 Control Channels: 17 channels
 Rotation Angle: X-Axis: 270 degrees, Y-Axis: 145 degrees, Spot Distance: 15
 Laser Output Power (mW): Green 60mW, Red 500mW, Blue 500mW (Customizable to single color options: Red, Green, Blue, Red+Green+Blue)
 Power Stability: 5%
 Laser Output Wavelength (nm): Green 532, Red 638, Blue 447
 Output Spot Diameter (mm): >10
 Spot Ellipticity: >0.9
 Preheating Time (min): <15
 Operating Temperature: -1°C to 35°C

GDHD 8 LED & Laser Moving Head Light Bar



MSRP: \$319.99

SPECIFICATION: *MODEL: CL08LB*

Input Voltage: 220V-240V
 Total Power: 150W
 Control Modes: Auto/Sound/DMX512
 Control Channels: 8/18/24 (3 channel modes)
 Rotation Angle: X-Axis: 270 degrees, Spot Distance: 15°
 LED Source: 5W imported CREE LEDs (Color Temperature: 2400K) in golden yellow
 LED Beam Angle: 7 degrees
 Laser Output Power (mW): Green 60mW, Red 500mW, Blue 500mW (Customizable to single color options: Red, Green, Blue, Red+Green, Red+Green+Blue)
 Power Stability: 5%
 Laser Output Wavelength (nm): Green 532, Red 638, Blue 447 (Optional 650nm red)
 Output Spot Diameter (mm): >10
 Spot Ellipticity: >0.9

GDHD 10 LED 40W Stage Moving Head Light



MSRP: \$329.99

SPECIFICATION: *MODEL: CL1040W*

Power Supply: AC 100-240V, 50/60Hz
 Maximum Power Consumption: 500W
 LEDs: 10 pieces of 40W four-in-one
 Beam Angle: 2°
 Y-Axis Movement: 0-230°
 Channels: 5/7/14/18/42/54 channels selectable
 Control Protocols: DMX, RDM remote operation, Sound-activated, Auto-run, Master-slave mode
 Cooling: Fan-cooled system
 Housing: Steel + Plastic
 Protection Rating: IP20
 Weight: 13.6kg
 Dimensions: 950*90*230mm
 Package Dimensions: 102*32*32cm



GDHD Stage Lighting

GDHD is a brand under our company, dedicated to the research and development of professional stage equipment. GDHD have what you need and can easily point you in the right direction. From set-and-forget fixtures and powerful fog and spark machines to extensive DMX control options.

GDHD RGBW 4-in-1 LED Rotation Moving Head Beam Light



MSRP: \$199.99

SPECIFICATION: **MODEL: CL008**

Operating voltage: AC110-220V / 50Hz
 Product power: 120W
 Beam Angle: 2- -3 degrees
 Pearl parameters: 8*10watt RGBW four-in-one color light beads, 8 laps of 0.2W 5050RGB light beads
 Channel mode: 16 channels, 18 channels
 Product size: 27cm long, 20cm wide, 36cm high
 Product weight: 4.25KG
 Dimming: 0- -100% smooth dimming
 Angle: X axis: 540 degrees; Y axis infinite rotation
 Features: a variety of beam lights with ring control strobe effect; strong and penetrating LED beam effect

GDHD Bi-Wheel Rotation Moving Head Light



MSRP: \$249.99

SPECIFICATION: **MODEL: CL0815**

Operating Voltage: AC95V-245V/50Hz
 Product Power: 150W
 Light Source Parameters: 8 pieces of 15W CREE four-in-one LEDs, 2 pieces of 100mW red lasers, 2 pieces of 100mW green lasers, 4 pieces of 8W golden strobe lights
 Control Mode: International standard DMX512, 18 channels
 Operating Modes: DMX512, Master/Slave, Auto-run, Sound-activated
 Light Output: 0-100% ultra-smooth dimming
 Strobe: 20 flashes per second
 Dimensions: 400*265*335
 Outer Box: 560*415*710
 Weight: 6kg

GDHD 9 LED Matric Stage Moving Head Light



MSRP: \$269.99

SPECIFICATION: **MODEL: CL009**

Input Voltage: AC100/240V
 Power: 150W
 Light Source: 9x10W RGBW four-in-one LEDs
 Beam Angle: 8°
 Pan Angle: 540°/630°
 Tilt Angle: 270°
 Pan/Tilt Fine-tuning: 8-16 bit
 Strobe: 0-16 Hz, adjustable from fast to slow
 Electronic Dimming: 0-100%
 Fan-cooled convection heat dissipation
 Control Modes: Auto-run, Sound-activated, DMX512
 DMX Channels: 16/47 channels
 LCD Liquid Crystal Display
 Data Input/Output: 3-pin XLR connectors
 Dimensions: 27.5*15*32.5 (cm)
 Net Weight: 5.1 kg



GDHD Stage Lighting

GDHD is a brand under our company, dedicated to the research and development of professional stage equipment. GDHD have what you need and can easily point you in the right direction. From set-and-forget fixtures and powerful fog and spark machines to extensive DMX control options.

GDHD 7 LED 40W Stage Moving Head Light



MSRP: \$349.99

SPECIFICATION:

MODEL: CL0740

Power Input: AC100-240V, 50/60Hz
 Maximum Power: 360W
 Beam Angle: 8-60 degrees
 DMX Channels: 16 channels
 Light Source: 7 four-in-one 40W (Osram) LEDs
 Control: USITT DMX-512
 Control Modes: DMX, Auto-run
 Operation Modes: Master-slave synchronization, standalone auto-run, sound-activated
 Signal Input/Output: 3-pin XLR connectors
 Fixture Housing Material: Plastic shell + aluminum plate
 Package Dimensions: 36x26x46CM
 Rating: IP12
 Net Weight: 7.5KG

GDHD 12 LED 40W Zoom Color Moving Head Light



MSRP: \$589.99

SPECIFICATION:

MODEL: CL1240

Input Voltage: 110-240V, 50/60Hz
 Power: 600W
 Light Source: 12pcs 40W, RGBW 4in1 color mixing
 Lifespan: Approximately 50,000 hours
 IP Rating: IP20
 Operating Temperature: -20°C to 40°C
 Control Modes: DMX 512, Auto, Master-slave, Sound
 RDM, DMX software upgrade function
 Optional network function support: Artnet, Klingnet, sACN, network protocol
 4 Channel Modes: STD / HSI / GUI / EXT (17/11/18 / 58CH)
 Features: Pixel control, strobe, zoom, beam effects
 Pan: 540° (16-bit) electric correction
 Tilt: 270° (16-bit) electric correction
 Zoom Range: 7-70 degrees
 Dimmer: 0-100% dimmer
 Display Panel: Blue LCD screen, English/Chinese language, rotatable by 180 degrees
 Net Weight: 15kg







GDHD Stage Lighting

GDHD is a brand under our company, dedicated to the research and development of professional stage equipment. GDHD have what you need and can easily point you in the right direction. From set-and-forget fixtures and powerful fog and spark machines to extensive DMX control options.

GDHD 960 LED RGB Lighting



MSRP: \$179.99

SPECIFICATION:

MODEL: CL010

Voltage: AC100-240V, 50/60Hz
 Power: 240W
 LED Beads: 960 pieces of 5050 tricolor LED beads
 Control Method: DMX512, Auto-run, Master-slave, with RDM function
 Channels: CH03, CH09, CH24
 Dimming: 32-bit 0100% linear dimming
 Features: 8-segment color chasing, color mixing, strobe
 Operating Temperature: -30°C to 50°C
 Strobe Frequency: 1~30Hz
 Appearance: Metal, black
 Connection: DMX512 input/output, Power input/output
 IP Rating: IP20
 Product Dimensions: 462x510 (cm)
 Net Weight: 3.45KG

GDHD 600W Spark Machine



MSRP: \$359.99

SPECIFICATION:

MODEL: CL600F

Voltage: AC100-220V, 50-60Hz
 Power: 600W
 Operating Environment: -10°C to 50°C
 Preheating Temperature: 510°C
 Spray Height: 1-6m
 Interface Type: Dual DMX512, Dual AC Power
 Control Method: Wireless remote control/DMX512
 Product Dimensions: 212x128
 Net Weight: 5.45KG

GDHD 900W Fog Machine



MSRP: \$199.99

SPECIFICATION:

MODEL: CL900A

Power: 900W
 DMX512 timing, quantification, and wireless remote control
 First heating time: 2 minutes
 Oil tank capacity: 2 liters
 Smoke output: 10,000 cubic feet per minute
 Coverage area: 60-100 square meters
 Weight: 5KG